



| Key Largo Fire Rescue |  |
|-----------------------|--|
|                       |  |
|                       |  |

Exp. Date: Quote No: 06/28/2012 10557-0003

| 03/19/2013 |   | Page 1 |
|------------|---|--------|
| PART NO    | DESCRIPTION   | QTY    |
|            | == Legals - Tanker - 1205.001 05/08/12 ==                         | 1      |
| 02-H2-2020 | Drawings - Approval   | 1      |
| 02-K2-0220 | Pre-Construction Conference - Factory                             | 1      |
| 02-K4-0220 | Final Inspection - Factory  | 1      |
|            | == Bumper Package - Commercial - 1205.001 05/08/12 ==             | 1      |
| 12-D2-0620 | Air Horns - (2) Mounted on Fenders (Driver / Passenger Side)      | 1      |
| 12-D6-1820 | Air Horns - Active in All Modes                                   | 1      |
| 12-D8-0420 | Switch - Horn/Horn  | 1      |
| 12-D8-0620 | l Switch - Air Horn - Dash Mounted - Officer's Side               | 1      |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |
|            | PUSH BUTTON STYLE   |        |
|            |   |        |
| 12-F4-1060 | l Speaker - (1) Driver's Side (P7) Outboard                       | 1      |
| 12-H2-0620 | I Speaker - (1) CP SA5403   | 1      |
| 12-K6-0420 | Siren - Whelen - WS-295 Hands Free                                | 1      |
|            | Mount in center console   |        |
|            |   |        |
|            | == CHASSIS - Commercial Tanker Tandem Axle - 1205.001 05/08/12 == | 1      |
| 02-G2-1820 | I CHASSIS-108 SD - 62,000 GVW - 2DR - 350HP Cummins ISC           | 1      |
| 03-M0-0000 | I Carrying Capacity Plate - NFPA                                  | 1      |
| 03-M2-0220 | I Plate - Seating Capacity - 2 People                             | 1      |
| 03-M4-0220 | Plate - Occupancy/Seat Belt                                       | 1      |
| 03-M4-0420 | Label - "Do Not Wear Helmet While Seated"                         | 1      |
| 03-M4-0620 | Plate - Overall Height/Length/Weight                              | 1      |
| 03-M4-0820 | I Plate - Fluid Capacity  | 1      |
| 03-M4-1020 | l Plate - Apparatus Movement Warning                              | 1      |
| 03-M4-1220 | Plate - Occupancy - Do Not Ride                                   | 1      |
| 03-M8-0620 | I Manuals on CD   | 1      |
| 16-J2-0220 | I Console - Aluminum  | 1      |
| 16-J8-0220 | Reflective Material - (2) Lower Interior Door Panels              | 1      |
| 16-K8-0220 | Light - Battery On  | 1      |
|            |   |        |

| 03/19/2013               |   | Page 2 |
|--------------------------|---|--------|
| PART NO                  | DESCRIPTION   | QTY    |
| 16-K8-0420               | Light - Ignition On   | 1      |
| 16-K8-1020               | I Master Load Disconnect                                      | 1      |
| 16-K8-1620               | I Switch - Cab Master Light Panel                             | 1      |
|                          |   |        |
|                          |   |        |
|                          |   |        |
|                          |   |        |
|                          | SIX-(6) PLACE LIGHT SWITCH PANEL                              |        |
|                          |   |        |
| 16-M2-0220               | I 2.5" Pressure Gauge - Metal Face - Cab Mounted              | 1      |
|                          | Mount on center console                                       |        |
|                          |   |        |
| 18-A6-8020               | I Vehicle Data Recorder (VDR)                                 | 1      |
| 20-M4-0220               | l Lights - Under Cab - 2 Doors - Halogen                      | 1      |
| 20-P2-1020               | l Lights - Engine Maintenance                                 | 1      |
| 20-B8-0620               | Warning Lights - Door Ajar - Weldon                           | 1      |
|                          | Weldon 1-2030-7120  |        |
|                          |   |        |
| 22-D6-0220               | l Camera - Federal Signal Model - CAMSET70 - 7" Color Display | 1      |
|                          | == Chassis Mods - Commercial - 1205.001 05/08/12 ==           | 1      |
| 04-H4-2020               | I Mud Flaps - Front - Black                                   | 1      |
| 06-B4-1420               | Tire Pressure Monitor - Tandem Rear Axle - LED Alert          | 1      |
| 06-B6-6260               | I Mud Flaps - Rear - Black                                    | 1      |
| 10-H4-0420               | Battery Charger - Kussmaul - Auto Charge 1000                 | 1      |
| 10-H8-0820               | Receptacle - Kussmaul - Auto-Eject - 20 AMP - 091-20WP-120    | 1      |
| 10-H8-8020               | Shore Power Inlet Plate                                       | 1      |
| 10-H8-8220               | Cover - Yellow  | 1      |
| 12-M4-0220               | Exhaust - Run to Front of Right Rear Wheels                   | 1      |
| 12 141 1 0220            | == Pump Enclosure - SM - Extruded - 1205.001 05/08/12 ==      | 1      |
| 20-A2-0220               | PUMP MODULE - SIDE MOUNT EXTRUDED ALUMINUM                    | 1      |
| 20-A4-2220               | I Separate Pump Module - Extruded                             | 1      |
| 20-C4-0620               | Pump Panels - Brush Stainless Steel                           | 1      |
| 20-D6-0220               | Light - Pump Panel (1) Left Side - Night Stik Access LED 36"  | 1      |
| 20-D6-0220<br>20-D6-1220 | Light - Pump Panel (1) Right Side - Night Stik Access LED 36" | 1      |
| 20-D8-0220               | Light - Pump Compartment (1)                                  | 1      |
| 20-F4-0220               | Running Board - Aluminum - Left Side                          | 1      |
| 20-F4-1020               | Running Board - Aluminum - Right Side                         | 1      |
| 20-G2-0220               | Handrails - Above the Pump Panel (Pr.)                        | 1      |
| 20-J6-0220               | Gauges - Pressure 2-1/2" Metal Face w/ Thuemling Bezels       | 1      |
| 20-J6-6220               | Bezels - Standard Colors                                      | 1      |
| 20-J0-0220<br>20-M4-0220 |   | 1      |
| 22-B4-0620               | Tags - Pump Panel - Color Coded (METAL)                       | 1      |
| 22- <b>D</b> 4-0020      | Pump System - Waterous - CXVK PTO 1000 GPM S/S                | 1      |
|                          | Size pump gear ratio so pump will flow 250GPM at idle         |        |
| 22 D4 0220               | Dump Transmission "V" Series CD/CL (DTO Drive)                | 1      |
| 22-D4-0220               | Pump Transmission - "K" Series CP/CL (PTO Drive)              | 1      |
| 22-F4-0620               | I Mechanical Seal - Waterous - CP                             | 1      |
| 22-G2-0620               | Pump Shift - PTO  | 1      |
| 22-G4-0220               | PTO - Indicator Light - Cab Dash                              | 1      |
| 22-G4-0420               | I PTO - For Pump Drive  | 1      |
|                          | Pump and roll application                                     |        |
|                          |   |        |

| PART NO    | DESCRIPTION  | QTY |
|------------|--|-----|
| 22-J4-0220 | Primer - Waterous - VPO Electric - Oil less  | 1   |
| 22-R2-0420 | U.L. Test Points   | 1   |
| 22-R2-1420 | l U.L. Certification 1000 GPM  | 1   |
| 22-R4-0420 | l Certification Plate - Pump Test  | 1   |
| 22-S4-0220 | I Warranty - Waterous Pump 5 Years (Parts)   | 1   |
| 22-S8-0220 | Manuals - Pump   | 1   |
| 24-A4-0220 | Suction Header - LS 6" w/Long Handle Cap - PTO   | 1   |
| 24-B4-0220 | Suction Header - RS 6" w/Long Handle Cap - PTO   | 1   |
| 24-J4-1020 | Relief Valve - Waterous - 82516-1A TRV w/Light   | 1   |
| 24-J8-1220 | Relief Valve - Intake - Akron 59   | 1   |
| 24-K8-0420 | Relief Valve - PTO - Pressure  | 1   |
| 20-J2-0220 | I Gauges - Master 4-1/2" Suction / Pressure Metal Face   | 1   |
| 20-M2-4020 | I Engine Throttle - Vernier  | 1   |
| 20-P2-0220 | I Gauges - Pump Panel - Individual Group - NFPA  | 1   |
| 20-P2-0620 | I Gauge - Engine Oil Pressure  | 1   |
| 20-P2-0820 | I Gauge - Engine Coolant Temp  | 1   |
| 20-P2-1420 | I Gauge - Tachometer   | 1   |
| 20-P2-1820 | Gauge - Voltmeter  | 1   |
| 20-P2-4020 | I Audible Alarm - Oil Pressure / Water Temp  | 1   |
| 24-R2-0820 | I Tank-To-Pump - 3" Electric   | 1   |
|            | Valve shall be controlled from the operator's pump panel and from inside the cab on the center |     |
|            | console  |     |
|            |  |     |
| 22-P2-0420 | I Valve - Master Drain - PTO Pump - Waterous   | 1   |
| 24-S6-2020 | I Tank Fill - 2-1/2" - Push-Pull   | 1   |
| 24-S8-0820 | l Tank Fill - Right Rear - 3" - Handwheel Control  | 1   |
| 92-C2-2220 | I Adapter - Kochek - 3" MNST X 2.5" FNST - 37R253  | 1   |
| 24-T2-0420 | I Cooler - Engine - 1/4 Turn   | 1   |
| 24-T2-0620 | I Cooler - Pump - 1/4 Turn   | 1   |
| 24-W2-0420 | l Plumbing - Stainless Steel   | 1   |
| 24-W4-0220 | l Paint Pump and Plumbing - Black  | 1   |
|            | VALVE PACKAGE - AKRON / WATEROUS - Controls Push-Pull  | 1   |
| 26-C2-0000 | SUCTION INLETS   | 1   |
| 26-F2-0420 | Suction - LPR (1) 2.5" - Swing   | 1   |
| 28-00-0000 | DISCHARGE OUTLETS  | 1   |
| 28-00-0420 | All 2-1/2" Side Discharge Outlets Terminate 45-Degree Elbows                                   | 1   |
| 28-B2-0420 | Monitor - Front Bumper - Center  | 1   |
| 28-B4-0220 | I Plumbing - Front Bumper (1) 2" Elkhart Electric  | 1   |
| 28-B4-2220 | Monitor - Elkhart - Sidewinder 12v - Joystick  | 1   |
|            | Mount nozzle centered on front bumper  |     |
|            |  |     |
|            | Mount joystick control on center console near driver   |     |
|            |  |     |
|            | 5000-24 nozzle   |     |
|            |  |     |
|            | Includes quick connect base  |     |
|            |  |     |
| 28-D2-0820 | I Crosslay - No. (1) 200' 1.75" - Double Lay - Push-Pull                                       | 1   |
| 28-D4-0820 | I Crosslay - No. (2) 200' 1.75" - Double Lay - Push-Pull                                       | 1   |
| 28-D8-0220 | I Divider - (1) Crosslay   | 1   |
|            |  |     |

| 03/19/2013   |   | Page 4 |
|--------------|---|--------|
| PART NO      | DESCRIPTION   | QTY    |
| 28-D8-0820   | l Cover - Hypalon - Crosslays   | 1      |
| 28-D8-2820   | l Cover - End Flaps - Cargo Netting (2) Crosslays   | 1      |
| 28-D8-6220   | I Cover - Color - Black   | 1      |
| 28-H8-0220   | I Discharge - LPF (1) 2.5" Akron Push-Pull  | 1      |
| 28-M2-2220   | l Discharge - RPF (1) 3" Akron Handwheel  | 1      |
| 20 1/12 2220 | Use 4" hand wheel   | -      |
|              | ose i hand wheel  |        |
| 92-C4-2620   | I Elbow - Kochek - 3" FNST X 5" Storz 30 Degree - SKE53R  | 1      |
| 92-F4-0820   | Cap w/Chain - Kochek - 5" Storz - CC507   | 1      |
| 28-P6-0220   | Cap w/Chain - Rochek - 5 Storz - CC50/<br>  Discharge - RPR (1) 2.5" Akron Push-Pull                  | 1      |
| 28-Q6-0420   | Discharge - 3" Deck Gun Plumbing Akron Handwheel  | 1      |
| 26-Q0-0420   | Use 4" hand wheel   | 1      |
|              | Use 4 fiand wheel   |        |
| 22 41 9020   | D I (11 (* A11 C1   | 1      |
| 22-A1-8020   | Pump Installation - All Chassis - Midship   | 1      |
| 30-C2-0220   | Fire Research Turbo Foam System Model# TFC-150-025  | 1      |
| 24-W2-0620   | l Plumbing - Stainless Steel Manifold   | 1      |
| 30-K8-6220   | l Switch - Remote Start/Stop Fire Research Model# TFCoption-RSO                                       | 1      |
|              | Mount on center console   |        |
|              |   |        |
| 30-M4-0620   | l Flowmeter - Tee Mount w/kit - 2-1/2" Fire Research Model# TFCoption-FM2                             | 1      |
| 30-R8-0220   | I NFPA Test - Foam Proportioning Systems  | 1      |
| 30-J2-2020   | I Gauge - Foam A - Pump Panel - Tank Vision - WL260-A00   | 1      |
| 30-J6-0220   | I Slave Unit - Foam A - Cab Display - Tank Vision - WL2800A-FER                                       | 1      |
|              | Mount on center console   |        |
|              |   |        |
| 30-K8-4220   | Tank Switch (1) Low Level - Horizontal Mount FRC Model# TFCoption-FS2                                 | 1      |
| 30-R2-0620   | l Placard - Operating System - Single Tank  | 1      |
| 30-S2-0620   | Foam Tank (1) 30 Gallons - Polypropylene  | 1      |
| 30-T2-0420   | l Foam Outlet - Front Bumper Discharge  | 1      |
| 30-T2-0620   | I Foam Outlet - Crosslay (1)  | 1      |
| 30-T2-0820   | I Foam Outlet - Crosslay (2)  | 1      |
|              | == Bodies - Tanker Side Mount Extruded - 1205.001 05/08/12 ==   | 1      |
| 40-18-8920   | Dump - 10" Rear - SS Newton - Manual  | 1      |
| 40-18-9020   | Dump Chute - SS Newton #4036-34 36" Telescoping - Manual  | 1      |
| 50-02-7400   | Tank Vent - 6" - Poly Tank (Ea.)  | 1      |
| 40-19-0000   | WATER GAUGES  | 1      |
| 40-19-4500   | I Gauge - Tank Vision - WLA200-A00  | 1      |
| 40-19-5100   | Miniature Cab Display - Tank Vision - WL205   | 1      |
| 40-17-3100   | Mount on center console   | 1      |
|              | Would on center console   |        |
| 60-01-6100   | Pody T2001 Aluminum SM 172" C/A   | 1      |
| 00-01-0100   | Body - T3001 Aluminum - SM 172" C/A   | 1      |
|              | 102" wide body  |        |
|              | N- 14-11-   |        |
|              | No beaver tails   |        |
|              |   |        |
|              | LEFT SIDE   |        |
|              |   |        |
|              | There will/shall be one (1) left front compartment installed ahead of the rear axle. This compartment |        |
|              | will/shall have two (2) vertically hinged doors. The interior compartment dimensions will/shall be    |        |
|              | approximately 58"W x 34"H x 28"D. The compartment will/shall have a useable door opening of           |        |
|              | approximately 58"W x 34"H.  |        |

| 03/19/2013 | DECORPORA  | Page 5 |
|------------|--|--------|
| PART NO    | DESCRIPTION  | QTY    |
|            | There will/shall be one (1) left front highside compartment installed ahead of the rear axle. This compartment will/shall have one (1) horizontally hinged door. The interior compartment dimensions will/shall be approximately 58"W x 42"H x 15"D. The compartment will/shall have a useable door opening of approximately 58"W x 38"H.  |        |
|            | There will/shall be one (1) left rear compartment installed behind the rear axle. This compartment will/shall have two (2) vertically hinged doors. The interior dimensions will/shall be approximately 50"W x 34"H x 28"D. The compartment will/shall have a useable door opening of approximately 50"W x 34"H.                           |        |
|            | RIGHT SIDE   |        |
|            | There will/shall be one (1) right front compartment installed ahead of the rear axle. This compartment will/shall have two (2) vertically hinged doors. The interior compartment dimensions will/shall be approximately 58"W x 34"H x 28"D. The compartment will/shall have a useable door opening of approximately 58"W x 34"H.           |        |
|            | There will/shall be one (1) right front highside compartment installed ahead of the rear axle. This compartment will/shall have one (1) horizontally hinged door. The interior compartment dimensions will/shall be approximately 58"W x 42"H x 15"D. The compartment will/shall have a useable door opening of approximately 58"W x 38"H. |        |
|            | There will/shall be one (1) right rear compartment installed behind the rear axle. This compartment will/shall have two (2) vertically hinged doors. The interior dimensions will/shall be approximately 50"W x 34"H x 28"D. The compartment will/shall have a useable door opening of approximately 50"W x 34"H.                          |        |
| 50-02-7200 | I 3000 Gallon Tank (T) - Polypropylene   | 1      |
| 50-02-7300 | Water Tank Size - NFPA Certification   | 1      |
| 60-04-4300 | I Vertical Load Test - Body  | 1      |
| 60-19-1600 | I Standard NON-Locking "Flush Look" Compartment Doors  | 1      |
| 65-00-0000 | Body Trim Package  | 1      |
| 65-00-1000 | Rubrail - Extruded Aluminum  | 1      |
| 65-00-3000 | Rear Step - Aluminum Treadplate - Extruded   | 1      |
| 03-00-3000 | 14" depth  | 1      |
| 65-00-4000 | Intermediate Rear Step - Aluminum T/P - Extruded Body<br>Mount just above dump chute   | 1      |
|            | 12" depth  |        |
| 65 00 4400 | Town Even Deam Delaw Dedry (Dr.)   | 1      |
| 65-00-4400 | Tow Eyes - Rear - Below Body (Pr.)   | 1      |
| 65-00-7000 | Handrail - Below Hose Bed  | 1      |
| 65-01-4500 | Cover - Hose Bed - Hypalon (U.L.)  | 1      |
| 65-01-6040 | Cover - End Flaps - Footman's Loop   | 1      |
| 65-01-6080 | Cover - End Flaps - Black  | 1      |
| 65-01-6600 | Divider - Hose Bed - Class A Pumper  | I      |
| 65-01-8000 | Hose Bed Capacity - (Edit Verbiage Qty/Size/Brand)   | 1      |
|            | 800' of 5" LDH<br>800' of 3" DJ Hose   |        |
| [          | 000 01 3 DJ 11050  |        |

| 03/19/2013                  |   | rage 0 |
|-----------------------------|---|--------|
| PART NO                     | DESCRIPTION   | QTY    |
| 65-02-1000                  | Adj. Shelf 37-48"W x 24"D (Ea.)   | 2      |
|                             | Mount one (1) each in L1/R1   |        |
| (5.02.2500                  |   |        |
| 65-02-3500                  | Step - Large Chrome-Folding Front of Body (Ea.)   | 6      |
|                             | The steps will/shall be mounted three-(3) on the front face of the left and right forward |        |
|                             | compartments.   |        |
| 65 02 5010                  | Stone Dean Lighted (6)  | 1      |
| 65-02-5010                  | Steps - Rear Lighted (6) == Elec. Components - Tanker Commercial - 1205.001 05/08/12 ==   | 1      |
| 70-00-0030                  | Electrical System - (Body Only!)  | 1      |
| 70-00-0030                  | Load Manager / with High Idle   | 1      |
| 70-00-0430                  | EMI/RFI Protection  | 1      |
| 70-00-0000                  |   | 1      |
| 70-00-0100                  | Electrical, 12-Volt Testing   Whelen - Pumper Package 4 Super LED Commercial Chassis      | 1      |
| 70-00-2190                  | Lightbar - Whelen - LED FN60VLED - 60"  | 1      |
| 70-01-0800                  | Lights-Whelen-M7RC LED Zone B & D Lower - Red   | 1      |
| 70-01-0000                  | Mount one (1) each side of front bumper and one (1) each side of tail board               | 1      |
|                             | Would one (1) each side of front bumper and one (1) each side of tan board                |        |
| 70-02-3010                  | Lights-Whelen-600 Super LED-Cast MT - Zone A - Lower                                      | 1      |
| 70-02-3010                  | Lights-Whelen-600 Super LED - Zone C Rear Lower-Red                                       | 1      |
| 70-02-3313                  | Lights-Whelen-600 Super LED - Zone B & D Lower-Red  | 1      |
| 70-02-3323                  | Mount one (1) each side of body centered in wheel well panels                             | 1      |
|                             | Mount one (1) each side of body centered in wheel wen panels                              |        |
| 70-03-2700                  | Beacon - Whelen RB6TRP (Pr.) Red W/HALOGEN  | 1      |
| 70-04-8220                  | Lights - Scene - Whelen M9ZC LED (Pr.)  | 2      |
| 70 01 0220                  | Mount one (1) each side of body in upper rear corners                                     | _      |
|                             | income (1) then side of cody in apper 19th collects                                       |        |
|                             | Switch lights from inside of cab  |        |
|                             |   |        |
|                             | Mount on rear of body, one (1) each side as high as possible                              |        |
|                             |   |        |
|                             | Switch light from inside of cab   |        |
|                             |   |        |
| 70-05-3800                  | Lights - LED Clearance and Maker - Truck Lite - 35001                                     | 1      |
| 70-05-4000                  | Lights - Marker Amber (Add. Ea)   | 1      |
| 70-05-4700                  | Lights - Stop/Turn (LED) & Back-Up (Halogen) - Whelen                                     | 1      |
| 70-05-5520                  | Lights - License - LED  | 1      |
| 70-06-3420                  | Light - Underbody (Ea)  | 4      |
|                             | Mount one (1) each centered under L1/R1 and L2/R2   |        |
|                             |   |        |
| 70-10-1020                  | Light - (1) Compartment - 24" Access Night Stik - 73024                                   | 12     |
|                             | Mount two (2) in each compartment   |        |
| <b>5</b> 0 40 00 <b>2</b> 0 |   |        |
| 70-10-8020                  | Switch - Comp. Auto Door/Ajar Indicator (ea)  | 8      |
| 70-14-0200                  | Back-Up Alarm   | 1      |
| 71-03-9620                  | Light - Telescoping - Whelen Pioneer LED - PFP2 (12V 150 Watt)                            | 2      |
|                             | Mount one (1) each side of pump house in dunnage area                                     |        |
|                             | Carida I. Iliahar in distribution of a survey of a survey of the survey of                |        |
|                             | Switch lights individually from the respective pump panel                                 |        |
|                             |   |        |
|                             |   |        |

| 03/19/2013 |   | Page 7 |
|------------|---|--------|
| PART NO    | DESCRIPTION   | QTY    |
| 80-01-0220 | l Body - Finish Paint - Single Color  | 1      |
| 80-01-0820 | I Paint - Color Body - Red - B8241EX  | 1      |
| 00 01 0020 | PAINT CODE - B8241 UM ALT 3 FFA RED   | -      |
|            | TARVI CODE BOZII CHINEI STINKED   |        |
| 90 02 1600 | China Castallita Triala (II and 1/41) Tanana d Dattana  | 1      |
| 80-02-1600 | Stripe - Scotchlite Triple 6" w/ 1/4" Top and Bottom  | 1      |
|            | 6" black reflective with ¼" gold reflective stripes over and under 6" stripe (no gap between stripes) |        |
|            |   |        |
| 80-02-3080 | I Striping Color - Black  | 1      |
| 80-02-4060 | I Pin Stripe Color - Gold   | 1      |
| 80-03-1510 | Stripe - Cab Paint Break - Scotchlite 3/4" - Black  | 1      |
| 80-03-1620 | l Stripe - Chevron Pattern - Rear Reflective  | 1      |
| 80-05-1500 | Lettering - 60 Letters - 3" Scotchlite/Shade  | 1      |
| 80-05-3060 | Lettering Color - Gold  | 1      |
|            | · · · · · · · · · · · · · · · · · · ·   | 1      |
| 80-05-4080 | I Shading Color - Black   | 1      |
| 80-05-9500 | I Extra Letters - 12" Scotchlite - (Ea.)  | 46     |
|            | "KEY LARGO VOL. FIRE RESCUE" each side of body  |        |
|            |   |        |
|            | "24" on L2/R2 doors   |        |
|            |   |        |
| 80-06-1020 | l Decals - Customer Supplied - (Pr.)  | 1      |
| 90-34-2000 | Portable Tank System - Quic Lift- Zico - PTS  | 1      |
| 00 31 2000 | Dual arm, electric actuated tank lift.  | 1      |
|            | Duai aini, electric actuated talik int.   |        |
|            | Manual 116 and tan of Jairen all a comments   |        |
|            | Mount lift on top of driver side compartments   |        |
|            |   |        |
|            | Mount controls on operator's pump panel   |        |
|            |   |        |
|            | Customer will be storing a 3500 gallon port a tank in the lift  |        |
|            |   |        |
| 90-34-2240 | Cover - Folding Tank Rack - Aluminum Treadplate   | 1      |
| 93-01-5400 | Rack - Suction Hose - 10' x 6" (pr)   | 1      |
|            | Mount both on top of right side compartments  |        |
|            |   |        |
| 98-00-0100 | Warranty - One Yr - Mechanical Parts & Labor  | 1      |
| 98-00-0600 | Warranty - Ten Yr - Structural Integrity Limited  | 1      |
| 98-00-0000 | · · · · · · · · · · · · · · · · · · ·   | 1      |
|            | Warranty - Four Yr - Paint/Corrosion  | 1      |
| 99-00-3920 | Transportation - Over the road  | 1      |
| 99-99-1000 | FSA Fee   | 1      |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |
|            |   |        |