

Key Largo Fire Rescue

Incident Run Log

Fire Department: 38061

Companies: All

Date Range: From 01/01/2012 to 01/31/2012

Box/Zone/ Code: All

District: All

Situation Found: All

Exclude Mutual Aids: No

Exclude Exposures: No

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2012-000001-00	01/01/2012	10:45	95.3 SNAPPER		Water problem, other	4
<p>ENGINE 24 RESPONDED FROM STATION 24. WAS DISPATCHED TO A HYDRANT LEAKING. UPON ARRIVAL E-24 FOUND A NEW HYDRANT WITH A SMALL LEAK FROM THE 4 1/2 IN COUPLING CAP. E-24 CREW ATTEMPTED TO CLOSE THE HYDRANT, BUT WAS UNSUCCESSFUL. LT. FUNDORA CONTACTED THE FLORIDA KEYS AQUADUCT AND REPORTED THE FINDINGS. AQUADUCT DISPATCHED A TECH TO THE LOCATION WHO ADVISED THAT THE HYDRANT NEEDS MINOR REPAIR BUT IS STILL FUNCTIONAL. HYDRANT WAS SECURED.</p>						
2012-000002-00	01/02/2012	16:20	33 BOUNTY		False alarm or false call,	9
<p>E-24 DISPATCHED TO 33 BOUNTY IN REF: FIRE ALARM E-24 ENROUTE FROM 101 MM. E-25 RESPONDED FROM STATION 25. BC 24 TOOK FIRST ARRIVAL AND ADVISED NOTHING SHOWING. E-24 TOOK ARRIVAL SHORTLY AFTER. RESIDENT ADVISED FALSE ALARM. E-24 CANCELED ON SCENE. E-25 WAS CANCELED ENROUTE.</p>						
2012-000003-00	01/03/2012	05:55	101000 OVERSEAS		Motor vehicle accident with	13
<p>S24 DISPATCHED TO A MVA AT MILE MARKER 101, EN ROUTE FROM STATION 24. S24 MADE ARRIVAL, AND FOUND 1 VEHICLE WITH HEAVY FRONT END DAMAGE, WITH 1 PATIENT. S24 ESTABLISHED COMMAND, STABILIZED THE SCENE, ATTENDED TO THE PATIENT. S24 USED A COLLAR AND BACK BOARDED THE PATIENT. S24 TRANSFERRED THE PATIENT TO RESCUE 23. S24 USED QUICK DRY ABSORBENT ON SPILLS, REMOVED DEBRIS. CHIEF 24 ADVISED E25 TO CLEAR, S24 REMAINED ON SCENE FOR PAPERWORK AND TOW TRUCK.</p>						
2012-000004-00	01/05/2012	17:33	101 OVERSEAS		Alarm system activation, no	9
<p>STATION 24 WAS DISPATCHED TO A FIRE ALARM AT K-MART. E-24 WAS ADVISED EN ROUTE THAT IT WAS A FALSE ALARM, E-24 RESPONDED ROUTINE WITH BC-24 AND CANCELED ALL INCOMING UNITS. UPON ARRIVAL, TWO STORY CBS STRUCTURE, NOTHING SHOWING, INVESTIGATIVE MODE. E-24 CREW FOUND WATER FLOW ACTIVATION IN ZONE 3, UPON INVESTIGATION WE FOUND THAT THE MAIN DRAIN VALVE WAS SLIGHTLY OPEN WHICH CAUSED THE ACTIVATION. LT-24 CLOSED THE MAIN DRAIN VALVE, RESET FIRE ALARM AND NOTIFIED K-MART MANAGER OF THE SITUATION. ALL KLFR UNITS WENT BACK IN SERVICE.</p>						
2012-000005-00	01/06/2012	23:14	172 BAHAMA		Unauthorized burning	9
<p>STATION 24 WAS DISPATCHED TO SMOKE IN THE AREA OF ATLANTIC BLVD, E-24 LOCATED A 5'x5' BON FIRE AT 172 BAHAMA AVE IN A VACANT LOT. CHIEF 24 CANCELED ALL INCOMING UNITS. HOMEOWNERS OF 171 BAHAMA AVE WERE USING THE VACANT LOT TO HAVE A BON FIRE, E-24 CREW USED THE FRONT JUMP LINE AND APPROXIMATELY 100 GALLONS OF WATER TO EXTINGUISH THE FIRE. HOMEOWNERS WERE INFORMED THAT THIS IS AN ILLEGAL BURN. ALL KLFR UNITS WENT BACK IN SERVICE.</p>						
2012-000006-00	01/08/2012	12:01	101400 OVERSEAS		Motor vehicle accident with	6
<p>BC-24, S-24 RESPONDED FROM STATION 24 REFERENCE A TWO MOTORCYCLE ACCIDENT WITH INJURIES. UPON ARRIVAL BC-24 ADVISED ONE SOUTH BOUND LANE BLOCKED WITH APPROX. 2 GALLONS OF GASOLINE ON ROADWAY. S-24 TOOK ARRIVAL AND BEGAN TO APPLY ABSORBENT TO FUEL SPILL. S-24 CREW USED BROOMS AND SHOVELS TO CLEAN ROADWAY. ALL HAZARDS WERE REMOVED. SCENE WAS TURNED OVER TO FHP.</p>						
2012-000007-00	01/08/2012	19:07	1000 TAMARIND		Unauthorized burning	9
<p>E-24 RESPONDED FROM STATION 24 TO A REPORT OF A BRUSH/RUBBISH FIRE IN REAR OF RESIDENCE. E-25 RESPONDED FROM STATION 25. UPON ARRIVAL E-24 FOUND A 10 X10 ILLEGAL BURN WITH FLAMES AND SMOKE SHOWING. E24 CREW APPLIED WATER & FOAM TO FLAMES AND USED APPROX 15 GALLONS OF FOAM. APPROX. 150 GALLONS OF WATER WAS USED TO SUPPRESS REMAINING AMBERS. AFTER EXTINGUISHMENT LT 24 ADVISED HOMEOWNER THE HAZARDS OF STARTING AN ILLEGAL BURN. ALL HAZARDS WERE REMOVED. E-24, E-25 & BC-24 CLEARED SCENE.</p>						
2012-000008-00	01/10/2012	09:58	22A ATLANTIC		Alarm system activation, no	5
<p>DISPATCHED TO 22A ATLANTIC BLVD, S24 WAS EN ROUTE FROM MILE MARKER 102. UPON ARRIVAL, S24 FOUND A TWO STORY CBS STRUCTURE. NO FLAMES OR SMOKE WERE VISIBLE. S24 INVESTIGATED. UPON FURTHER INVESTIGATION, IT WAS A CONFIRMED FALSE ALARM.</p>						
2012-000009-00	01/10/2012	16:50	106 CANAL	PLUMMER	Assist police or other	1
<p>MONROE COUNTY DISPATCHER CALLED AND ADVISED CHIEF 24 TO CONTACT A DEPUTY ON HIS CELLULAR PHONE AS HE WAS AT 106 CANAL STREET(BAY SIDE) KEY LARGO, FLORIDA. DEPUTY ON SCENE ASKED CHIEF 24 TO RESPOND TO INVESTIGATE A FLOWER BOX ON FIRE. A FLOWER BOX THAT SAT ON A WALL MOUNTED BRACKET AT THE REAR OF THE RESIDENCE ON THE EXTERIOR WALL UNDERNEATH THE WINDOW. THE FLOWER BOX HAD EXTINGUISHED ITSELF FROM THE FIRE, POSSIBLY FROM A CIGARETTE BUTT. DAMAGE WAS MINOR TO THE EXTERIOR PAINT UNDERNEATH THE WINDOW (SEE ATTACHED PHOTOS) CHIEF 24 MADE CONTACT VIA PHONE WITH THE OWNER/ LANDLORD.</p>						
2012-000010-00	01/13/2012	03:31	801 BLUE HERON		Unauthorized burning	10
<p>E-24 WAS DISPATCHED TO A POSSIBLE RUBISH FIRE AT 801 BLUE HERON LANE. WHILE EN ROUTE KLFR ENCOUNTERED DIFFICULTIES LOCATING THE LOCATION OF THE INCIDENT ON GPS. E-24 WAS ADVISED BY LEO ON SCENE THAT BLUE HERON WAS LOCATED OFF OF MAHOGANY DRIVE AT THE 102 MM. UPON ARRIVAL E-24 FOUND A 3x3 RUBISH FIRE WITH FLAMES SHOWING. E-24 DEPLOYED THE FRONT JUMPLINE (50') AND EXTINGUISHED THE FIRE WITH APPROXIMATELY 100 GALLONS OF WATER. E-24 WENT BACK IN SERVICE.</p>						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2012-000011-00	01/12/2012	15:31	99 OVERSEAS		Medical assist, assist EMS	6
E-24 RESPONDED TO A POSSIBLE "MAN DOWN" LAYING ON THE SIDE ON THE ROAD AT THE 99MM. UPON ARRIVAL THERE WAS NO MEDICAL NEED AT THIS LOCATION, SCENE TURNED OVER TO MCSO AND ALL KLRU UNITS WENT BACK IN SERVICE.						
2012-000012-00	01/01/2012	14:40	107900 OVERSEAS		Medical assist, assist EMS	2
STATION 25 WAS DISPATCHED TO ASSIST R-23. E-25 RESPONDED FROM STATION 25. UPON ARRIVAL E-25 CREW ASSISTED R-23 WITH PACKAGING PATIENT AND PATIENT CARE.						
2012-000013-00	01/03/2012	14:45	6 NORTH		Smoke or odor removal	9
E-25 RESPONDED FROM STATION 25. S-24 RESPONDED FROM 101 MM. E-25 TOOK ARRIVAL, NO SMOKE OR FIRE VISIBLE. S-24 WAS CANCELED PER E-25. UPON E-25 INVESTIGATION, LIGHT SMOKE FOUND IN HOUSE FROM COOKING. E-25 VENTED HOUSE AND MITIGATED HAZARDS. ALL KLFU UNITS CLEARED FROM SCENE.						
2012-000014-00	01/03/2012	20:39	1180 CR 905		Garbage dump or sanitary	7
STATION 25 DISPATCHED TO A WASTE DUMP FIRE. E-25 RESPONDED FROM STATION 25. L-25 RESPONDED FROM STATION 25. T-24 RESPONDED FROM STATION 24. E-25 WAS FIRST ON SCENE AND FOUND A SINGLE STORY WASTE DUMP WAREHOUSE FULLY INVOLVED AT THE WASTE MANAGEMENT TRANSFER CENTER. NO OCCUPANTS IN STRUCTURE. BC-24 ARRIVED ON SCENE AND ESTABLISHED "CARD SOUND" COMMAND. L-25 ARRIVED ON SCENE AND BEGAN EXTINGUISHMENT USING ELEVATED MASTER STREAM. E-26 ARRIVED ON SCENE AND ASSISTED E-25 AND L-25 CREW. E-25 DEPLOYED MASTER STREAM AND BEGAN EXTINGUISHMENT. A-24 ARRIVED ON SCENE AND PROVIDED SCENE LIGHTNING. ONCE ALL VISIABLE FIRE WAS OUT, SALVAGE AND OVERHAUL COMMENCED. E-26 WAS RELEASED FROM SCENE PER BC-24. WASTE MANAGEMENT REPRESENTATIVE ARRIVED ON SCENE AND OPERATED COMPANY MACHINERY TO MOVE BUILDING CONTENTS IN WAREHOUSE WHILE E-25 CREW SEARCHED AND EXTINGUISHED ANY REMAINING FIRE. COMMAND WAS TERMINATED. BC-24 CONTACTED MONROE COUNTY FIRE MARSHAL.						
2012-000015-00	01/04/2012	03:00	1180 STATE 905		Garbage dump or sanitary	7
STATION 25 DISPATCHED TO A REKINDLED WASTE DUMP FIRE. E25 RESPONDED FROM STATION 25. L25 RESPONDED FROM STATION 25. T24 RESPONDED FROM STATION 24. E25 WAS FIRST ON SCENE AND FOUND A SINGLE STORY WASTE DUMP WAREHOUSE WITH 2 FEET BY 2 FEET FIRE INSIDE AT THE WASTE MANAGEMENT TRANSFER STATION. NO OCCUPANTS IN STRUCTURE. E25 BEGAN EXTINGUISHMENT WITH FRONT JUMP LINE. BC24 ARRIVED ON SCENE AND ESTABLISHED COMMAND. L24 ARRIVED ON SCENE AND RELAYED WATER TO E25. T24 ARRIVED AND ALSO RELAYED WATER TO E25. ONCE ALL OVERHAUL WAS COMPLETED, COMMAND WAS TERMINATED.						
2012-000016-00	01/04/2012	13:44	98800 OVERSEAS	STULL	Motor vehicle accident with	5
STATION 24 DISPATCHED TO A MVA AT MILE MARKER 98 SOUTHBOUND OVERSEAS HIGHWAY. E25 RESPONDED FROM THE MILE MARKER 102. UPON ARRIVAL, FOUND 2 VEHICLES OFF THE SIDE OF THE ROAD WITH MODERATE DAMAGE. NO ENTRAPMENTS. CLEARED SCENE OF ALL HAZARDS.						
2012-000017-00	01/04/2012	14:27	4 HARRY DAVIS		Medical assist, assist EMS	4
DISPATCHED TO A MEDICAL CALL ON HARRY DAVIS CIRCLE, E25 RESPONDED FORM MILE MARKER 102. UPON ARRIVAL, E25 ASSISTED RESCUE 23 WITH PATIENT CARE.						
2012-000018-00	01/05/2012	03:11	103800 OVERSEAS		Alarm system activation, no	7
DISPATCHED TO A FIRE ALARM AT THE MARIOTT RESORT, E25 RESPONDED FROM STATION 25. E24 RESPONDED ROUTINE FROM STATION 24. UPON ARRIVAL, E25 FOUND A 4 STORY CBS COMMERCIAL STRUCTURE. NO FLAMES OR SMOKE WERE VISIBLE. E24 AND E25 INVESTIGATED THE FIRE ALARM PANEL AND FOUND A WATER FLOW TRIGGERED THE ALARM. E24 AND E25 WENT TO THE FIRE SPRINKLER PUMP ROOM AND RESET THE PUMP.						
2012-000019-00	01/05/2012	19:15	106000 OAKWOOD		Smoke from barbecue, tar	12
E25 WAS DISPATCHED TO OAK WOOD AVENUE AT MILE MARKER 106. E25 RESPONDED FROM STATION 25. UPON ARRIVAL, ENGINEER 25 FOUND A HOMEOWNER COOKING ON THE BARBECUE AT LINDA DRIVE.						
2012-000020-00	01/09/2012	11:40	142 1ST		Brush or brush-and-grass	9
E25 WAS DISPATCHED TO A SMALL BRUSH FIRE AT MILE MARKER 104.1. CALLER MET WITH E25 CREW AT THE LOCATION. BRUSHFIRE WAS APPROXIMATELY 350 FEET IN THE WOODS FROM AVENUE B AND 1ST ROAD. E25 CREW EXTINGUISHED WITH THE WATER EXTINGUISHER AND FOAM. USED 5 GALLONS OF WATER.						
2012-000021-00	01/09/2012	14:38	142 1ST		Brush or brush-and-grass	3
T24 WAS DISPATCHED FROM STATION 24 TO A BRUSH FIRE THAT HAD REKINDLED. UPON ARRIVAL, T24 FOUND A 5 FEET BY 5 FEET SMOLDERING FIRE. T24 EXTENDED 250 FEET OF HOSE AND USED 250 GALLONS OF WATER TO EXTINGUISHED. T24 MOPPED UP THE AREA TO REASSURE THAT THE FIRE WAS FULLY EXTINGUISHED.						
2012-000022-00	01/09/2012	15:32	103000 OVERSEAS		Motor vehicle accident with	4
DISPATCHED TO A MVA AT MILE MARKER 103. CHIEF 24 RESPONDED. UPON ARRIVAL CHIEF 24 FOUND ONE VEHICLE IN THE MEDIAN AND ONE VEHICLE IN THE PARKING LOT OF THE PINK PLAZA. THE VEHICLES HAD SUSTAINED MINOR DAMAGE AND ALL PATIENTS WERE AMBULATORY. CHIEF 24 CANCELED ALL INCOMING UNITS AND PLACED THEM BACK IN SERVICE.						
2012-000023-00	01/09/2012	15:36	560 BONITO	RILEY	Cooking fire, confined to	5
E25 WAS DISPATCHED TO A GREASE FIRE AT 560 BONITO AVE AT MILE MARKER 103.5. E25 WAS EN ROUTE FROM MILE MARKER 103. UPON ARRIVAL, E25 FOUND THE CALLER OUTSIDE RESIDENCE AND INDICATED THAT THE FIRE WAS EXTINGUISHED. E25 INVESTIGATED THE AREA WERE THE FIRE OCCURRED AND FOUND A STOVE WITH A HOOD SYSTEM THAT HAS BEEN BURNED AND MELTED WIRES. E25 CREWS CLIMBED THE ROOF TO CHECK FOR FIRE EXTENSIONS IN THE VENT SYSTEM AND NO EXTENSION WAS FOUND. E25 VENTED THE RESIDENCE WITH A VENTILATION FAN.						
2012-000024-00	01/12/2012	15:23	100 MORRIS		Medical assist, assist EMS	3
E25 WAS DISPATCHED TO ASSIST RESCUE 123. E25 RESPONDED FROM STATION 25 TO 100 MORRIS AVENUE. UPON ARRIVAL, E25 ASSESSED THE PATIENT. PATIENT REFUSED TRANSPORT.						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2012-000025-00	01/12/2012	21:34	104801 OVERSEAS		Dispatched & canceled en	3
E25 WAS DISPATCHED FOR ASSISTANCE AT KEY LARGO ELEMENTARY SCHOOL. E25 WAS EN ROUTE AND WHILE ENROUTE, E25 WAS CANCELED BY DISPATCH.						
2012-000026-00	01/15/2012	21:10	950 SHAW		Attempted burning, illegal	4
STATION 24 WAS DISPATCHED TO A BON FIRE. S24 WENT EN ROUTE FROM MILE MARKER 102. UPON ARRIVAL ON SHAW DRIVE, S24 WAS SEARCHING THE EXACT NUMERICAL. THE ADDRESS WAS 950 SHAW DRIVE. DISPATCHED STATED 850 SHAW DRIVE. S24 FOUND THE RESIDENCE THAT THE ILLEGAL BURN WAS. S24 ADVISED HOMEOWNER TO EXTINGUISHED THE FIRE. S24 REMAINED ON SCENE UNTIL THE FIRE WAS FULLY EXTINGUISHED.						
2012-000027-00	01/14/2012	09:53	97880 OVERSEAS		Dumpster or other outside	6
E24 RESPONDED FROM STATION 24. UPON ARRIVAL, E24 FOUND A DUMPSTER IN FRONT OF A MOTEL ON FIRE AND LIGHT SMOKE SHOWING. E24 COMMENCED QUICK ATTACK MODE. E24 CREW PUT THE FIRE OUT AND DID SALVAGE AND OVERHAUL. APPROXIMATELY 200 GALLONS OF WATER AND 10 GALLONS OF FOAM WAS USED TO SOAK DUMPSTER. ALL HAZARDS WERE REMOVED.						
2012-000028-00	01/14/2012	11:19	99500 BUTTONWOOD		Brush or brush-and-grass	3
E24 RESPONDED FROM STATION 24. UPON ARRIVAL, ENGINEER 24 ADVISED HE FOUND A 2 X 2 FEET BRUSH FIRE SMOLDERING WITH A NEIGHBOR APPLYING WATER FROM A GARDEN HOSE. E24 RESPONDED ROUTINE. UPON ARRIVAL, E24 APPLIED 2.5 GALLONS OF WATER WITH FOAM. E24 CREWS USED RAKES AND PIKE POLES TO OVERHAUL BRUSH. ALL HAZARDS WERE REMOVED.						
2012-000029-00	01/14/2012	13:12	994000 OVERSEAS	CEYVA	Vehicle accident, general	5
WHILE RESPONDING TO A FIRE ALARM FROM STATION 24. E24 WAS STANDING ON EAST DRIVE NORTHBOUND WHEN A VEHICLE STRUCK ANOTHER FROM BEHIND IN FRONT OF THE FIRE STATION 24. E24 CHECKED FOR INJURIES AND HAZARDS. NONE WERE FOUND. WITNESS STATEMENT WAS GIVEN TO FHP.						
2012-000030-00	01/14/2012	17:00	101500 OVERSEAS		Smoke scare, odor of	9
E24 RESPONDED FROM STATION 24. L25 RESPONDED FROM STATION 25 REFERENCE SMOKE IN THE AREA OF WHEATON'S SERVICE PLAZA. 101 MILE MARKER. BATTALION 24 TOOK ARRIVAL AND ADVISED THAT THIS CALL WAS A FALSE ALARM DUE TO A BOAT MOTOR THAT WAS STARTED. ALL UNITS WERE CANCELED.						
2012-000031-00	01/14/2012	15:13	97000 OVERSEAS		Alarm system activation, no	5
UPON ARRIVAL, WE WERE INFORMED THAT FIRE ALARM SYSTEM WAS ON TEST MODE. FIRE ALARM TECHNICIAN HAD JUST COMPLETED A SYSTEM TEST ON THE SYSTEM.						
2012-000032-00	01/16/2012	12:53	110 OVERSEAS		Medical assist, assist EMS	3
UPON ARRIVAL, E25 RESPONDED TO A 36 YEAR OLD MALE WHO HAD A SEIZURE. E25 CREW MEMBERS ASSESSED THE PATIENT. UPON RESCUE 23 ARRIVAL, PATIENT WAS TRANSFERRED OVER TO THE PARAMEDICS.						
2012-000033-00	01/16/2012	13:12	99336 OVERSEAS		Alarm system activation, no	4
E25 WAS DISPATCHED TO THE NEW MRS. MACS. E25 WAS EN ROUTE FROM STATION 24. WHILE EN ROUTE, E25 WAS CANCELED BY DISPATCHED REFERENCE PROPER CODE RECEIVED.						
2012-000034-00	01/16/2012	13:34	99625 OVERSEAS		Medical assist, assist EMS	3
E25 WAS DISPATCHED TO THE OLD BLOCKBUSTER FOR A MEDICAL EMERGENCY. E25 RESPONDED FROM STATION 24. UPON ARRIVAL, E25 CREW ASSISTED RESCUE 123 WITH PATIENT CARE AND TRANSPORT.						
2012-000035-00	01/18/2012	15:29	5 BLACKWATER		Medical assist, assist EMS	3
E-25 DISPATCH TO MED ASSIST. E-25 RESPONDED FROM KEY LARGO SCHOOL. E-25 ARRIVED AT LOCATION AND ASSISTED R-123 CREW. R-123 RELEASED E-25 AND WENT BACK IN SERVICE.						
2012-000036-00	01/21/2012	19:09	9 BASS		Smoke from barbecue, tar	6
E-24 RESPONDED FROM STATION 24 AND E-25 RESPONDED FROM STATION 25 TO A REPORT OF A BONFIRE. UPON ARRIVAL CREWS FOUND A CONTAINED FIRE IN A OUTSIDE RECREATIONAL CHIMNEY NO HAZARDS WERE FOUND. BOTH ENGINES CLEARED SCENE.						
2012-000037-00	01/22/2012	18:24	102071 OVERSEAS		Extrication of victim(s) from	13
S-24, E-24 RESPONDED FROM STATION 24, E-25 RESPONDED FROM STATION 25 TO A HEAD ON COLLISION ACCIDENT WITH INJURIES. UPON ARRIVAL C-24 ESTABLISHED 102 COMMAND. S-24 UPON ARRIVAL FOUND TWO VEHICLES WITH HEAVY DAMAGE AND FULL ROAD BLOCK. S-24 CREW SECURED FIRST VEHICLE AND DETERMINED THAT EXTRICATION WAS NEEDED DUE TO DRIVER ENTRAPMENT. E-25 UPON ARRIVAL ASSISTED WITH EXTRICATION AND PROVIDED LIGHTING. SECOND VEHICLE WAS SECURED WITH PATIENT BEING A SIGNAL 7. PATIENT FROM FIRST VEHICLE WAS EXTRICATED AND TRANSFERRED OVER TO R-23. E-24 CREW WERE SENT TO KEY LARGO RANGER STATION TO SET UP A HELISPOT FOR TRAUMA ALERT FROM PATIENT OF FIRST VEHICLE. S-24, E-25 CREW REMOVED ALL HAZARDS FROM ROADWAY. S-24, E-25 CREWS EXTRICATED PATIENT FROM SECOND VEHICLE AND WAS TRANSFERRED OVER TO ME'S OFFICE STAFF. COMMAND WAS TERMINATED AND ALL UNITS IN SERVICE. SCENE WAS TURNED OVER TO FHP.						
2012-000038-00	01/22/2012	18:35	98650 OVERSEAS		Aircraft standby	3
ENGINE 24 RESPONDED FROM ACCIDENT SCENE AT 102 MM REFERENCE HELISPOT SET UP. E-24 ARRIVED AT KEY LARGO RANGER STATION FIELD AND SECURED A SAFE AREA FOR HELICOPTER. E-24 ESTABLISHED HELISPOT GROUP. R-23 ARRIVED AND PT. WAS TRANSFERRED OVER TO TRAUMA STAR CREWS FOR TRANSPORT TO JMH TRAUMA CENTER. HELISPOT GROUP WAS TERMINATED.						
2012-000039-00	01/24/2012	11:02	102000 OVERSEAS	MCCLAIN	Motor vehicle accident with	8
S24 WAS DISPATCHED TO MILE MARKER 102 FOR A MOTOR VEHICLE ACCIDENT WITH POSSIBLE INJURIES. S24 WAS EN ROUTE						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
					FROM STATION 24. UPON ARRIVAL, S24 FOUND 2 VEHICLES WITH MODERATE DAMAGE. ONE PATIENT WAS BEING TREATED BY RESCUE 23. THE OTHER PATIENT WAS AMBULATORY. S24 AND E25 USED SPEEDY DRY TO ABSORB THE TRANSMISSION FLUID THAT WAS ON THE ROAD. ONE NORTHBOUND LANE WAS BLOCKED. S24 REMAINED ON SCENE UNTIL THE TOW TRUCKS ARRIVED.	
2012-000040-00	01/27/2012	19:30	99001 OVERSEAS		Smoke detector activation,	5
					STATION 24 WAS DISPATCHED TO A FIRE ALARM AT FIRST BAPTIST CHURCH. E-24 WAS ADVISED IT WAS A FALSE ALARM, E-24 RESPONDED ROUTINE FROM THE 104.5 MM. UPON ARRIVAL E-24 CREW CONFIRMED IT WAS A FALSE ALARM, ALARM WAS RESET AND ALL KLFR UNITS WENT BACK IN SERVICE.	
2012-000041-00	01/17/2012	15:55	12 GRASSY		Medical assist, assist EMS	3
					E-25 DISPATCHED PER R-123 REFERENCE MEDICAL ASSIST. E-25 RESPONDED FROM STATION 25. UPON ARRIVAL ASSISTED R-123 CREW WITH PATIENT. E-25 WAS RELEASED AND IN-SERVICE.	
2012-000042-00	01/19/2012	08:28	104 OVERSEAS		Removal of victim(s) from	4
					E-25 RESPONDED FROM STATION 25 TO KEY LARGO ELEMENTARY SCHOOL FOR A ELEVATOR EMERGENCY. UPON ARRIVAL LT-25 WAS MET BY SECURITY WHO ADVISED THAT THE VICTIM WAS OUT OF ELEVATOR. E-25 IN-SERVICE.	
2012-000043-00	01/23/2012	15:23	106 OVERSEAS		Grass fire	4
					E-25 RESPONDED FROM STATION 25 TO A REPORT OF A BRUSH FIRE AT THE 106 MM IN FRONT OF CIRCLE K. UPON ARRIVAL FOUND MULCH SMOLDERING ABOUT A 2X2 AREA. E-25 CREW USED A WATER EXTINGUISHER TO COOL DOWN THE AREA AND FIRE WAS OUT. E-25 IN-SERVICE.	
2012-000044-00	01/23/2012	16:30	107800 OVERSEAS		Medical assist, assist EMS	4
					E-25 RESPONDED FROM STATION 25 REFERENCE MEDICAL EMERGENCY REQUESTED FROM R23. UPON ARRIVAL FOUND A 46 Y/O FEMALE LYING ON BED C/O CHEST PAIN, NAUSEA AND HEADACHE. UPON R-23 ARRIVAL E-25 ASSISTED. PT WAS TRANSFERRED OVER TO R-23 WITH OUT INCIDENT.	
2012-000045-00	01/25/2012	18:44	107900 OVERSEAS		Motor vehicle accident with	4
					E-25 DISPATCHED TO A MVA INVOLVING ONE VEHICLE. E-25 RESPONDED FROM STATION 25. UPON ARRIVAL E-25 FOUND ONE PATIENT NO ACCIDENT NO INJURIES. PT WAS VERY DISORIENTED. CARE WAS TRANSFERRED OVER TO R-23 WITH OUT INCIDENT.	
2012-000046-00	01/29/2012	00:21	185 CORINNE		Unauthorized burning	4
					E24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS MET WITH HOMEOWNER AND DISCOVERED A SMALL PIT FIRE IN REAR OF RESIDENCE. HOMEOWNER STATED HE WAS BURNING SMALL PIECES OF WOOD TO KEEP WARM. LT24 ADVISED HIM THAT BURNING BRUSH IS ILLEGAL AND NEEDED TO BE OUT. HOMEOWNER EXTINGUISHED FIR. E24 BACK IN-SERVICE.	
2012-000047-00	01/30/2012	20:28	99 OVERSEAS		Passenger vehicle fire	6
					UPON ARRIVAL E-24 LOCATED A SMALL TRASH FIRE IN THE BED OF A PICK-UP TRUCK LOCATED IN THE REAR OF KEY LARGO INN (PARKING AREA). E-24 EXTINGUISHED THE FIRE WITH A 2.5 GALLON WATER CAN, ALL HAZARDS WERE REMOVED AND CHECKED FOR HEAT. UPON INVESTIGATION FOUND OUT THAT THE OWNER THREW A CIGARETTE OUT OF THE WINDOW AND IT LANDED IN THE BED OF THE TRUCK THAT POSSIBLY CAUSED THE FIRE. ALL KLFR UNITS WENT BACK IN SERVICE.	
2012-000048-00	01/27/2012	16:14	104.5 OVERSEAS		Brush or brush-and-grass	5
					E25 RESPONDED FROM WINN-DIXIE. UPON ARRIVAL FOUND A 4X4 BRUSH FIRE. CREWS USED WATER CAN 2.5 GALLONS OF WATER TO EXTINGUISH FIRE. ALL HAZARDS WERE REMOVED.	
Total Incidents: 48						

Key Largo Fire Rescue

Period: From 01/01/2012 to 01/31/2012

NFPA Survey Report

FIRE IN STRUCTURES BY FIXED PROPERTY USE (OCCUPANCY) (All in Section A Incident Type 110-129)	Number of Fires	Number of Civilian Fire Casualties. If none, write 0.		Estimated Property Damage from Fire. If no loss, write 0.
		Deaths	Injuries	
1. Private Dwellings (1 or 2 family), Including mobile homes (FPU 110-419)	1	0	0	\$0
2. Apartments (3 or more families) FPU 429 or FPU 439)	0	0	0	\$0
3. Hotels and Motels (FPU 449)	0	0	0	\$0
4. All other residential (dormitories, boarding houses, tents, etc.) (FPU 459-499)	0	0	0	\$0
5. TOTAL OTHER RESIDENTIAL FIRES (SHOULD BE SUM OF LINES 1 THROUGH 4)	1	0	0	\$0
6. Public Assembly (church, restaurant, clubs, etc.) (FPU 100-199)	0	0	0	\$0
7. Schools and Colleges (FPU 200-299)	0	0	0	\$0
8. Health Care and Penal Institutions (hospitals, nursing homes, prisons, etc.) (FPU 300-399)	0	0	0	\$0
9. Stores and Offices (FPU 500-599)	0	0	0	\$0
10. Industry, Utility, Defense, Laboratories, Manufacturing (FPU 600-799)	0	0	0	\$0
11. Storage in Structures (barns, vehicle storage garages, general storage, etc.) (FPU 800-899)	0	0	0	\$0
12. Other Structures** (outbuildings, bridges, etc.) (FPU 900-999)	0	0	0	\$0
13. TOTALS FOR STRUCTURE FIRES (SHOULD BE SUM OF LINES 5 THROUGH 12)	1	0	0	\$0

B. OTHER FIRE AND INCIDENTS

14a. Fires in Highway Vehicles (autos, trucks, buses, etc.) (IT 131-132, 136-137)	1	0	0	\$0
14b. Fires in Other Vehicles (planes, trains, ships, construction or farm vehicles, etc.) (IT 130, 133-135, 138)	0	0	0	\$0
15. Fires outside of Structures with Value Involved, but Not Vehicles (outside storage, crops, timber, etc.) (IT 140, 141, 161, 162, 164, 170-173)	0	0	0	\$0
16. Fires in Brush, Grass, Wildland (excluding crops and timber) with no value involved. (IT 142-143)	5	0	0	
17. Fires in Rubbish, Including Dumpsters (outside of structures), with no value involved. (IT 150-155)	3	0	0	
18. All Other Fires. (IT 100, 160, 163)	0	0	0	\$0
19. TOTAL FOR FIRES (SHOULD BE SUM OF LINES 13 THROUGH 18)	10	0	0	\$0
20. Rescue, Emergency Medical Responses (ambulance, EMS, rescue) (IT 300-381)	17			
21. False Alarm Responses (malicious or unintentional false calls, system malfunctions, bomb scares) (IT 700-746)	7			
22. Mutual Aid or Assistance Responses Given	0			
23a. Hazardous Materials Responses (spills, leaks, etc.) (IT 410-431)	0			
23b. Other Hazardous Conditions (arcing wires, bomb removal, power line down, etc.) (IT 440-482, 400)	3			
24. All Other Responses (smoke scares, lock-outs, animal rescues, etc.) (IT 200-251, 500-699, 800-911)	11			
25. TOTAL FOR ALL INCIDENTS (SHOULD BE SUM OF LINES 19 THROUGH 24)	48			

Based on what is reported in lines 5 and 13 for number of fire above, please report separately:

Confined fires (e.g., cooking fires confined to cooking vessel, or chimney fire that did not spread beyond chimney, or confined trash fires) (IT 113 - 118), and Nonconfined fires (IT 110 - 112, 120 - 123).

	Number of Confined Fires	Number of Nonconfined Fires
5. Residential Fires (line 5 above)	1	0
13. Structure Fires (line 13 above)	1	0

BREAKDOWN OF FALSE ALARM RESPONSES

Type of Fire Alarm	Number of Incidents
1. Malicious, Mischievous False Call (IT 710-715)	0
2. System Malfunction (IT 700-739)	0
3. Unintentional (tripping on interior device accidentally etc.) (IT 740-749)	0
4. Other False Alarms (bomb scares, etc.) (IT 721, 700)	1

Key Largo Fire Rescue

Incident Totals by Month of Year

Fire Department: 38061
 Companies: All
 Date Range: From 01/01/2012 to 01/31/2012
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: Yes
 Exclude Exposures: No

Month	Totals	Cumul.	Average Attend.
January	48	48	6
Febuary	0	48	0
March	0	48	0
April	0	48	0
May	0	48	0
June	0	48	0
July	0	48	0
August	0	48	0
September	0	48	0
October	0	48	0
November	0	48	0
December	0	48	0