

Key Largo Fire Rescue

Incident Run Log

Fire Department: 38061

Companies: All

Date Range: From 02/01/2012 to 02/29/2012

Box/Zone/ Code: All

District: All

Situation Found: All

Exclude Mutual Aids: No

Exclude Exposures: No

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2012-000049-00	02/02/2012	16:30	100 BUTTONWOOD		Power line down	3
E-24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS FOUND A LINE DOWN ON ROAD. CREWS INVESTIGATED AND DETERMINED THAT THE LINE WAS A TELEPHONE LINE. E24 ADVISED HOMEOWNER TO REPORT THE ISSUE TO THEIR PHONE COMPANY FOR REPAIR. ALL HAZARDS WERE REMOVED.						
2012-000050-00	02/02/2012	08:53	423 VILLAGE		Attempted burning, illegal	8
DISPATCHED TO THE AREA OF PLANTE STREET FOR SMELL OF SMOKE, E24 WENT EN ROUTE FROM STATION 24. UPON ARRIVAL, THE ORIGINAL ADDRESS WAS 423 VILLAGE AVENUE. E24 FOUND HOMEOWNER OUTSIDE RESIDENCE. THERE WAS A 2 X 2 FEET PILE OF LEAVES SMOLDERING. HOMEOWNER EXTINGUISHED FIRE. E24 ADVISED HOMEOWNER NOT TO BURN TRASH.						
2012-000051-00	02/03/2012	04:10	101499 OVERSEAS		Smoke or odor removal	9
DISPATCHED AS A FIRE (SMOKE ONLY) CALL. E24 WAS EN ROUTE FROM THE STATION. UPON ARRIVAL, E24 NOTICED A LIGHT HAZE INSIDE THE BUILDING. LIEUTENANT 24 WAS INTERROGATING THE STORE MANAGER. STORE MANAGER STATED THE EMPLOYEE WAS WALKING IN THE LIQUOR AISLE AND STEPPED ON SOMETHING THAT PROMPTED HIM TO STOP. HE THEN FELT SOMETHING DROP ON HEAD AND LOOKED UP TO FIND A SMALL FIRE IN THE LIGHT FIXTURE. EMPLOYEE USED THE STORE'S ABC EXTINGUISHER TO EXTINGUISH THE FIRE. E24 USED THE THERMAL IMAGING CAMERA AND THE KNOX SCAN TO CHECK FOR HEAT AND EXTENSIONS. E24 CREW WENT TO CHECK IF THE BREAKER WAS TRIPPED. E24 PERFORMED NEGATIVE AND POSITIVE PRESSURE VENTILATION TO REMOVE THE SMOKE AND SMELL. ALL HAZARDS WERE MITIGATED.						
2012-000052-00	02/03/2012	10:36	101000 OVERSEAS	HARMAN	Vehicle accident, general	3
DISPATCHED TO TARPON BASIN DRIVE FOR A MOTOR VEHICLE ACCIDENT WITH HAZARDS ON THE HIGHWAY. S24 WAS EN ROUTE FROM STATION 24. UPON ARRIVAL, S24 FOUND 2 VEHICLES AT THE INTERSECTION, NEGATIVE ON INJURIES, WITH PARTIAL NORTHBOUND LANE BLOCK. ONE VEHICLE WAS SPILLING ANTIFREEZE ONTO HIGHWAY. S24 USED KITTY LITTER TO CLEAN UP HAZARDS . ALL HAZARDS WERE MITIGATED AND THE NORTHBOUND LANE WAS REOPENED.						
2012-000053-00	02/05/2012	01:24	3 MUNTINY		Alarm system activation, no	6
STATION 24 WAS DISPATCHED TO A GENERAL FIRE ALARM, UPON ARRIVAL E-24 FOUND A TWO STORY CBS , NOTHING SHOWING, INVESTIGATIVE MODE. E-24 MADE CONTACT WITH HOMEOWNER AND CONFIRMED THAT IT WAS A FALSE ALARM DUE TO THE HOMEOWNER HITTING THE ALARM BUTTON. ALL KLFR UNITS WENT BACK IN SERVICE.						
2012-000054-00	02/06/2012	15:55	2 SEAGATE		Medical assist, assist EMS	4
S-24 RESPONDED FROM STATION 24. WHILE RESPONDING TO THE AMERICAN LEGION AT THE 97 MM REF: EMS ASSIST, DISPATCHER ADVISED THE ADDRESS WAS CHANGED TO 2 SEA GATE BLVD AT THE 99 MM. CREWS REROUTED TO THE NEW LOCATION. UPON ARRIVAL CREWS ASSISTED WITH PATIENT BACK BOARDING AND PACKAGING. S-24 CLEARED SCENE.						
2012-000055-00	02/09/2012	15:38	1550 OCEAN BAY		Explosion (no fire), other	5
DISPATCHED TO KAWAMA YACHT CLUB TO A TRANSFORMER THAT HAS BLOWN. E24 WENT EN ROUTE FROM THE STATION ROUTINE. UPON ARRIVAL, E24 SPOKE WITH THE CALLER. CALLER STATED SHE HEARD AN EXPLOSION AND SAW FIRE. E24 INVESTIGATED AND FOUND A TRANSFORMER THAT HAS BLOWN A FUSE. THE FUSE WAS LYING ON THE FLOOR BURNT. E24 ADVISED DISPATCH TO NOTIFY THE POWER COMPANY AND SECURED THE SCENE UNTIL THEY ARRIVED.						
2012-000056-00	02/09/2012	15:56	25 EAGLE		Medical assist, assist EMS	2
RESCUE 23 NOTIFIED DISPATCHED TO TONE OUT STATION 25 DUE THE CHIEF COMPLAINT OF THE MEDICAL CALL. E25 RESPONDED FROM THE STATION TO 25 EAGLE DRIVE. UPON ARRIVAL, E25 CREW ASSESSED THE PATIENT AND ASSISTED RESCUE 23 WITH FURTHER PATIENT CARE.						
2012-000057-00	02/10/2012	13:42	102920 OVERSEAS		False alarm or false call,	4
STATION 24 WAS DISPATCHED TO A FIRE ALARM AT MARLIN HOLDING 102920 OVERSEAS HWY. EN ROUTE E-24 WAS CANCELED PER DISPATCH BECAUSE PROPER CODE WAS RECEIVED BY ALARM COMPANY. ALL KLFR UNITS WENT BACK IN SERVICE.						
2012-000058-00	02/11/2012	19:21	550 OCEAN CAY		False alarm or false call,	5
STATION 24 WAS DISPATCHED TO A RESIDENTIAL GENERAL FIRE ALARM, E-24 AND E-25 RESPONDED FROM THE 97MM DETAIL. UPON ARRIVAL FOUND NOTHING SHOWING, INVESTIGATIVE MODE AND CANCELED ALL IN COMING UNITS. HOMEOWNER STATED THE DETECTOR WENT OFF WHEN THEY WERE COOKING. E-24 CREW CONFIRMED IT WAS A FALSE ALARM AND RESET THE ALARM SYSTEM. ALL KLFR UNITS WENT BACK IN SERVICE.						
2012-000059-00	02/15/2012	00:21	105000 CENTER		Smoke scare, odor of	7
DISPATCHED TO STILLWRIGHT POINT SUBDIVISION FOR A SMELL OF SMOKE. E24 AND E25 WAS EN ROUTE FROM THEIR RESPONDING STATIONS. UPON ARRIVAL, E25 AND E24 CREW MEMBERS AND MCSO WERE TRYING TO LOCATE THE SOURCE. THE CALL REMAINED UNFOUNDED.						
2012-000060-00	02/15/2012	15:54	103000 OVERSEAS	SZMANSKY	Motor vehicle accident with 10	10
DISPATCHED TO A MVA AT MILE MARKER 103, ACROSS FROM THE JUICE HOUSE. E25 RESPONDED FROM THE STATION. E24 RESPONDED FROM KEY LARGO COMMUNITY PARK. UPON ARRIVAL, E25 BLOCKED OFF SOUTH BOUND TURNING LANE. E24 BLOCKED ONE NORTH BOUND LANE. E25 ASSISTED RESCUE 23 AND RESCUE 123 WITH PATIENT CARE AND PACKAGING. E24						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
REMOVED HAZARDS FROM HIGHWAY. NO EXTRICATION WAS NEEDED. E24 SECURED THE SCENE.						
2012-000061-00	02/16/2012	11:38	768 MICHAEL		Unauthorized burning	4
UPON ARRIVAL E-24 FOUND A SMALL 4X4 FIRE LOCATED ON THE PROPERTY OF 768 MICHAEL DRIVE. LT-24 MADE CONTACT WITH THE HOMEOWNER AND ADVISED THE FIRE IS ILLEGAL AND HE MUST PUT IT OUT. FIRE WAS EXTINGUISHED BY THE HOMEOWNER AND ALL KLFR UNITS WENT BACK IN SERVICE.						
2012-000062-00	02/18/2012	10:35	96000 OVERSEAS		Removal of victim(s) from	6
DISPATCHED TO BUTTONWOOD BAY CONDOMINIUMS FOR A PERSON STUCK IN THE ELEVATOR. E24 WENT ENROUTE FROM THE STATION. UPON ARRIVAL, E24 SEARCHED BUILDING W, X, AND EE FOR THE VICTIM. VICTIM WAS NOT FOUND IN ANY OF THE ELEVATORS.						
2012-000063-00	02/18/2012	18:33	99810 OVERSEAS		Gasoline or other	3
DISPATCHED TO THE CIRCLE K FOR A FUEL SPILL. E24 WENT EN ROUTE FROM THE STATION. UPON ARRIVAL, E24 FOUND A FUEL SPILL APPROXIMATELY 10 X 10 FEET. E24 USED THE GASOLINE STATION'S ABSORBENT APPROXIMATELY 3 BAGS TO CONFINE AND CONTAIN THE SPILL. E24 WRAPPED THE PUMP THAT WAS LEAKING FUEL WITH SCENE TAPE AND SHUT OFF THE EMERGENCY SHUT OFF SWITCH. CIRCLE K EMPLOYEE WAS ADVISED TO CALL A TECHNICIAN TO REPAIR THE PUMP AND TO REMOVE THE HAZARDOUS WASTE.						
2012-000064-00	02/19/2012	10:50	147 OCEAN SHORES		Medical assist, assist EMS	3
DISPATCHED TO 147 SOUTH OCEAN SHORES DRIVE FOR A MEDICAL EMERGENCY. S24 WENT EN ROUTE FROM THE STATION. UPON ARRIVAL, S24 ASSISTED RESCUE 123 IN ASSESSING A FEMALE PATIENT THAT HAD ANAPHYLAXIS. S24 USED THE STAIR CHAIR TO BRING THE PATIENT FROM THE SECOND FLOOR INTO THE AMBULANCE. S24 USED ONE CREW MEMBER TO DRIVE THE AMBULANCE TO MARINER'S HOSPITAL EMERGENCY ROOM.						
2012-000065-00	02/19/2012	22:30	100460 OVERSEAS		Medical assist, assist EMS	8
DISPATCHED TO A MEDICAL CALL. S24 WENT EN ROUTE FROM THE STATION. UPON ARRIVAL, S24 ASSISTED RESCUE 23 AND RESCUE 123 IN ASSESSING A CARDIAC ARREST PATIENT. S24 BACK BOARDED THE PATIENT WHILE CHEST COMPRESSIONS WERE BEING GIVEN. S24 USED ONE CREW MEMBER TO DRIVE THE AMBULANCE TO MARINERS HOSPITAL.						
2012-000066-00	02/10/2012	14:45	103.8 OVERSEAS		Motor vehicle accident with	2
UPON ARRIVAL E-25 CREW ASSISTED MCSCO AND FHP WITH PUSHING THE VEHICLE OFF TO THE SIDE OF THE ROAD. PT. DENIED ANY PAIN AND REFUSED TREATMENT FROM EMS. E-25 WENT BACK IN SERVICE.						
2012-000067-00	02/20/2012	10:05	101499 OVERSEAS		Lock-out	5
STATION 24 WAS DISPATCHED TO A SIX MONTH OLD INFANT LOCKED IN A VEHICLE. E-25 RESPONDED FROM 99MM, UPON ARRIVAL E-24 UNLOCKED DRIVERS SIDE REAR DOOR AND REMOVED THE INFANT FROM THE VEHICLE. E-25 WENT BACK IN SERVICE.						
2012-000068-00	02/20/2012	11:39	527 CARIBBEAN		Power line down	7
E-25 WAS DISPATCHED TO 527 CARIBBEAN DRIVE FOR A POWER LINE DOWN. UPON ARRIVAL FOUND LEO ON SCENE AND PHONE WIRES DANGLING FROM THE ELECTRIC POLE. NO HAZARDS. E-25 CONTROLLED TRAFFIC AND CALL CO-OP.						
2012-000069-00	02/19/2012	22:33	11 GARDEN COVE		Rescue, EMS incident,	3
E25 RESPONDED FROM STATION 25. UPON ARRIVAL E25 FOUND PT SITTING IN FRONT OF THE HOUSE WITH CHIEF COMPLAINT OF SOB. E25 TOOK VITAL SIGNS AND MONITORED PT UNTIL R23 ARRIVAL. TRANSFERRED PT CARE TO R23 WITH OUT INCIDENT.						
2012-000070-00	02/21/2012	08:15	101 OVERSEAS		Motor vehicle accident with	7
S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 CREW INVESTIGATED THE SCENE. S24 CREW FOUND 2 VEHICLES WITH MINOR DAMAGE AND ONE PT WITH HEAD PAIN. S24 SECURED THE SCENE AND ASSISTED R23 WITH PT CARE. SCENE TURNED OVER TO FHP. ALL UNITS WERE PLACED BACK IN SERVICE.						
2012-000071-00	02/22/2012	16:22	92400 OVERSEAS		Motor vehicle accident with	9
STATION 22 REQUESTED STATION 24 FOR MUTUAL AID FOR A ACCIDENT WITH INJURIES AND ENTRAPMENT. SQUAD 24 AND BC 24 RESPONDED FROM STATION 24. UPON ARRIVAL BOTH UNITS MET WITH COMMAND AND ASSISTED E22 CREW WITH EXTRICATION. PT WAS SUCCESSFULLY EXTRICATED AND TRANSFERRED TO RESCUE 22 FOR TRANSPORT TO HELICOPTER TO JMH. SQUAD 24 ASSISTED IN REMOVING HAZARDS. CHIEF 24 RELEASED ALL KLFR UNITS FROM SCENE.						
2012-000072-00	02/22/2012	14:00	2 BOWEN		Medical assist, assist EMS	5
UPON ARRIVAL, E25 CREW DID A PATIENT ASSESSMENT AND GOT BASELINE VITAL SIGNS FOR THE EMS CREW. E25 TRANSFERRED PATIENT CARE TO EMS UPON THEIR ARRIVAL, E25 THEN ASSISTED RESCUE 23 IN PATIENT PACKAGING AND REMOVAL FROM THE HOME INTO THE AMBULANCE.						
2012-000073-00	02/22/2012	16:08	C1 CR 905		Medical assist, assist EMS	4
UPON ARRIVAL, E25 CREW ASSISTED EMS WITH PATIENT. EMS RELEASED E25 CREW FROM SCENE SO E25 CAN HOLD COVERAGE FOR S24 WHO WAS IN TAVERNIER FOR MUTUAL AID.						
2012-000074-00	02/23/2012	12:00	101000 OVERSEAS		Motor vehicle accident with	7
DISPATCHED TO A MVA REFERENCE MOTORCYCLIST DOWN. S24 WAS EN ROUTE FROM THE STATION. UPON ARRIVAL, S24 FOUND ONE MOTORCYCLE STANDING ON ITS KICK STAND. MOTORCYCLIST WAS AMBULATORY. ALL UNITS WERE CLEARED BY RESCUE 23. NO HAZARDS WERE FOUND.						
2012-000075-00	02/23/2012	12:12	99615 OVERSEAS		Smoke scare, odor of	7
DISPATCHED TO OFFICE DEPOT FOR A SUSPICIOUS SMELL. S24 WAS EN ROUTE FROM MILE MARKER 99. UPON ARRIVAL, S24 FOUND A SINGLE STORY CBS COMMERCIAL STRUCTURE. NO SMOKE OR FLAMES WERE VISIBLE. S24 INVESTIGATED AND SPOKE TO THE STORE MANAGER. STORE MANAGER STATED THAT SHE HEARD A LOUD "POP" IN THE RECEIVING AREA. S24 FOUND A BREAKER THAT WAS TRIPPED AND SOME OF THE STORE LIGHTS WERE OFF. S24 USED THE THERMAL IMAGING CAMERA AND THE						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
KNOX SCANNER TO CHECK FOR HEAT. AFTER THE INVESTIGATION, EVERYTHING WAS CODE 5.						
2012-000076-00	02/23/2012	22:50	8 BASS		Chemical hazard (no spill or	7
DISPATCHED TO A SMELL OF GASOLINE. E24 WAS EN ROUTE FROM THE STATION. UPON ARRIVAL, E24 FOUND A TWO STORY, TYPE V CONSTRUCTION. E24 SPOKE TO HOMEOWNER. HOMEOWNER STATED THAT HIS HOUSE WAS SMELLING LIKE GASOLINE. E24 LOCATED THE SOURCE, COMING FROM A BOAT THAT WAS OVERFILLED, PARKED INSIDE THE GARAGE. E24 USED THE VENTILATION FAN TO REMOVE THE SMELL AND ADVISED HOMEOWNER NOT TO STORE HIS VESSEL INSIDE THE GARAGE.						
2012-000077-00	02/24/2012	10:15	97670 OVERSEAS	GUY	Refrigeration leak	9
RECEIVED A PHONE CALL DIRECTLY TO THE STATION FROM BRANCH MANAGER AT FIRST STATE BANK STATING SHE, HER EMPLOYEES AND CUSTOMERS WERE FEELING ILL. SHE ALSO STATED THAT HER EMPLOYEES SMELLED AN ORDER IN THE AIR. E24 RESPONDED TO INVESTIGATE. E24 ADVISED THE BRANCH MANAGER TO EVACUATE ALL OCCUPANTS TO EVACUATE IMMEDIATELY. UPON ARRIVAL, E24 FOUND ALL OCCUPANTS SITTING OUTSIDE. E24 ESTABLISHED COMMAND AND STARTED TRIAGING THE OCCUPANTS. FIVE PATIENTS WERE FEELING DIZZY AND ILL. E24 COMMAND DISPATCHED RESCUE 23 AND RESCUE 123. E24 GAVE ONE PATIENT OXYGEN VIA NON REBREATHER AT 15 LITERS PER MINUTES. E24 DISPATCHED S24 FOR ADDITIONAL PERSONNEL TO INVESTIGATE THE INTERIOR OF THE BUILDING WITH AN ATMOSPHERIC MONITOR. ALL READING WERE AT ZERO WITH NO SIGNIFICANT DROP IN ROOM OXYGEN LEVELS. E24 VENTILATED BUILDING AS A PRECAUTIONARY MEASURE. AFTER VENTILATING FOR APPROXIMATELY AN HOUR, E24 CLOSED ALL OPENINGS OF THE BUILDING AND WAITED FAR AN ADDITIONAL 30 MINUTES AND RE INVESTIGATED WITH THE ATMOSPHERIC MONITOR. ALL READINGS REMAINED THE SAME. E24 ALSO SCANNED THE EXTERIOR PART OF THE BUILDING AND THE AC COMPRESSOR UNITS. THE STRUCTURE HAD A POSSIBLE AIR CONDITIONING GAS LEAK THAT WAS CAUSING THE OCCUPANTS TO FEEL ILL. E24 ADVISED THE ASSISTANT BRANCH MANAGER TO CONTACT AND AIR CONDITIONER TECHNICIAN TO FURTHER INVESTIGATE AND REPAIR ANY LEAK IN THE AC SYSTEM.						
2012-000078-00	02/24/2012	16:50	970000 OVERSEAS	JORDAN	Motor vehicle accident with	9
DISPATCHED TO A MVA AT MILE MARKER 97. S24 WAS EN ROUTE FROM THE STATION. UPON ARRIVAL, S24 FOUND TWO VEHICLES, ONE SOUTHBOUND LANE WAS BLOCKED. S24 ESTABLISHED COMMAND, S24 CHECKED FOR HAZARDS AND REMOVED DEBRIS FROM THE HIGHWAY. S24 ASSISTED RESCUE 23 AND RESCUE 123 WITH PATIENT PACKAGING. RESCUE 123 ONE CREW MEMBER FROM S24 ASSIST TO DRIVE THE AMBULANCE.						
2012-000079-00	02/25/2012	08:22	HIBISCUS		Motor vehicle accident with	8
STATION 24 WAS DISPATCHED TO VEHICLE VS MOTORCYCLE (MVA) ON HIBISCUS LN AT THE 101MM. UPON ARRIVAL S-24 FOUND ONE MOTORCYCLE DOWN AND ONE CAR BLOCKING THE ROADWAY, ONE PT WAS LYING ON THE GROUND CONSCIOUS. S-24 ESTABLISHED COMMAND AND E-25 WAS STAGGED OFF OF US1. PT WAS C-COLLARED, BACK BOARDED AND PACKAGED BY S-24 AND R-23 CREW. MOTORCYCLE AND VEHICLE WERE REMOVED FROM THE ROADWAY AND ALL KLFR UNITS WENT BACK IN SERVICE.						
2012-000080-00	02/25/2012	19:54	21 GARDEN COVE		Outside storage fire	12
2012-000081-00	02/27/2012	14:47	100.6 OVERSEAS		Oil or other combustible	5
S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 FOUND APPROX. 5 GALLONS OF OIL ON NORTH BOUND LANE WITH PARTIAL ROAD BLOCK. S24 CREW SECURED ROADWAY AND APPLIED 80 LBS OF ABSORBENT ON OIL SPILL. CREWS REMOVED HAZARDS, REOPENED THE ROADWAY AND CLEARED SCENE.						
2012-000082-00	02/28/2012	16:48	104259 OVERSEAS		Medical assist, assist EMS	2
DISPATCHED TO SLATE'S DIVE SHOP FOR A MEDICAL CALL. E25 WENT EN ROUTE FROM THE STATION. UPON ARRIVAL, E25 ASSISTED RESCUE 123 WITH PATIENT ASSESSMENT AND TREATMENT.						
Total Incidents: 34						

Key Largo Fire Rescue

Period: From 02/01/2012 to 02/29/2012

NFPA Survey Report

FIRE IN STRUCTURES BY FIXED PROPERTY USE (OCCUPANCY) (All in Section A Incident Type 110-129)	Number of Fires	Number of Civilian Fire Casualties. If none, write 0.		Estimated Property Damage from Fire. If no loss, write 0.
		Deaths	Injuries	
1. Private Dwellings (1 or 2 family), Including mobile homes (FPU 410-419)	0	0	0	\$0
2. Apartments (3 or more families) FPU 429 or FPU 439)	0	0	0	\$0
3. Hotels and Motels (FPU 449)	0	0	0	\$0
4. All other residential (dormitories, boarding houses, tents, etc.) (FPU 459-499)	0	0	0	\$0
5. TOTAL OTHER RESIDENTIAL FIRES (SHOULD BE SUM OF LINES 1 THROUGH 4)	0	0	0	\$0
6. Public Assembly (church, restaurant, clubs, etc.) (FPU 100-199)	0	0	0	\$0
7. Schools and Colleges (FPU 200-299)	0	0	0	\$0
8. Health Care and Penal Institutions (hospitals, nursing homes, prisons, etc.) (FPU 300-399)	0	0	0	\$0
9. Stores and Offices (FPU 500-599)	0	0	0	\$0
10. Industry, Utility, Defense, Laboratories, Manufacturing (FPU 600-799)	0	0	0	\$0
11. Storage in Structures (barns, vehicle storage garages, general storage, etc.) (FPU 800-899)	0	0	0	\$0
12. Other Structures** (outbuildings, bridges, etc.) (FPU 900-999)	0	0	0	\$0
13. TOTALS FOR STRUCTURE FIRES (SHOULD BE SUM OF LINES 5 THROUGH 12)	0	0	0	\$0
B. OTHER FIRE AND INCIDENTS				
14a. Fires in Highway Vehicles (autos, trucks, buses, etc.) (IT 131-132, 137)	0	0	0	\$0
14b. Fires in Other Vehicles (planes, trains, ships, construction or farm vehicles, etc.) (IT 130, 133-135, 138)	0	0	0	\$0
15. Fires outside of Structures with Value Involved, but Not Vehicles (outside storage, crops, timber, etc.) (IT 140, 141, 161, 162, 164, 170-173)	1	0	0	\$0
16. Fires in Brush, Grass, Wildland (excluding crops and timber) with no value involved. (IT 142-143)	0	0	0	
17. Fires in Rubbish, Including Dumpsters (outside of structures), with no value involved. (IT 150-155)	0	0	0	
18. All Other Fires. (IT 100, 160, 163)	0	0	0	\$0
19. TOTAL FOR FIRES (SHOULD BE SUM OF LINES 13 THROUGH 18)	1	0	0	\$0
20. Rescue, Emergency Medical Responses (ambulance, EMS, rescue) (IT 300-381)	15			
21. False Alarm Responses (malicious or unintentional false calls, system malfunctions, bomb scares) (IT 700-746)	3			
22. Mutual Aid or Assistance Responses Given	1			
23a. Hazardous Materials Responses (spills, leaks, etc.) (IT 410-431)	4			
23b. Other Hazardous Conditions (arcing wires, bomb removal, power line down, etc.) (IT 440-482, 400)	4			
24. All Other Responses (smoke scares, lock-outs, animal rescues, etc.) (IT 200-251, 500-699, 800-911)	6			
25. TOTAL FOR ALL INCIDENTS (SHOULD BE SUM OF LINES 19 THROUGH 24)	34			

Based on what is reported in lines 5 and 13 for number of fire above, please report separately:

Confined fires (e.g., cooking fires confined to cooking vessel, or chimney fire that did not spread beyond chimney, or confined trash fires) (IT 113 - 118), and Nonconfined fires (IT 110 - 112, 120 - 123).

	Number of Confined Fires	Number of Nonconfined Fires
5. Residential Fires (line 5 above)	0	0
13. Structure Fires (line 13 above)	0	0

BREAKDOWN OF FALSE ALARM RESPONSES

Type of Fire Alarm	Number of Incidents
1. Malicious, Mischievous False Call (IT 710-715)	0
2. System Malfunction (IT 700-739)	0
3. Unintentional (tripping on interior device accidentally etc.) (IT 740-749)	0
4. Other False Alarms (bomb scares, etc.) (IT 721, 700)	2

Key Largo Fire Rescue

Incident Totals by Month of Year

Fire Department: 38061

Companies: All

Date Range: From 02/01/2012 to 02/29/2012

Box/Zone/ Code: All

District: All

Situation Found: All

Exclude Mutual Aids: Yes

Exclude Exposures: No

Month	Totals	Cumul.	Average Attend.
January	0	0	0
February	32	32	6
March	0	32	0
April	0	32	0
May	0	32	0
June	0	32	0
July	0	32	0
August	0	32	0
September	0	32	0
October	0	32	0
November	0	32	0
December	0	32	0

A	38061 FDID	Key Largo Fire Rescue Fire Department	FL Stat	02/24/2012 Incident Date	24 Station	2012-000077 Incident Number	000 Exposure	NFIRS - 1 Basic
----------	---------------	--	------------	-----------------------------	---------------	--------------------------------	-----------------	--------------------

B Location	Census Tract							
1 - Street Address Type	97670 Number/Milepost		OVERSEAS Street or Highway	HWY Street Type				
		Key Largo City	FL State	33037 Zip Code				
FIRST STATE BANK Cross Street, Directions or National Grid								

C Incident Type 423 - Refrigeration leak	E₁ Dates & Times	E₂ Shift & Alarms
	Date	Time
	Alarm 02/24/2012	10:15
	Time Out 02/24/2012	10:16
	Arrival 02/24/2012	10:19
	Controlled 02/24/2012	
	Last Unit 02/24/2012	13:00
D Aid Given or Received		E₃ Special Studies
N - None		
Mutual Aid Code	Their FDID	Shift Alarms District Alarm Box
		24 6 24
Their State	Their Inc. #	24 24
		Special Study ID Special Study Value

F Actions Taken	G₁ Resources	G₂ Est. Dollar Losses & Values
1 86 - Investigate	<input type="checkbox"/> Check if Apparatus or Personnel form is	LOSSES:
2 51 - Ventilate	Apparatus Personnel	Property
3	Suppression 3 9	Contents
	EMS 0 0	PRE-INCIDENT VALUE
	Other 0 0	Property
	Personnel Not on Apparatus 0	Contents
	Total Personnel 9	
	<input type="checkbox"/> Includes Aid from Resources	

Completed Modules	H₁ Casualties	H₂ Detector
<input type="checkbox"/> FIRE-2	Deaths Injuries	
<input type="checkbox"/> Structure-3	Fire Service 0 0	H₃ Hazardous Materials Release
<input type="checkbox"/> Civilian Fire Cas.-4	Civilian 0 0	
<input type="checkbox"/> Fire Serv. Casualty-5		Mixed Use Property
<input type="checkbox"/> EMS-6		
<input type="checkbox"/> HazMat-7		
<input type="checkbox"/> Wildland Fire-8		
<input checked="" type="checkbox"/> Apparatus-9		
<input checked="" type="checkbox"/> Personnel-10		
<input type="checkbox"/> Arson-11		

J Property Use	592 - Bank
-----------------------	------------

K₁ Person/Entity	
FIRST STATE BANK Business name (if applicable)	305-852-2070 Phone Number
LISA Mr., Ms, Mrs. First Name	GUY MI Last Name
97670 Number	OVERSEAS Prefix Street or Highway
	HWY Street Type Suffix
	Key Largo City
	FL State
	33037 Zip Code

K₂ Owner

Business name (if applicable)		Phone Number		
Mr., Ms, Mrs.	First Name	MI	Last Name	Suffix
Number	Prefix	Street or Highway	Street Type	Suffix
Post Office Box	Apt/Suite/Room	City	State	Zip Code

L Remarks

For Additional Notes, Please Run the Report Entitled "User Defined and Notes"

RECEIVED A PHONE CALL DIRECTLY TO THE STATION FROM BRANCH MANAGER AT FIRST STATE BANK STATING SHE, HER EMPLOYEES AND CUSTOMERS WERE FEELING ILL. SHE ALSO STATED THAT HER EMPLOYEES SMELLED AN ORDER IN THE AIR. E24 RESPONDED TO INVESTIGATE. E24 ADVISED THE BRANCH MANAGER TO EVACUATE ALL OCCUPANTS TO EVACUATE IMMEDIATELY. UPON ARRIVAL, E24 FOUND ALL OCCUPANTS SITTING OUTSIDE. E24 ESTABLISHED COMMAND AND STARTED TRIAGING THE OCCUPANTS. FIVE PATIENTS WERE FEELING DIZZY AND ILL. E24 COMMAND DISPATCHED RESCUE 23 AND RESCUE 123. E24 GAVE ONE PATIENT OXYGEN VIA NON REBREATHER AT 15 LITERS PER MINUTES. E24 DISPATCHED S24 FOR ADDITIONAL PERSONNEL TO INVESTIGATE THE INTERIOR OF THE BUILDING WITH AN ATMOSPHERIC MONITOR. ALL READING WERE AT ZERO WITH NO SIGNIFICANT DROP IN ROOM OXYGEN LEVELS. E24 VENTILATED BUILDING AS A PRECAUTIONARY MEASURE. AFTER VENTILATING FOR APPROXIMATELY AN HOUR, E24 CLOSED ALL OPENINGS OF THE BUILDING AND WAITED FAR AN ADDITIONAL 30 MINUTES AND RE INVESTIGATED WITH THE ATMOSPHERIC MONITOR. ALL READINGS REMAINED THE SAME. E24 ALSO SCANNED THE EXTERIOR PART OF THE BUILDING AND THE AC COMPRESSOR UNITS. THE STRUCTURE HAD A POSSIBLE AIR CONDITIONING GAS LEAK THAT WAS CAUSING THE OCCUPANTS TO FEEL ILL. E24 ADVISED THE ASSISTANT BRANCH MANAGER TO CONTACT AND AIR CONDITIONER TECHNICIAN TO FURTHER INVESTIGATE AND REPAIR ANY LEAK IN THE AC SYSTEM.

M Authorization

0000088-GARRIDO, DAVID	Signature	LIEUTENANT SOUTH	Command	02/24/2012
Officer in Charge		Rank	Assignment	Date
0000088-GARRIDO, DAVID	Signature	LIEUTENANT SOUTH	Command	02/24/2012
Member Making Report		Rank	Assignment	Date

R RedAlert(tm) Specific

24	24				
STATION ALARM	SA				

K₁ Person/Entity

Type		Business name (if applicable)			Phone Number	
Mr., Ms, Mrs.	First Name	MI	Last Name	Suffix		
Number	Prefix	Street or Highway		Street Type	Suffix	
Post Office Box	Apt/Suite/Room	City	State	Zip Code		
PCR Number						

Other Vehicles Involved in Accident

Mobile Property Type		Mobile Property Make			
Mobile Property Model	Year	License Plate Number	State	VIN Number	

A

38061

FDID

Key Largo Fire Rescue

Fire Department

FL

State

02/24/2012

Incident Date

24

Station

2012-000077

Incident Number

000

Exposure

**NFIRS - 4
Civilian Fire
Casualty**

There are no civilian casualties reported for this incident.

A	<u>38061</u>	<u>Key Largo Fire Rescue</u>	<u>FL</u>	<u>02/24/2012</u>	<u>24</u>	<u>2012-00007</u>	<u>000</u>	NFIRS - 6
	FDID	Fire Department	State	Incident Date	Station	Incident Number	Exposure	EMS

There are no Emergency Medical Services reported for this incident.