

Key Largo Fire Rescue

Fire Department: 38061
 Companies: All
 Date Range: From 04/01/2012 to 04/30/2012
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: No
 Exclude Exposures: No

Totals and Average Attendance by Incident Type

Code and Description	Incident		Number		Average		Total		Average		Total	
	Count	Attend	Attend	Attend	Attend	Attend	Length	Length	Man Hrs	Man Hrs	Man Hrs	Man Hrs
111-Building fire	1	2	2.00	0.7	2.00	0.7	0.67	1.34	1.34	1.34	1.34	1.34
113-Cooking fire, confined to container	1	10	10.00	0.0	10.00	0.0	0.00	0.00	0.00	0.00	0.00	0.00
162-Outside equipment fire	1	11	11.00	1.3	11.00	1.3	1.30	14.30	14.30	14.30	14.30	14.30
300-Rescue, EMS incident, other	1	3	3.00	0.0	3.00	0.0	0.00	0.00	0.00	0.00	0.00	0.00
311-Medical assist, assist EMS crew	1	6	6.00	1.3	6.00	1.3	1.33	7.98	7.98	7.98	7.98	7.98
322-Motor vehicle accident with injuries	5	31	6.20	4.0	6.20	4.0	0.80	4.75	4.75	4.75	23.77	23.77
323-Motor vehicle/pedestrian accident (MV Ped)	1	3	3.00	0.5	3.00	0.5	0.50	1.50	1.50	1.50	1.50	1.50
324-Motor vehicle accident with no injuries.	1	8	8.00	0.5	8.00	0.5	0.50	4.00	4.00	4.00	4.00	4.00
352-Extrication of victim(s) from vehicle	1	6	6.00	1.0	6.00	1.0	1.02	6.12	6.12	6.12	6.12	6.12
411-Gasoline or other flammable liquid spill	2	11	5.50	0.0	5.50	0.0	0.00	0.00	0.00	0.00	0.00	0.00
441-Heat from short circuit (wiring), defective/worn	1	9	9.00	0.8	9.00	0.8	0.85	7.65	7.65	7.65	7.65	7.65
445-Arcing, shorted electrical equipment	1	4	4.00	0.2	4.00	0.2	0.17	0.68	0.68	0.68	0.68	0.68
463-Vehicle accident, general cleanup	2	6	3.00	0.5	3.00	0.5	0.26	0.78	0.78	0.78	1.56	1.56
551-Assist police or other governmental agency	1	6	6.00	2.0	6.00	2.0	2.00	12.00	12.00	12.00	12.00	12.00
561-Unauthorized burning	2	7	3.50	0.5	3.50	0.5	0.25	0.89	0.89	0.89	1.78	1.78
611-Dispatched & canceled en route	1	4	4.00	0.4	4.00	0.4	0.40	1.60	1.60	1.60	1.60	1.60
651-Smoke scare, odor of smoke	1	9	9.00	0.9	9.00	0.9	0.87	7.83	7.83	7.83	7.83	7.83
745-Alarm system activation, no fire - unintentional	2	10	5.00	0.2	5.00	0.2	0.10	0.40	0.40	0.40	0.80	0.80
813-Wind storm, tornado/hurricane assessment	1	2	2.00	0.0	2.00	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Blank: No Code Entered	0	0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Incorrect Entry	0	0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Totals and Averages for All Codes:	27	148	5.48	14.81	5.48	14.81	0.55	3.44	3.44	3.44	92.91	92.91



Your department started using NFIRS 5.0 on 01/01/2000. This means that
 the report uses the NFIRS 5.0 Code Set.

Key Largo Fire Rescue




Fire Department: 38061
 Companies: All
 Date Range: From 04/01/2012 to 04/30/2102
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: No
 Exclude Exposures: No

Incident Response Performance Analysis






Response Time

Response Time (Minutes)	Number of Incidents	Totals	Additional
0 - 1		50	Longest Time: 2882.0 Incident#: 2012-000156 Average Time: 42.4
2 - 3		18	
4 - 5		0	
6 - 7		0	
8 - 9		1	
> 10		1	

Apparatus Travel Time

Travel Time (Minutes)	Number of Incidents	Totals	Additional
0 - 4		57	Longest Time: 10.0 Incident#: 2012-000169 Average Time: 3.0
5 - 9		10	
10 - 14		3	
15 - 19		0	
20 - 24		0	
> 25		0	

Incident Length

Incident Length (Minutes)	Number of Incidents	Totals	Additional
0 - 29		39	Longest Time: 222.0 Incident#: 2012-000168 Average Time: 37.5
30 - 59		22	
60 - 89		3	
90 - 119		3	
120 - 149		1	
> 150		2	

Key Largo Fire Rescue

Period: From 04/01/2012 to 04/30/2012

NFPA Survey Report

FIRE IN STRUCTURES BY FIXED PROPERTY USE (OCCUPANCY) (All in Section A Incident Type 110-129)	Number of Fires	Number of Civilian Fire Casualties. If none, write 0.		Estimated Property Damage from Fire. If no loss, write 0.
		Deaths	Injuries	
1. Private Dwellings (1 or 2 family), including mobile homes (FPU 410-419)	1	0	0	\$0
2. Apartments (3 or more families) FPU 429 or FPU 439)	0	0	0	\$0
3. Hotels and Motels (FPU 449)	0	0	0	\$0
4. All other residential (dormitories, boarding houses, tents, etc.) (FPU 459-499)	0	0	0	\$0
5. TOTAL OTHER RESIDENTIAL FIRES (SHOULD BE SUM OF LINES 1 THROUGH 4)	1	0	0	\$0
6. Public Assembly (church, restaurant, clubs, etc.) (FPU 100-199)	0	0	0	\$0
7. Schools and Colleges (FPU 200-299)	0	0	0	\$0
8. Health Care and Penal Institutions (hospitals, nursing homes, prisons, etc.) (FPU 300-399)	0	0	0	\$0
9. Stores and Offices (FPU 500-599)	0	0	0	\$0
10. Industry, Utility, Defense, Laboratories, Manufacturing (FPU 600-799)	0	0	0	\$0
11. Storage in Structures (barns, vehicle storage garages, general storage, etc.) (FPU 800-899)	0	0	0	\$0
12. Other Structures** (outbuildings, bridges, etc.) (FPU 900-999)	0	0	0	\$0
13. TOTALS FOR STRUCTURE FIRES (SHOULD BE SUM OF LINES 5 THROUGH 12)	1	0	0	\$0

B. OTHER FIRE AND INCIDENTS				
14a. Fires in Highway Vehicles (autos, trucks, buses, etc.) (IT 131-132-137)	136-0	0	0	\$0
14b. Fires in Other Vehicles (planes, trains, ships, construction or farm vehicles, etc.) (IT 130, 133-135, 138)	0	0	0	\$0
15. Fires outside of Structures with Value Involved, but Not Vehicles (outside storage, crops, timber, etc.) (IT 140, 141, 161, 162, 164, 170-173)	1	0	0	\$0
16. Fires in Brush, Grass, Wildland (excluding crops and timber) with no value involved. (IT 142-143)	0	0	0	
17. Fires in Rubbish, including Dumpsters (outside of structures), with no value involved. (IT 150-155)	0	0	0	
18. All Other Fires. (IT 100, 160, 163)	0	0	0	\$0
19. TOTAL FOR FIRES (SHOULD BE SUM OF LINES 13 THROUGH 18)	2	0	0	\$0
20. Rescue, Emergency Medical Responses (ambulance, EMS, rescue) (IT 300-381)	10			
21. False Alarm Responses (malicious or unintentional false calls, system malfunctions, bomb scares) (IT 700-746)	2			
22. Mutual Aid or Assistance Responses Given	2			
23a. Hazardous Materials Responses (spills, leaks, etc.) (IT 410-431)	2			
23b. Other Hazardous Conditions (arcing wires, bomb removal, power line down, etc.) (IT 440-482, 400)	3			
24. All Other Responses (smoke scares, lock-outs, animal rescues, etc.) (IT 200-251, 500-699, 800-911)	5			
25. TOTAL FOR ALL INCIDENTS (SHOULD BE SUM OF LINES 19 THROUGH 24)	26			

Based on what is reported in lines 5 and 13 for number of fire above, please report separately:

Confined fires (e.g., cooking fires confined to cooking vessel, or chimney fire that did not spread beyond chimney, or confined trash fires) (IT 113 - 118), and Nonconfined fires (IT 110 - 112, 120 - 123).

	Number of Confined Fires	Number of Nonconfined Fires
5. Residential Fires (line 5 above)	0	1
13. Structure Fires (line 13 above)	0	1

BREAKDOWN OF FALSE ALARM RESPONSES

Type of Fire Alarm	Number of Incidents
1. Malicious, Mischievous False Call (IT 710-715)	0
2. System Malfunction (IT 700-739)	0
3. Unintentional (tripping on interior device accidentally etc.) (IT 740-749)	0
4. Other False Alarms (bomb scares, etc.) (IT 721, 700)	0

Key Largo Fire Rescue

Incident Run Log

Fire Department: 38061

Companies: All

Date Range: From 04/01/2012 to 04/30/2012

Box/Zone/ Code: All

District: All

Situation Found: All

Exclude Mutual Aids: No

Exclude Exposures: No

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2012-000127-00	04/03/2012	15:07	98250 OVERSEAS	AUSTIN	Motor vehicle accident with	6
DISPATCHED TO A MVA AT MILE MARKER 99. S 24 WENT EN ROUTE FROM THE STATION. UPON ARRIVAL S24 FOUND 2 VEHICLES, MODERATE DAMAGE. ONE VEHICLE HIT THE WALL OF MARKEY'S MARINE SHOP. ALL PATIENTS WERE AMBULATORY. S24 CLEANED UP ALL HAZARDS AND REMAINED ON SCENE TO ASSIST THE OWNER IN REPAIRING THE WALL.						
2012-000128-00	04/03/2012	14:00	325 CALUSA		Assist police or other	6
DISPATCHED TO CALUSA CAMPGROUND TO ASSIST MCSCO. S24 WENT EN ROUTE FROM THE STATION ROUTINE. UPON ARRIVAL, S24 ASSISTED MCSCO IN SEARCHING FOR A DECEASED PERSON UNDERWATER. S24 USED DIVING EQUIPMENT AND PERFORMED A SWEEP OF THE AREA. S24 DIVERS FOUND A BONE AND HANDED IT OVER TO MSCO FOR FURTHER INVESTIGATION.						
2012-000129-00	04/04/2012	10:23	101495 OVERSEAS		Smoke scare, odor of	9
UPON BC-24 ARRIVAL AT RADIO SHACK FOUND A CBS WITH NOTHING SHOWING, BC-24 WENT INTO INVESTIGATIVE MODE AND ESTABLISHED COMMAND. L-25 POSITIONED THE STICK ONTO THE ROOF AND E-24 CREW INVESTIGATED THE AC UNITS ON THE ROOF AND TO VENTILATE THE STORE BY OPENING THE FRONT AND REAR DOOR. AFTER INVESTIGATION CREW ADVISED STORE MANAGER TO CONTACT THEIR AC COMPANY BECAUSE ONE OF THEIR AC UNITS ISN'T WORKING AND WAS MOSTLY LIKELY THE CAUSE OF THE SMOKE. ALL KLFR UNITS WENT BACK IN SERVICE.						
2012-000130-00	04/05/2012	23:37	99.5 OVERSEAS		Motor vehicle accident with	8
S-24 responded to accident with injuries at the 99.5mm across from category 3 restaurant on the southbound overseas hwy. S-24 RESPONDED TO A MVA AT THE 99.5MM ACROSS FROM CATEGORY THREE RESTAURANT ON OVERSEAS HWY SOUTHBOUND. UPON ARRIVAL FOUND TWO VEHICLES, HEAVY DAMAGE, NO ROAD BLOCK, S-24 ESTABLISHED 99MM COMMAND S-24 CREW IDENTIFIED AND SECURED ALL HAZARDS AND SET UP CONES FOR TRAFFIC CONTROL. S-24 TURNED OVER SCENE TO FHP AND ALL KLFR UNITS WENT BACK IN SERVICE.						
2012-000131-00	04/06/2012	03:44	77 LAKESHORE		Alarm system activation, no	6
STATION 24 WAS DISPATCHED TO A FIRE/MEDICAL CALL AT 77 LAKESHORE DRIVE. UPON ARRIVAL FOUND A TWO STORY CBS WITH NOTHING SHOWING. E-24 WENT INTO INVESTIGATIVE MODE AND FOUND AN AUDIBLE ALARM WITH NO BODY AT THE HOUSE. LEO ON SCENE CLEARED THE HOUSE, SECURED THE HOUSE AND ATTEMPTED TO MAKE CONTACT WITH THE ALARM COMPANY TO RESET THE ALARM. ALL KLFR UNITS WENT BACK IN SERVICE.						
2012-000132-00	04/06/2012	14:56	21 GARDEN COVE		Rescue, EMS incident,	3
E25 RESPONDED FROM STATION 25. UPON ARRIVAL E25 WAS CANCELED BY FWC THROUGH MCSCO DISPATCH. E25 REMAINED ON SCENE PER BC-24 TO AWAIT PT ARRIVAL. PER DISPATCH PATIENT WAS TAKEN TO ANOTHER LOCATION. E25 CLEARED SCENE.						
2012-000133-00	04/06/2012	17:43	101.1 OVERSEAS		Motor vehicle accident with	7
SQUAD 24 RESPONDED FROM STATION 24. UPON ARRIVAL, SQUAD 24 FOUND ONE VEHICLE, ONE BICYCLE IN MEDIAN OF HIGHWAY. SQUAD 24 ESTABLISHED COMMAND. CREW SECURED VEHICLE AND CHECKED FOR INJURIES. SQUAD 24 CREW REMOVED ALL HAZARDS. PATIENT WAS TRANSFERRED OVER TO RESCUE 23. COMMAND WAS TERMINATED. SCENE TURNED OVER TO FHP.						
2012-000134-00	04/06/2012	18:26	101.3 OVERSEAS		Motor vehicle accident with	7
S24 RESPONDED FROM STATION 24. UPON ARRIVAL, S24 FOUND TWO VEHICLES FIRST VEHICLE IN MEDIAN. SECOND VEHICLE ON SOUTH BOUND TURNING LANE. S24 ESTABLISHED COMMAND. CREWS SECURED VEHICLES AND CHECKED FOR INJURIES. S24 CREW REMOVED ALL HAZARDS. PATIENT WAS TURNED OVER TO R23. COMMAND WAS TERMINATED. SCENE TURNED OVER TO FHP WITH OUT INCIDENT.						
2012-000135-00	04/08/2012	13:07	106000 OVERSEAS		Extrication of victim(s) from	6
E25 WAS DISPATCHED TO A MVA AT MILE MARKER 106. E25 AND S24 WAS EN ROUTE FROM THEIR STATIONS. UPON ARRIVAL, E25 FOUND A TWO VEHICLE ACCIDENT, ONE VEHICLE HAD HEAVY FRONT DAMAGE. S24 ARRIVED AND COMMENCED WITH THE EXTRICATION. E25 ASSISTED S24 WITH EXTRICATING THE PATIENT FROM THE VEHICLE. E25 STABILIZED VEHICLE AND PLACED CONES FOR SAFETY. PATIENT HAD LACERATIONS TO THE FOREHEAD. UPON COMPLETION OF EXTRICATING THE PATIENT, E25 MITIGATED ALL HAZARDS ON SCENE.						
2012-000136-00	04/08/2012	14:59	102000 OVERSEAS		Vehicle accident, general	3
S24 WAS DISPATCHED TO A MVA WITHOUT INJURIES FOR A GENERAL CLEANUP. S24 RESPONDED ROUTINE FROM THE STATION. UPON ARRIVAL, S24 FOUND TWO VEHICLES WITH MINOR DAMAGE. ONE VEHICLE WAS LEAKING RADIATOR FLUID. S24 USED KITTY LITTER TO CLEAN UP THE FLUIDS. S24 MITIGATED ALL HAZARDS.						
2012-000137-00	04/08/2012	19:03	64 BAHAMA		Unauthorized burning	4
E24 WAS DISPATCHED TO AN ILLEGAL BURN. E24 WAS EN ROUTE FROM HE STATION. UPON ARRIVAL, E24 SPOKE WITH THE HOMEOWNER AT 64 BAHAMA AVE. E24 ADVISED HOMEOWNER THAT IT WAS AGAINST ORDINANCES TO HAVE A FIRE PIT. E24 ADVISED HOMEOWNER TO EXTINGUISH THE FIRE.						
2012-000138-00	04/10/2012	13:36	97670 OVRESEAS	ACKER	Outside equipment fire	11
UPON ARRIVAL AT FIRST STATE BANK (97670 OVERSEAS HIGHWAY) FOUND A LARGE GENERATOR FULLY INVOLVED ON THE						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
			SOUTH SIDE OF THE BANK. BC-24 ESTABLISHED FIRST STATE BANK COMMAND AND CANCELED E-25. E-24 CREW USED THE FRONT JUMP LINE (APPROXIMATELY 500 GALLONS) TO EXTINGUISH THE FIRE. FIRE MARSHAL AND CO-OP WAS CALLED ON SCENE FOR THE INVESTIGATION. POWER WAS DISCONNECTED TO THE GENERATOR AND ALL FUEL WAS ABSORBED WITH KITTY LITER. BC - 24 AND COUNTY FIRE MARSHAL DETERMINED IT WAS AN OIL CAP LEFT OFF THAT ALLOWED OIL TO GATHER ON LEAVES IN CORNER OF GENERATOR. THE GENERATOR KICKED ON FOR THE PM RUN CAUSED THE OIL TO OVERHEAT AND IGNITE, CAUSING THE FIRE. ALL KLFR UNITS WENT BACK IN SERVICE.			
2012-000139-00	04/11/2012	17:58	GRAND		Gasoline or other	6
			STATION 24 RESPONDED TO A FUEL LEAK IN A VESSEL APPROXIMATELY 18 GALLONS. UPON ARRIVAL FOUND VEHICLE OFF THE ROAD, NO FUEL ON THE GROUND, E-24 ESTABLISHED GRAND STREET COMMAND. E-24 CREW DISCONNECTED BATTERIES TO VESSEL AND DEPLOYED 100' JUMP LINE FOR PROTECTION. CREW WAITED ON SCENE FOR WHEATONS TO REMOVE FUEL AND E-25 ASSISTED E-24 CREW WITH TRAFFIC CONTROL. ALL KEY LARGO UNITS WENT BACK IN SERVICE.			
2012-000140-00	04/13/2012	19:30	196 BUTTINWOOD		Medical assist, assist EMS	6
			DISPATCHED TO 196 BUTTINWOOD AVE FOR A MEDICAL EMERGENCY. E24 WENT EN ROUTE FROM THE STATION. UPON ARRIVAL E24 ASSISTED RESCUE 23 WITH PATIENT PACKAGING AND LOADING THE PATIENT IN THE AMBULANCE.			
2012-000141-00	04/14/2012	09:59	99.6 OVERSEAS		Motor vehicle accident with	4
			S24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS FOUND TWO VEHICLES ON ROADWAY. S24 SECURED VEHICLE AND CHECKED FOR INJURIES. CREWS ASSISTED RESCUE WITH PATIENT PACKAGING ONTO BACKBOARD. VEHICLE WAS CHECKED FOR HAZARDS AND NONE WERE NOTED. SCENE WAS TURNED OVER TO LEO ON SCENE.			
2012-000142-00	04/15/2012	00:01	147 SEASIDE		Dispatched & canceled en	4
			S24 RESPONDED FROM STATION 24 TO PROVIDE MUTUAL AID TO STATION 22 REFERENCE TO REPORTS OF A STRUCTURE FIRE. WHILE ENROUTE E22 TOOK AN ARRIVAL AND ADVISED KEY LARGO FIRE UNITS CAN CANCEL THEIR RESPONSE. UNITS CANCELED AND RETURNED TO DISTRICT.			
2012-000143-00	04/20/2012	12:00	99600 OVERSEAS		Motor vehicle/pedestrian	3
			DISPATCHED TO MILE MARKER 100 IN FRONT OF STAR BUCKS COFFEE FOR A MVA (VEHICLE VS. PEDESTRIAN). E24 WAS EN ROUTE FROM MILE MARKER 102. UPON ARRIVAL, MCSO DEPUTY STATED THAT THE PERSON THAT WAS HIT BY THE VEHICLE LEFT THE SCENE ON BICYCLE. E24 WAS SEARCHING AND LOCATED THE PERSON THAT WAS STRUCK BY THE VEHICLE. PATIENT WAS AMBULATORY AND REFUSED MEDICAL TREATMENT.			
2012-000144-00	04/19/2012	20:44	106 OVERSEAS		Gasoline or other	5
			E25 RESPONDED FROM STATION 25 TO A GASOLINE SPILL AT THE CIRCLE K GAS STATION. UPON ARRIVAL E25 PULLED THE FRONT JUMP LINE AND SWEEPED FOAM UNDER NEATH THE CAR. ENGINE 25 POURED KITTY LITTER OVER SPILL AND THEN CLEANED IT UP OFF THE STREET. E25 REMOVED HAZARDS AND CLEARED SCENE.			
2012-000145-00	04/24/2012	19:38	97860 OVERSEAS		Motor vehicle accident with	7
			S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 FOUND TWO VEHICLES OFF THERE ROAD WITH MODERATE DAMAGE TO BOTH VEHICLES. S24 ESTABLISHED 97MM COMMAND, CHECKED FOR INJURIES AND HAZARDS. NONE WERE FOUND. ASSISTED MOTORIST WITH MOVING THEIR VEHICLES FROM MIDIEAN PER FHP. TURNED PATIENTS OVER TO R123 UPON THEIR ARRIVAL. ALL VEHICLES WERE REMOVED. COMMAND WAS TERMINATED. SCENE TOT FHP.			
2012-000146-00	04/25/2012	17:00	344 BUTTONWOOD SHORES		Unauthorized burning	3
			E24 RESPONDED FROM STATION 24. UPON ARRIVAL AT 345 BUTTONWOOD SHORES DR. CREW HAD A STRONG SMELL OF SMOKE IN THE AREA. E24 CREWS LOCATED A SMALL 2X2 PIT FIRE AT 344 BUTTONWOOD SHORES DR. WITH SHRUBS AND TREES BURNING INSIDE PIT. CREWS MET WITH HOMEOWNER AND ADVISE OF ORDINANCE AND OF ILLEGAL ACTION. HOMEOWNER ADVISED THAT HE WOOD PUT FIRE OUT AND WILL FOLLOW THE RULES AND APPOLIGIZED. CREWS THANKED THE HOMEOWNER FOR UNDERSTANDING THE ORDINANCE, SECURED THE SCENE AND WENT BACK IN SERVICE.			
2012-000147-00	04/26/2012	15:00	95.4 OVERSEAS		Vehicle accident, general	3
			T24 RESPONDED FROM STATION 24. T24 WAS REQUESTED BY ENGINE 22 TO ASSIST IN CLEAN UP OF ROAD WAY. UPON ARRIVAL CREWS ASSISTED E22 CREW, PROVIDED 100 GALLONS OF WATER AND USED BOOSTER LINE TO CLEAN UP ROADWAY. T24 CREW WERE RELEASED FROM SCENE.			
2012-000148-00	04/29/2012	20:30	105 LONG BEN		Arcing, shorted electrical	4
			STATION 24 WAS DISPATCHED TO A PALM TREE ARCING AGAINST A POWER LINE. UPON ARRIVAL E-24 FOUND A SMALL BRANCH AGAINST THE POWER LINE WITH MINOR ARCING. THERE WAS NO IMMEDIATE HAZARDS E-24 WAS AVAILABLE ON SCENE AWAITING CO-OP ARRIVAL.			
2012-000149-00	04/28/2012	19:15	125 COCONUT ROW		Building fire	2
			STATION 24 WAS DISPATCHED TO 125 COCONUT ROW DRIVE IN TAVENIER. T-24 RESPONDED TO PROVIDE WATER AND MANPOWER. UPON ARRIVAL T-24 STAGED ONE STREET NORTH LOWE STREET. T-24 WAS RELEASED BY BATT 25 AND ALL KLFR UNITS WENT BACK IN SERVICE.			
2012-000150-00	04/30/2012	08:08	103400 OVERSEAS	LOWD	Alarm system activation, no	4
			ENGINE 24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS MET WITH EMPLOYEE WHO ADVISED THAT HE ACCIDENTALLY OPENED THE EMERGENCY ESCAPE DOOR AND SET OFF THE ALARM. CREWS INVESTIGATED AND FOUND DOOR CLOSED AND ALARM WAS RESETED. NO HAZARDS WERE FOUND. CREWS SECURED SCENE AND WENT IN SERVICE.			
2012-000151-00	04/30/2012	09:08	29 ROSE	HOLLYWOOD	Heat from short circuit	9
			ENGINE 24, TANKER 24 RESPONDED FROM STATION 24. UPON ARRIVAL E24 FOUND A 1 STORY SINGLE FAMILY TRAILER WITH NOTHING SHOWING. E24 ESTABLISHED COMMAND AND HAD T24 AND E25 STAGE ON US1. E24 CREWS ENTERED STRUCTURE AND MET WITH HOMEOWNER WHO ADVISED HE HAD SHUT OFF BREAKER GOING TO THE HOME WHEN HE SAW SMOKE COMING FROM KITCHEN SINK ELECTRICAL OUTLET. E24 CREW USED TIC AND KNOX SCANNER TO LOCATE HEAT SOURCE AND FOUND HEAT			

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
					<p>COMING FROM BENEATH THE OUTLET LEADING TO THE OUTSIDE ALUMINUM PANEL. CREWS CONFIRMED POWER WAS OUT AND APPLIED COLD FIRE TO SMOLDERING AREA. E24 CREWS ASSISTED HOMEOWNER IN REMOVING PANELS BEHIND COUNTER TOP TO GAIN ACCESS TO ELECTRICAL WIRING CAUSING SMOKE. E24 CONTACTED CO-OP TO COME OUT AND INSPECT METER THAT WAS SHUT DOWN PRIOR TO ARRIVAL. E24 SECURED HEAT SOURCE THROUGH A SINGLE ELECTRICAL BREAKER. CO-OP ARRIVED AND ADVISED NO DAMAGE TO METER. HOMEOWNER ADVISED HE WOULD CONTACT HIS ELECTRICIAN TO FIX THE BAD WIRING. E24 CLEARED SCENE.</p>	
2012-000152-00	04/30/2012	14:55	72 OCEAN		Wind storm,	2
					<p>RECEIVED A CALL VIA LAND LINE FROM A PASSER BY STATING THEY SAY A WATER SPOUT TOUCH DOWN AND DAMAGE SOME HOMES IN THE HARBORAGE SUB DIVISION AREA. STATION 24 CREWS RESPONDED WITH THE AIR TRUCK FROM STATION 24. UPON ARRIVAL CREWS CONFIRMED THE DAMAGE AND MET WITH VARIOUS HOMEOWNERS WHO ADVISED THAT THEY WERE FINE AND NO INJURIES WERE NOTED. THE FOLLOWING HOMES HAD VIABLE DAMAGE: 64 OCEAN DRIVE, 70 OCEAN DRIVE, 72 OCEAN DRIVE AND 76 OCEAN DRIVE. DAMAGE DISCOVERED WAS MINIMAL AND NO STRUCTURAL HAZARDS WERE DISCOVERED. CREWS CONTINUED THE ASSESSMENT AND CONCLUDED THE RESPONSE WITHOUT ANY FURTHER DAMAGE TO THE SURROUNDING UNITS. MCSO DISPATCH WAS NOTIFIED OF FINDINGS AND CREWS CLEARED THE SCENE.</p>	
2012-000154-00	04/30/2012	16:01	99275 OVERSEAS		Cooking fire, confined to	10
					<p>ENGINE 24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS FOUND A TWO STORY MULTI FAMILY DWELLING WITH NOTHING SHOWING. ENGINE 24 ESTABLISHED COMMAND. CREWS FOUND HOMEOWNER IN FRONT OF STRUCTURE COMPLAINING OF BREATHING PROBLEMS. PATIENT WAS TAKEN TO RESCUE 23 CREW. ENGINE 24 CREW ENTERED STRUCTURE AND FOUND A COOKING POT PAN BURNED WITH LIGHT SMOKE IN KITCHEN AND BEDROOM AREA. CREWS REMOVED THE PAN AND SHUT OFF THE OVEN. CREWS VENTILATED HOME AND REMOVED SMOKE. CREWS CHECKED FOR HEAT AROUND THE HOME AND SURROUNDING AREAS. NO OTHER HAZARDS OR FIRE WAS FOUND. ONCE HOME WAS SECURED, HOMEOWNER RETURNED AND REFUSED TRANSPORT TO HOSPITAL. COMMAND WAS TERMINATED ALL UNITS CLEARED SCENE.</p>	
Total Incidents: 27						