

## Key Largo Volunteer Fire Department, Inc.

Fire Department: 38032  
 Companies: All  
 Date Range: From 07/01/2014 to 07/31/2014  
 Box/Zone/ Code: All  
 District: All  
 Situation Found: All  
 Exclude Mutual Aids: No  
 Exclude Exposures: No

### Totals and Average Attendance by Incident Type

Code and Description	Incident		Number		Average		Total		Average		Total	
	Count	Attend	Attend	Attend	Attend	Attend	Length	Length	Man Hrs	Man Hrs	Man Hrs	Man Hrs
100-Fire, other	1	6	6.00	6	6.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
111-Building fire	1	6	6.00	6	6.00	1.83	1.83	10.98	10.98	10.98	10.98	10.98
121-Fire in mobile home used as fixed residence	1	7	7.00	7	7.00	0.8	0.77	5.39	5.39	5.39	5.39	5.39
300-Rescue, EMS incident, other	4	22	5.50	22	5.50	3.3	0.83	5.20	5.20	20.78	20.78	20.78
311-Medical assist, assist EMS crew	14	40	2.86	40	2.86	29.4	2.10	7.90	7.90	110.64	110.64	110.64
321-EMS call, excluding vehicle accident with injury	12	37	3.08	37	3.08	6.4	0.54	1.77	1.77	21.19	21.19	21.19
322-Motor vehicle accident with injuries	5	16	3.20	16	3.20	12.1	2.41	5.57	5.57	27.84	27.84	27.84
324-Motor vehicle accident with no injuries.	3	12	4.00	12	4.00	0.9	0.29	1.31	1.31	3.92	3.92	3.92
352-Extrication of victim(s) from vehicle	1	7	7.00	7	7.00	0.0	0.00	0.00	0.00	0.00	0.00	0.00
353-Removal of victim(s) from stalled elevator	1	4	4.00	4	4.00	0.4	0.38	1.52	1.52	1.52	1.52	1.52
413-Oil or other combustible liquid spill	1	3	3.00	3	3.00	0.5	0.48	1.44	1.44	1.44	1.44	1.44
424-Carbon monoxide incident	1	7	7.00	7	7.00	1.3	1.27	8.89	8.89	8.89	8.89	8.89
444-Power line down	2	12	6.00	12	6.00	0.5	0.25	2.25	2.25	4.50	4.50	4.50
462-Aircraft standby	2	15	7.50	15	7.50	0.8	0.41	2.90	2.90	5.81	5.81	5.81
480-Attempted burning, illegal action, other	1	3	3.00	3	3.00	0.4	0.38	1.14	1.14	1.14	1.14	1.14
511-Lock-out	1	5	5.00	5	5.00	0.2	0.17	0.85	0.85	0.85	0.85	0.85
520-Water problem, other	1	8	8.00	8	8.00	1.7	1.73	13.84	13.84	13.84	13.84	13.84
531-Smoke or odor removal	1	5	5.00	5	5.00	0.3	0.27	1.35	1.35	1.35	1.35	1.35
550-Public service assistance, other	1	2	2.00	2	2.00	0.3	0.27	0.54	0.54	0.54	0.54	0.54
553-Public service	1	4	4.00	4	4.00	0.1	0.12	0.48	0.48	0.48	0.48	0.48
555-Defective elevator, no occupants	1	4	4.00	4	4.00	0.3	0.35	1.40	1.40	1.40	1.40	1.40
622-No incident found on arrival at dispatch address	2	9	4.50	9	4.50	0.7	0.36	1.67	1.67	3.33	3.33	3.33
651-Smoke scare, odor of smoke	1	5	5.00	5	5.00	0.4	0.42	2.10	2.10	2.10	2.10	2.10
700-False alarm or false call, other	3	20	6.67	20	6.67	0.6	0.19	1.46	1.46	4.39	4.39	4.39
743-Smoke detector activation, no fire - unintentional	2	8	4.00	8	4.00	0.8	0.41	1.62	1.62	3.24	3.24	3.24
745-Alarm system activation, no fire - unintentional	2	8	4.00	8	4.00	0.6	0.29	1.12	1.12	2.24	2.24	2.24

Code and Description	Incident		Number		Average		Total		Average		Total	
	Count	Attend	Attend	Attend	Attend	Attend	Length	Length	Man Hrs	Man Hrs	Man Hrs	Man Hrs
Blank: No Code Entered	0	0	0	0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
Incorrect Entry	0	0	0	0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
<b>Totals and Averages for All Codes:</b>	<b>66</b>	<b>275</b>	<b>275</b>	<b>64.61</b>	<b>4.17</b>	<b>0.98</b>	<b>64.61</b>	<b>0.98</b>	<b>3.91</b>	<b>257.80</b>	<b>0.00</b>	<b>0.00</b>

Your department started using NFIRS 5.0 on 01/01/2000. This means that the report uses the NFIRS 5.0 Code Set.

# Key Largo Fire Dept.

Period: From 07/01/2014 to 07/31/2014

## NFPA Survey Report

FIRE IN STRUCTURES BY FIXED PROPERTY USE (OCCUPANCY) (All in Section A Incident Type 110-129)	Number of Fires	Number of Civilian Fire Casualties. If none, write 0.		Estimated Property Damage from Fire. If no loss, write 0.
		Deaths	Injuries	
1. Private Dwellings (1 or 2 family), Including mobile homes (FPU 410-419)	0	0	0	\$0
2. Apartments (3 or more families) FPU 429 or FPU 439)	0	0	0	\$0
3. Hotels and Motels (FPU 449)	0	0	0	\$0
4. All other residential (dormitories, boarding houses, tents, etc.) (FPU 459-499)	0	0	0	\$0
<b>5. TOTAL OTHER RESIDENTIAL FIRES (SHOULD BE SUM OF LINES 1 THROUGH 4)</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>\$0</b>
6. Public Assembly (church, restaurant, clubs, etc.) (FPU 100-199)	0	0	0	\$0
7. Schools and Colleges (FPU 200-299)	0	0	0	\$0
8. Health Care and Penal Institutions (hospitals, nursing homes, prisons, etc.) (FPU 300-399)	0	0	0	\$0
9. Stores and Offices (FPU 500-599)	0	0	0	\$0
10. Industry, Utility, Defense, Laboratories, Manufacturing (FPU 600-799)	0	0	0	\$0
11. Storage in Structures (barns, vehicle storage garages, general storage, etc.) (FPU 800-899)	0	0	0	\$0
12. Other Structures** (outbuildings, bridges, etc.) (FPU 900-999)	0	0	0	\$0
<b>13. TOTALS FOR STRUCTURE FIRES (SHOULD BE SUM OF LINES 5 THROUGH 12)</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>\$0</b>
<b>B. OTHER FIRE AND INCIDENTS</b>				
14a. Fires in Highway Vehicles (autos, trucks, buses, etc.) (IT 131-132, 136-137)	0	0	0	\$0
14b. Fires in Other Vehicles (planes, trains, ships, construction or farm vehicles, etc.) (IT 130, 133-135, 138)	0	0	0	\$0
15. Fires outside of Structures with Value Involved, but Not Vehicles (outside storage, crops, timber, etc. (IT 140, 141, 161, 162, 164, 170-173)	0	0	0	\$0
16. Fires in Brush, Grass, Wildland (excluding crops and timber) with no value involved. (IT 142-143)	0	0	0	
17. Fires in Rubbish, Including Dumpsters (outside of structures), with no value involved. (IT 150-155)	0	0	0	
18. All Other Fires. (IT 100, 160, 163)	1	0	0	\$0
<b>19. TOTAL FOR FIRES (SHOULD BE SUM OF LINES 13 THROUGH 18)</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>\$0</b>
20. Rescue, Emergency Medical Responses (ambulance, EMS, rescue) (IT 300-381)	40			
21. False Alarm Responses (malicious or unintentional false calls, system malfunctions, bomb scares) (IT 700-746)	7			
22. Mutual Aid or Assistance Responses Given	1			
23a. Hazardous Materials Responses (spills, leaks, etc.) (IT 410-431)	2			
23b. Other Hazardous Conditions (arcing wires, bomb removal, power line down, etc.) (IT 440-482, 400)	5			
24. All Other Responses (smoke scares, lock-outs, animal rescues, etc.) (IT 200-251, 500-699, 800-911)	9			
<b>25. TOTAL FOR ALL INCIDENTS (SHOULD BE SUM OF LINES 19 THROUGH 24)</b>	<b>65</b>			

Based on what is reported in lines 5 and 13 for number of fire above, please report separately:

Confined fires (e.g., cooking fires confined to cooking vessel, or chimney fire that did not spread beyond chimney, or confined trash fires) (IT 113 - 118), and Nonconfined fires (IT 110 - 112, 120 - 123).

	Number of Confined Fires	Number of Nonconfined Fires
5. Residential Fires (line 5 above)	0	0
13. Structure Fires (line 13 above)	0	0

BREAKDOWN OF FALSE ALARM RESPONSES	
Type of Fire Alarm	Number of Incidents
1. Malicious, Mischievous False Call (IT 710-715)	0
2. System Malfunction (IT 700-739)	0
3. Unintentional (tripping on interior device accidentally etc.) (IT 740-749)	4
4. Other False Alarms (bomb scares, etc.) (IT 721, 700)	3

# Key Largo Volunteer Fire Department, Inc.

Fire Department: 38032  
 Companies: All  
 Date Range: From 07/01/2014 to 07/31/2014  
 Box/Zone/ Code: All  
 District: All  
 Situation Found: All  
 Exclude Mutual Aids: No  
 Exclude Exposures: No

## Incident Totals by Day of Week

Day of Week	Totals	Avg. Attend
Sunday	11	4
Monday	6	5
Tuesday	7	4
Wednesday	11	5
Thursday	7	5
Friday	9	3
Saturday	15	4

# Key Largo Volunteer Fire Department, Inc.

## Incident Run Log

Fire Department: 38032

Companies: All

Date Range: From 07/01/2014 to 07/31/2014

Box/Zone/ Code: All

District: All

Situation Found: All

Exclude Mutual Aids: No

Exclude Exposures: No

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2014-000382-00	07/01/2014	15:15	97670 OVERSEAS		Medical assist, assist EMS	3
<p>SQUAD 24 RESPONDED FROM STATION. UPON ARRIVAL CREWS CHECKED FOR HAZARDS AND INJURIES. CREWS FOUND TWO VEHICLES WITH MINOR DAMAGE. ONE VEHICLE WAS OVER A GROUND LINE AND NEXT TO A DOWN POWER LINE. SQUAD 24 ESTABLISHED COMMAND AND REQUESTED THE ELECTRIC COMPANY TO RESPOND. CREWS SECURED THE SCENE UNTIL ELECTRIC COMPANY ARRIVED. NO INJURIES WERE FOUND. ALL MOTORISTS WERE REMOVED FROM THE AREA. ELECTRIC COMPANY ARRIVED AND SHUT DOWN THE POWER. ELECTRIC COMPANY CREWS SECURED THE LINE AND RELEASED FIRE CREWS FROM SCENE. COMMAND WAS TERMINATED AND UNITS CLEARED SCENE.</p>						
2014-000383-00	07/02/2014	17:05	183 CARRINE		Medical assist, assist EMS	4
<p>ASSISTED R23 WITH PT WHO FELL ON THE FLOOR. S24 CLEARED SCENE</p>						
2014-000384-00	07/03/2014	16:02	106501 OVERSEAS		Motor vehicle accident	2
<p>E25 AND R23 WERE DISPATCHED TO AN ACCIDENT WITH INJURIES AT THE 106MM. UPON ARRIVAL E25 FOUND 2 VEHICLES MODERATE DAMAGE WITH NB ROAD BLOCK. E25 CONTROLLED TRAFFIC, AND MITIGATED ALL HAZARDS. E25 BACK IN SERVICE.</p>						
2014-000385-00	07/03/2014	16:05	99601 OVERSEAS		Motor vehicle accident	2
<p>S24 WAS RESPONDING TO MILE MARKER 106 FOR A MVA WITH INJURIES. WHILE EN ROUTE, S24 FOUND A MVA IN FRONT OF THE HESS GAS STATION. S24 WAS CANCELED BY E25 FOR THE MVA AT MILE MARKER 106. S24 REROUTED TO THE MVA AT THE GAS STATION TO INVESTIGATE. UPON ARRIVAL, S24 FOUND 2 VEHICLES WITH MINOR DAMAGE. ALL PATIENTS WERE AMBULATORY. NO INJURIES NOTED. S24 REQUESTED LAW ENFORCEMENT AND S24 REMAINED ON SCENE UNTIL LAW ENFORCEMENT ARRIVED.</p>						
2014-000386-00	07/04/2014	20:42	104080 OVERSEAS		EMS call, excluding vehicle	3
<p>S24 WAS ON A SPECIAL DETAIL AT THE CARIBBEAN CLUB FOR THE FIREWORK DISPLAY. WHILE PATROLLING THE AREA. CAPTAIN 24 WAS APPROACHED BY A CIVILIAN STATING THAT HER FRIEND SLIPPED ON THE BOAT RAMP AND HER KNEE WAS BLEEDING. S24 CREW WENT TO INVESTIGATE AND FOUND A FEMALE SITTING ON HER CHAIR. SHE HAS SUSTAINED MINOR ABRASIONS TO HER LEFT KNEE. S24 CREW CLEANED THE WOUND AND BANDAGED THE WOUND.</p>						
2014-000387-00	07/05/2014	04:20	95320 OVERSEAS	7	EMS call, excluding vehicle	3
<p>S24 RESPONDED TO STONELEDGE MOTEL, LOT 7 FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 FOUND A MALE PATIENT LYING IN BED COMPLAINING OF NAUSEA AND DIARRHEA. S24 ASSESSED THE PATIENT AND TRANSFERRED CARE OVER TO RESCUE 123.</p>						
2014-000388-00	07/05/2014	13:05	21 GARDEN COVE		No incident found on	3
<p>S24 RESPONDED FORM THE MVA AT MILE MARKER 105 TO 21 GARDEN COVE DR FOR A POSSIBLE VESSEL FIRE. UPON ARRIVAL, S24 AND E25 INVESTIGATED AND MADE CONTACT WITH FWC. CALL WAS UNFOUNDED.</p>						
2014-000389-00	07/05/2014	12:30	105000 OVERSEAS		Motor vehicle accident	2
<p>S24 RESPONDED TO MILE MARKER 105 FOR A MVA WITH INJURIES. UPON ARRIVAL, S24 FOUND TWO VEHICLES WITH MODERATE DAMAGE. ONE VEHICLE HAD AIR BAG DEPLOYMENT. ONE FEMALE PATIENT HAD MINOR ABRASIONS TO HER FACE. ALL OTHER PATIENTS WERE AMBULATORY. S24 CHECKED FOR HAZARDS AND WAS CLEARED FORM THE SCENE FOR A SECOND CALL THAT WAS DISPATCHED.</p>						
2014-000390-00	07/05/2014	11:30	220 REEF DRIVE		EMS call, excluding vehicle	2
<p>AT 1130AM STATION 25 GOT A 9Y/O MALE WALK IN THAT ARRIVED POV WITH PARANTS AND FAMILY MEMBERS COMPLAINING OF BURNS. PARENTS STATED THAT WHEN THE CHILD WENT TO START THERE BOAT THERE WAS AN EXPLOSION AND IT CAUSED THE PT TO SUFFER 1ST AND 2ND DEGREE BURNS TO APPROXIMATELY 15-20% OF HIS BODY. STATION 25 CREW PROVIDED BLS SERVICE AND ADVISED CENTRAL TO SEND OVER RESCUE 123. PT CARE WAS THEN THEN TRANSFERRED TO RESCUE 123 UPON THERE ARRIVAL 20 MINUTES LATER.</p>						
2014-000391-00	07/05/2014	12:36	104801 OVERSEAS		Rescue, EMS incident,	2
<p>E24 RESPONDED FROM STATION 24 TO SECURE A HELISPOT FOR R23 AND R123 AT THE KEY LARGO SCHOOL. UPON ARRIVAL E24 ESTABLISHED HELISPOT COMMAND AND SECURED THE HELISPOT FOR AIR RESCUE SOUTH.</p>						
2014-000392-00	07/05/2014	19:01	99 OVERSEAS		Medical assist, assist EMS	2
<p>S24 RESPONDED TO THE KEY LARGO COMMUNITY PARK FOR A POSSIBLE UNCONSCIOUS PERSON. UPON ARRIVAL S24 MET WITH R123 AND R23 AND SEARCHED FOR THE PATIENT. PATIENT WAS FOUND LYING UNDER A TREE AND BYSTANDERS WERE ADMINISTERING CPR. S24 CREW ASSIST R23 AND R123 WITH BLS AND ALS TREATMENTS AND PATIENT PACKAGING.</p>						
2014-000393-00	07/06/2014	01:40	97000 OVERSEAS		Medical assist, assist EMS	2
<p>S24 RESPONDED TO THE HILTON AT THE 97MM FOR A MEDICAL EMERGENCY. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 ASSISTED R123 WITH PATIENT CARE AND PACKAGING. S24 BACK IN SERVICE.</p>						
2014-000394-00	07/06/2014	02:18	325 CALUSA		Medical assist, assist EMS	2
<p>S24 RESPONDED FORM THE 97MM TO CALUSA CAMPGROUND FOR A MEDICAL EMERGENCY. UPON ARRIVAL S24 CREW FOUND A 76 Y/O MALE SITTING UPRIGHT ON THE COUCH C/O CHEST PAIN AND SHORTNESS OF BREATH. S24 CREW ASSISTED WITH BLS PROCEDURES AND AWAITED R22 ARRIVAL. UPON R22 ARRIVAL S24 CREW TRANSFERRED PATIENT CARE AND ASSISTED R22 WITH TREATMENTS.</p>						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2014-000395-00	07/06/2014	12:27	1 EAST		Rescue, EMS incident,	3
STATION 24 HAD A WALK UP TO THE STATION REF: DIZZINESS, LOW SUGAR. R23 WAS ADVISED AND RESPONDED. CREWS CHECKED VITALS AND ASSISTED WITH PATIENT CARE. PT WAS TRANSFERRED OVER TO RESCUE CREW. STATION 24 CREWS WENT BACK IN SERVICE.						
2014-000396-00	07/06/2014	19:07	104080 OVERSEAS		Medical assist, assist EMS	3
SQUAD 24 RESPONDED FROM THE 103. UPON ARRIVAL CREWS ASSISTED RESCUE 23 WITH PT CARE OF 5 VICTIMS THAT WERE INJURED. CREWS CHECKED VITAL SIGNS. RESCUE 23 CREW HAD PT REFUSALS AND RELEASED S24 FROM SCENE.						
2014-000397-00	07/06/2014	20:06	183 BAHAMA		False alarm or false call,	5
TANKER, SQUAD 24 RESPONDED FROM STATION. UPON ARRIVAL CREWS MADE CONTACT WITH HOME OWNER WHO ADVISED THAT THE Y WERE COOKING AND THE SMOKE FROM THE OVEN ACTIVATED THE SMOKE ALARM. CREWS SCoured SCENE AND WENT BACK IN SERVICE.						
2014-000398-00	07/08/2014	02:15	48 HARRY DAVIS		Medical assist, assist EMS	4
S24 RESPONDED FROM THE STATION TO 48 HARRY DAVIS CIRCLE TO PROVIDE RESCUE 123 WITH A DRIVER. UPON ARRIVAL, S24 USED ONE OF ITS CREW MEMBERS TO DRIVE THE RESCUE TRUCK TO THE HOSPITAL.						
2014-000399-00	07/09/2014	16:41	952 SHAW		Power line down	3
S24 WAS DISPATCHED TO A POWERLINE DOWN AT 952 SHAW DRIVE. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 CREW FOUND A POWERLINE DOWN ACROSS THE DRIVEWAY OF THE RESIDENCE AT 952 SHAW DRIVE. THE POWER LINE WAS NOT ARCHING AT THE TIME OF ARRIVAL BUT WAS LIVE. S24 CREW CONTACTED DISPATCH TO CALL OUT THE COOP. S24 REMAINED ON SCENE TO SECURE THE AREA UNTILL COOP ARRIVAL. S24 TURNED OVER THE SCENE UPON COOP ARRIVAL.						
2014-000400-00	07/09/2014	17:30	101 OVERSEAS	50 ECHEBARRIA	Fire in mobile home used	7
S24 AND E25 WERE DISPATCHED TO THE KEY LARGO CAMPGROUND AT THE 101MM FOR POSSIBLE FIRE INSIDE A MOBILE HOME. UPON ARRIVAL S24 AND E25 CREW FOUND A MOBILE HOME WITH LIGHT SMOKE INSIDE THE RESIDENCE. E25 LT ESTABLISHED COMMAND. S24 LT MET WITH THE HOMEOWNER WHO STATED SHE WAS COOKING A PIZZA IN THE GAS OVEN. WHEN SHE OPENED THE OVEN THERE WERE FAMES COMING FROM UNDER THE OVEN ITSELF. HOMEOWNER STATES SMOKE WAS COMING FROM THE OVEN. HOMEOWNER STATES SHE SHUT ALL THE DOORS INSIDE THE HOUSE AND CALLED 911 AND LEFT THE RESIDENCE. S24 AND E25 CREW VENTILATED THE RESIDENCE, SHUT OFF ALL UTILITIES AND REMOVED THE STOVE FROM THE WALL. UPON FURTHER INVESTIGATION S24 LT FOUND A MELTED GAS LINE WHICH WAS TOUCHING THE BACKSIDE OF THE OVER WHICH CAUSED THE LINE TO MELT THROUGH AND EXPOSED PROPANE GAS UNDER THE OVEN WHICH CAUSED THE GAS TO IGNITE. S24 AND E25 CREW REMOVED ALL HAZARDS. E25 LT TERMINATED COMMAND AND ALL KEY LARGO FIRE UNITS WENT BACK IN SERVICE.						
2014-000401-00	07/11/2014	17:32	107900 OVERSEAS		EMS call, excluding vehicle	2
E25 AND R23 WERE DISPATCHED TO A MEDICAL EMERGENCY AT GILBERTS RESORT. E25 RESPONDED FROM STATION 25. UPON ARRIVAL E25 FOUND ONE MALE LAYING PRONE ON THE FLOOR. E25 OBTAINED PT VITALS AND HISTORY. E25 TRANSFERRED CARE TO R23. E 25 BACK IN SERVICE.						
2014-000402-00	07/11/2014	11:02	99.5 OVERSEAS		Motor vehicle accident	2
SQUAD 24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS CHECKED FROM INJURIES AND HAZARDS. CREWS FOUND 2 VEHICLES WITH MODERATE DAMAGE AND 1 SOUTH BOUND LANE BLOCKED. S24 ESTABLISHED COMMAND. CREWS SECURED VEHICLES AND TOOK VITAL SIGNS OF PATIENTS. PATIENTS CARE TRANSFERRED OVER TO RESCUE 23 UPON THEIR ARRIVAL. S24 CREW REMOVED HAZARDS AND TURNED SCENE OVER TO MCSO. ROADWAY WAS REOPENED AND COMMAND WAS TERMINATED.						
2014-000403-00	07/11/2014	12:26	95350 OVERSEAS	28	Medical assist, assist EMS	2
SQUAD 24 RESPONDED FROM STATION TO ASSIST RESCUE 23 WITH REMOVAL OF BARIATRIC PATIENT FROM RESCUE. CREWS MOVED PATIENT TO STRETCHER AND LOADED INTO RESCUE 23. RESCUE 23 RELEASED SQUAD 24 FROM THE SCENE.						
2014-000404-00	07/13/2014	23:47	103 SUFFOLK		Power line down	9
E24 RESPONDED TO THE AREA OF SUFFOLK CIRCLE FOR SPARKING POWER LINE. NEGATIVE SMOKE OR FIRE IN THE AREA. DISPATCH WAS NOTIFIED TO INFORM FK CO OP. KEY LARGO UNITS BACK IN SERVICE 00:17						
2014-000406-00	07/13/2014	11:36	99000 OVERSEAS		Public service	4
S24 WAS DISPATCHED TO KEYS BITE FOR A PUBLIC ASSIST. UPON ARRIVAL, S24 ASSISTED A CIVILIAN IN OPENING HIS VEHICLE DUE TO HIM LEAVING HIS CAR KEYS INSIDE.						
2014-000407-00	07/13/2014	00:15	101551 OVERSEAS		Rescue, EMS Incident,	9
ENGINE 25 AND SQUAD 24 RESPONDED TO KEY LARGO CAMPGROUND FOR A BOATING ACCIDENT. UPON SQUAD 24'S ARRIVAL RESCUE 23 ALREADY HAD MADE PT CONTACT AND NOTIFIED DISPATCH TO TONE OUT TRAUMA STAR FOR A TRAUMA ALERT. SQUAD 24 ASSISTED RESCUE 23 WITH PT PACKAGING WHILE ENGINE 25 SET UP THE LZ AT KEY LARGO SCHOOL. PT WAS AIRLIFTED ALL KEY LARGO UNITS WERE BACK IN SERVICE. THE INTIAL DISPATCH WAS TO RESPOND TO MILE MARKER 112. E25 RESPONDED TO MILE MARKER 112, DISPATCH ADVISED THE CALL WAS AT MILE MARKER 100. E25 REDIRECTED SOUTH.						
2014-000408-00	07/13/2014	13:50	320 LAGUNA		EMS call, excluding vehicle	4
S24 RESPONDED TO JACOBS AQUATIC CENTER FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 ASSISTED RESCUE 23 FOR A PATIENT THAT WAS SWIMMING AND COLLAPSED AFTER HE LEFT THE POOL. RESCUE 23 USED ONE CREW MEMBER FROM S24 TO ASSIST WITH CPR.						
2014-000409-00	07/14/2014	11:37	768 MICHAEL		Attempted burning, illegal	3
E24 RESPONDED TO 768 MICHAEL DRIVE FOR AN ILLEGAL BURN. UPON ARRIVAL, E24 FOUND A 6 FEET DIAMETER FIRE PIT. HOMEOWNER EXTINGUISHED THE FIRE BEFORE THE FIRE DEPARTMENT'S ARRIVAL. E24 INVESTIGATED AND FOUND SOME SMOLDERING COCONUTS. E24 ADVISED THE HOMEOWNER ABOUT THE BURN ORDINANCE AND ISSUED A WRITTEN WARNING.						
2014-000410-00	07/15/2014	15:34	118 SUSAN		Public service assistance,	2
E25 RESPONDED FROM STATION 25 TO 118 SUSAN STREET TO ASSIST R123 WITH A PUBLIC ASSIST. E25 CREW ASSISTED R123 CREW						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
					WITH PATIENT PACKAGING AND ASSISTED PATIENT DOWN THE STAIRS SO PATIENT CAN GO TO DOCTORS APPOINTMENT. E25 BACK IN SERVICE.	
2014-000411-00	07/16/2014	00:09	95165 OVERSEAS		Building fire	6
					ENGINE 24, ENGINE 25 AND LADDER 25 RESPONDED FROM STATIONS TO A REPORT OF SMOKE SHOWING AT AN APARTMENT COMPLEX IN STATION 22'S ZONE. ENGINE 24 UPON ARRIVAL REPORTED TO COMMAND AND WAS TASKED WITH FIRE ATTACK. CREWS DEPLOYED A 1" 3/4 CROSS LAY AND ADVANCED TO THE FIRE APARTMENT DOOR. CREWS MET WITH ENGINE 22 CREW WHO FORCED ENTRY INTO THE DOOR AND TOGETHER WITH ENGINE 24 CREW MADE ENTRY IN SEARCH OF THE FIRE. CREWS ADVANCED INTO THE REAR OF THE APARTMENT AND LOCATED THE FIRE IN THE KITCHEN AREA. ENGINE 22 CREW CONTROLLED THE FIRE AND WAS PUT OUT. CREWS BEGAN SEARCHING FOR ANY POSSIBLE VICTIMS. E24 AND E22 COMPANY OFFICERS CONDUCTED A SEARCH AND ENTERED A BATHROOM AND FOUND A ADULT MALE VICTIM INSIDE A BATH TUB BARLEY BREATHING. CREWS QUICKLY REMOVED VICTIM FROM THE BATHROOM AND OUT OF THE APARTMENT. CREWS PLACED THE VICTIM ON THE GROUND AND BEGAN LIFE SAVING PROCEDURES. CREWS TRANSFERRED PATIENT CARE OVER TO RESCUE 21 PARAMEDICS. ENGINE 25 AND LADDER 25 CREWS PERFORMED SALVAGE AND OVERHAUL AS WELL AS VENTILATION. CREWS REMAINED ON SCENE UNTIL FIRE MARSHAL ARRIVAL. COMMAND RELEASED KEY LARGO UNITS FROM SCENE AND RETURNED TO ZONE.	
2014-000412-00	07/16/2014	17:02	99751 OVERSEAS		Removal of victim(s) from	4
					E24 WAS DISPATCHED TO THE COURTYARD MARRIOTT AT THE 99.7 MM. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 CREW MET WITH MAINTENANCE SUPERVISOR WHO INFORMED US THAT THE VICTIMS WERE STUCK BETWEEN THE 2ND AND 3RD FLOORS. S24 CREW SPLIT UP AND S24 LT WENT WITH MAINTENANCE SUPERVISOR TO THE ELEVATOR ROOM TO RESET THE ELEVATOR. ONCE THE ELEVATOR WAS RESET THE UNIT WENT TO THE 3RD FLOOR AND OPENED THE DOOR ALLOWING THE VICTIMS TO EXIT. S24 LT ADVISED THE MAINTENANCE SUPERVISOR TO PUT THE ELEVATOR OUT OF SERVICE UNTIL IT CAN BE INSPECTED BY A LICENSED TECHNICIAN. S24 BACK IN SERVICE.	
2014-000413-00	07/16/2014	10:30	102051 OVERSEAS		Medical assist, assist EMS	2
					ENGINE 25 RESPONDED FROM THE 103 MM. UPON ARRIVAL RESCUE 23 CREW REQUESTED THAT E25 CREW FORCE ENTRY TO RESIDENCE REF A VICTIM WHO FELL AND IS TRAPPED BEHIND THE FRONT DOOR. CREWS USED THE HALLIGAN AND AXE TO FORCE DOOR. ONCE CREW MADE ACCESS WE FOUND AN ELDERLY PERSON ON THE GROUND AND UNABLE TO AMBULATE. CREWS LOADED PT WITH A SCOOP STRETCHER AND LOADED PT ON TO THE RESCUE. RESCUE 23 CREW RELEASED E25 CREW FROM THE SCENE.	
2014-000414-00	07/16/2014	19:15	102050 OVERSEAS		Alarm system activation,	5
					ENGINE 25, ENGINE 24 RESPONDED FROM STATIONS. UPON ARRIVAL CREWS FOUND A 2 STORY CBS COMMERCIAL STRUCTURE WITH NOTHING SHOWING. CREWS CHECKED ALARM PANEL FOR SYSTEM DETECTION. CREWS ALSO CHECKED ELEVATOR FOR TRAPPED OCCUPANTS. AFTER INVESTIGATION IT WAS FOUND THAT A CHILD HAD PULLED THE ALARM STATION. SCENE WAS SECURED AND ALARM PANEL WAS RESET. ALL UNITS CLEARED SCENE.	
2014-000415-00	07/16/2014	02:30	106 LARGO		False alarm or false call,	7
					E25 AND E24 WERE DISPATCHED TO A SMELL OF SMOKE IN THE AREA AT THE 106MM LARGO ROAD. E25 RESPONDED FROM STATION 25. E24 RESPONDED FROM STATION 24.. UPON E25 ARRIVAL E25 INVESTIGATED THE AREA AROUND ADDRESS GIVEN. AFTER E24 AND E25 INVESTIGATED THE AREA E25 DETERMINED THE CALL TO BE UNFOUNDED. ALL KEY LARGO FIRE UNITS BACK IN SERVICE.	
2014-000416-00	07/17/2014	14:51	107900 OVERSEAS		EMS call, excluding vehicle	3
					E25 WAS DISPATCHED ALONG WITH R23 FOR A MEDICAL EMERGENCY AT GILBERTS RESORT. E25 RESPONDED FROM THE 106MM. UPON ARRIVAL E25 FOUND A 3 Y/O FEMALE SITTING IN THE BACKSEAT OF HER CAR. E25 CHECKED VITALS SIGNS AND OBTAINED PTS HISTORY. PT WAS TRANSFERRED OVER TO R23. E25 BACK IN SERVICE.	
2014-000417-00	07/17/2014	13:02	99607 OVERSEAS		Water problem, other	8
					E24 WAS DISPATCHED TO THE COIN LAUNDRY AT THE 99MM FOR A POSSIBLE FIRE. UPON ARRIVAL E24 LT ESTABLISHED COMMAND AND RELAYED TO DISPATCH THAT THERE WAS NO FIRE OR SMOKE VISIBLE. UPON FURTHER INVESTIGATION E24 LT DETERMINED THAT IT WAS A FAULTY SPRINKLER HEAD THAT MALFUNCTIONED AND ACTIVATED ALLOWING WATER TO FLOW INTO THE BUSINESS. E24 LT INSTRUCTED E25 CREW TO GO TO THE REAR OF THE BUILDING BEHIND OFFICE DEPOT TO THE PUMP ROOM TO SHUT DOWN THE WATER TO THE SHOPPING PLAZA. ONCE THE WATER WAS SHUT OFF AND THE RESIDUAL PRESSURE SUBSIDED, E24 CREW CHANGED OUT THE FAULTY SPRINKLER HEAD WITH A NEW ONE. ONCE THE NEW SPRINKLER HEAD WAS INSTALLED E24 LT INSTRUCTED 25 CREW TO TURN THE FIRE PUMP BACK ON. E24 AND E25 CREW ASSISTED WITH WATER REMOVAL FROM THE BUSINESS. E24 LT TERMINATED COMMAND AND ALL KEY LARGO FIRE UNIT WENT BACK IN SERVICE.	
2014-000418-00	07/18/2014	09:45	331 CRANE ST		Lock-out	5
					SQUAD 24 RESPONDED FROM THE 103 MM. UPON ARRIVAL CREWS A CITIZEN WITH OPENING HIS VEHICLE DUE TO HIM LEAVING HIS CAR KEYS ON THE SEAT. CREWS WERE ABLE TO USED THE BIG EASY TO OPEN THE CAR DOOR. CREWS SECURED VEHICLE AND CLEARED SCENE.	
2014-000419-00	07/18/2014	15:52	837 NORWOOD		Smoke or odor removal	5
					STATION 25 WAS DISPATCHED TO A FIRE;OTHER AT 837 NORWOOD AVE. REPORTING PARTY WAS STATING NEGATIVE SMOKE, NEGATIVE FIRE, BUT SMELLS SOMETHING BURNING. ST 25 RESPONDED ON E24 FROM STATION 25. UPON ARRIVAL E24 FOUND A SINGLE STORY, RESIDENTIAL STRUCTURE WITH NOTHING SHOWING. E24 WENT ON INVESTIGATIVE MODE. WITH THE ASSISTANCE OF S24, WE CHECKED THE STRUCTURE FOR ANY HAZARDS AND FOUND NEGATIVE HAZARDS. ALL KEY LARGO UNITS BACK IN SERVICE.	
2014-000420-00	07/18/2014	19:16	105300 OVERSEAS		EMS call, excluding vehicle	2
					E24 CREW WAS APPROACHED BY A CITIZEN WHILE AT WINN DIXIE STATING THAT HER MOTHER WAS HAVING AN ALLERGIC REACTION. E24 CREW ADVISED DISPATCH AND ASKED FOR R23 TO RESPOND. UPON ARRIVAL TO THE PT E24 CREW FOUND AN ELDERLY FEMALE IN MINOR DISTRESS. CREW OBTAINED VITAL SIGNS AND PT HISTORY. E24 CREW ASSISTED THE PT WITH THE ADMINISTRATION OF AN EPI PEN, SQ TO THE LEFT LEG. UPON R23 ARRIVAL PT CARE WAS TRANSFERRED TO R23 CREW.	
2014-000421-00	07/19/2014	11:26	103100 OVERSEAS		Oil or other combustible	3
					S24 RESPONDED TO CAPATIN BAD BAIT AND TACKLE FOR AN OIL SPILL. UPON ARRIVAL, S24 FOUND APPROXIMATELY 2 GALLONS OF OIL THAT SPILL ON TO A PUDDLE OF STANDING WATER. S24 USED ABSORBENT PADS AND KITTY LITTER TO CLEAN UP THE SPILL	

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2014-000422-00	07/19/2014	12:30	97000 OVERSEAS		Alarm system activation,	3
S24 RESPONDED TO THE HILTON RESORT FOR A FIRE ALARM. UPON ARRIVAL, S24 SPOKE WITH THE MAINTENANCE MANAGER. MANAGER STATED THAT THEY WERE SPRAY PAINTING IN ONE OF THE ROOMS (ROOM307) AND THE TRIGGERED THE FIRE ALARM. CAPTAIN D. GARRIDO WENT TO THE ANNUNCIATOR PANEL AND FOUND THAT ROOM 307 ALSO HAD A SMOKE DETECTOR PROBLEM. MANAGER CONFIRMED THAT THERE WAS A FAULTY SMOKE DETECTOR. THE MANAGER ALSO STATED THAT THE PART HAD BEEN ORDERED AND IT SHOULD ARRIVE BY MONDAY, JULY 21, 2014. CAPTAIN D. GARRIDO SUGGESTED THAT THERE SHOULD NO TENANTS IN THAT ROOM UNTIL THERE IS A FUNCTIONAL HARD WIRED SMOKE DETECTOR. CAPTAIN D. GARRIDO ADVISED THE MANAGER THAT THEY WERE GOING TO RETURN TO INSPECT IF THE SMOKE DETECTOR WAS REPLACED.						
2014-000423-00	07/19/2014	20:50	100000 OVERSEAS		Smoke scare, odor of	5
S24 WAS DISPATCH TO FLORIDA DRIVE AND ROYAL PALM FOR A SMELL OF SMOKE. UPON ARRIVAL, S24 FOUND A HOMEOWNER THAT WAS COOKING BARBECUE IN HIS BACKYARD. S24 WAS BACK IN SERVICE.						
2014-000424-00	07/19/2014	21:56	106501 OVERSEAS		Medical assist, assist EMS	4
STATION 23 AND 25 WERE DISPATCHED TO A WELFARE CHECK AT THE CIRCLE K 106MM. ST25 RESPONDED ON E24 FROM STATION. UPON ARRIVAL E24 CREW FOUND ONE MALE SITTING IN CAR. E24 STOOD BY UNTIL LEO CAN CONFIRM THE SCENE WAS SAFE. UPON CONFIRMING SCENE SAFETY R23 AND E24 ASSISTED WITH PT VITAL SIGNS. PT WAS STABLE AND WAS HANDED OVER TO LEO. E24 BACK IN SERVICE.						
2014-000425-00	07/20/2014	06:15	109 OVERSEAS		Motor vehicle accident	2
LADDER 25 CREW RESPONDED TO AN MVA AT THE 109 MM. UPON ARRIVAL LADDER 25 CREW FOUND 4 PATIENTS SITING IN THERE VEHICLE COMPLAINING OF NECK AND BACK PAIN. PATIENTS ALL REFUSED BEING PLACED ON A BACKBOARD AND C-COLLAR. WE TOOK VITAL SIGNS. EVERYONE WAS STABLE. WE TRANSFERRED CARE TO RESCUE 23 AND CLEARED THE SCENE AT 1655.						
2014-000426-00	07/21/2014	22:10	8 GULFSTREAM		EMS call, excluding vehicle	3
LADDER25 CREW RESPONDED TO 8 GULF STREAM DRIVE FOR ELDERLY MAIL COMPLAINING OF LOW B/P. LADDER 25 CREW ASSESSED THE PT AND PROVIDED BLS SERVICES. TOOK VITALS AND THEN TRANSFERRED CARE TO RESCUE 23. LADDER 25 BACK IN SERVICE 2240						
2014-000427-00	07/22/2014	10:33	183 CORRINE		Medical assist, assist EMS	3
S24 WAS DISPATCHED TO A PUBLIC ASSIST AT 183 CORRINE PLACE. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 WAS MET BY R23. S24 CREW FOUND ONE PATIENT STUCK ON HER DRIVEWAY IN HER MOTORIZED WHEELCHAIR IN THE GRAVEL. S24 AND R23 CREW ASSISTED THE PATIENT BACK INTO HER GARAGE. S24 BACK I SERVICE.						
2014-000428-00	07/22/2014	12:05	101 OVERSEAS		Rescue, EMS incident,	8
S24 WAS DISPATCHED TO THE PARK BEHIND TOWER PIZZA AT THE 101MM FOR A BOATING ACCIDENT WITH VICTIMS IN THE WATER. S24 RESPONDED FROM STATION 24. FB25 WAS DISPATCHED BUT CANCELED BEFORE IT LEFT THE DOCK. S24 WAS CANCELED ENROUTE. ALL VICTIMS WERE REMOVED FROM THE WATER BY CIVILIAN BOATS. ALL VICTIMS IN NO NEED OF MEDICAL TREATMENT. ALL VICTIMS WERE FORM THE SAILING CLUB AND THE BOAT WERE SMALL SAIL BOAT CAPSIZED BY THE WIND FROM AN INCOMING STORM FRONT.						
2014-000429-00	07/22/2014	19:24	13 SEAGATE		Medical assist, assist EMS	3
S24 WAS DISPATCHED TO ASSIST R23 CREW WITH MANPOWER AT THE PILOT HOUSE MARINA. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 CREW ASSISTED R23 CREW WITH REMOVAL OF PATIENT FROM CABIN OF SAIL BOAT AND INTO THE RESCUE. S24 BACK IN SERVICE.						
2014-000430-00	07/23/2014	10:39	MARINA		Medical assist, assist EMS	3
S24 WAS DISPATCHED TO ASSIST R123 AND R23 WITH A CPR IN PROGRESS COMING INTO THE PORT LARGO HOMEOWNERS PARK VIA US COAST GUARD AND CIVILIAN VESSEL. S24 CREW ASSISTED R23 AND R123 WITH BLS PROCEDURES AND EXTRICATION OF PATIENT FROM VESSEL. S24 BACK IN SERVICE.						
2014-000431-00	07/24/2014	16:52	97000 OVERSEAS		EMS call, excluding vehicle	4
S24 RESPONDED FROM STATION 24 TO THE HILTON RESORT KEY LARGO AT MM97 FOR A MEDICAL EMERGENCY. UPON ARRIVAL S24 FOUND 1 PATIENT LAYING ON THE GROUND AND TOOK THE FOLLOWING VITAL SIGNS: VITALS: RESPIRATIONS 18, PULSE 90, SAO2 95%, BP 138/92, BGL 385, CAO X2, GCS 14. UPON R123'S ARRIVAL, S24 CREW ASSISTED WITH PATIENT PACKAGING AND PATIENT CARE. 1 CREW MEMBER FROM S24 WAS GIVEN TO R123 TO ASSIST IN TRANSPORTING THE PATIENT. S24 BACK IN SERVICE.						
2014-000432-00	07/25/2014	08:02	97500 OVERSEAS		Motor vehicle accident	3
S24 RESPONDED TO MILE MARKER 97.5 FOR A MOTOR VEHICLE ACCIDENT. UPON ARRIVAL, S24 FOUND TWO VEHICLES WITH MODERATE DAMAGE. ALL PATIENTS WERE AMBULATORY. S24 MITIGATED ALL HAZRDS. S24 WAS CLEAR AT 0822 HRS.						
2014-000433-00	07/25/2014	08:22	24 NORTH		Smoke detector activation,	4
E24 RESPONDED TO 24 NORTH DRIVE FOR A SMOKE DETECTOR ACTIVATION. UPON ARRIVAL, E24 FOUND A TWO STORY RESIDENTIAL HOME WITH NO FLAMES OR SMOKE VISIBLE. THE HOMEOWNER WAS NOT AVAILABLE. E24 INVESTIGATED AND THE SCENE WAS CLEAR. E24 CONTACTED THE HOMEOWNER VIA TELEPHONE.						
2014-000434-00	07/26/2014	07:54	104801 OVERSEAS		Defective elevator, no	4
STATION 25 WAS DISPATCHED TO THE KEY LARGO SCHOOL FOR A "FIRE;OTHER ELEVATOR ALARM." STATION 25 RESPONDED ON E24 FROM STATION 25. UPON ARRIVAL E24 CREW INVESTIGATED AND CONFIRMED A FALSE ALARM. E24 BACK IN SERVICE.						
2014-000435-00	07/26/2014	10:49	537 OCEAN CAY		Smoke detector activation,	4
S24 RESPONDED TO 537 OCEAN CAY DRIVE FOR ASMOKE ALARM. UPON ARRIVAL, S42 FOUND A THREE STORY CBS RESIDENTIAL STRUCTURE WITHNO FLAMES OR SMOKE VISIBLE. S24 INVESTIGATED AND FOUND THE SMOKE HAS BEEN TRIPPED DUE TO THE TENNANTS COOKING. S24 WAS BACK IN SERVICE.						
2014-000436-00	07/26/2014	10:21	107900 OVERSEAS		EMS call, excluding vehicle	4



Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
STATION 25 WAS DISPATCHED TO A MEDICAL EMERGENCY AT GILBERTS RESORT ALONG WITH R23. ST 25 RESPONDED ON E24 FROM STATION. UPON ARRIVAL E24 CREW FOUND ONE MALE LAYING ON THE BED SUPINE IN MINOR DISTRESS. E24 CREW OBTAINED PT VITALS AND HISTORY. E25 TRANSFERRED CARE TO R23. E25 BACK IN SERVICE.						
2014-000437-00	07/26/2014	11:26	98000 OVERSEAS		Motor vehicle accident	8
KEY LARGO FIRE AND KEY LARGO EMS WERE DISPATCHED TO AN ACCIDENT WITH INJURIES AT THE 98MM SB. E24 RESPONDED FROM STATION 24. UPON ARRIVAL E24 FOUND 2 VEHICLES OFF TO THE SIDE OF THE ROAD WITH MODERATE DAMAGE. E24 CLOSED ONE SB LEFT LANE FOR SAFETY. E24 ESTABLISHED COMMAND. E24 CREW AND R23 CREWS ASSISTED WITH PATIENT CARE. S24 CREW MITIGATED ALL HAZARDS FROM THE HIGHWAY. ALL HAZARDS WERE MITIGATED AND SCENE WAS TURNED OVER TO FHP. ALL KEY LARGO UNITS WERE BACK IN SERVICE.						
2014-000438-00	07/26/2014	23:04	999 MORRIS		Carbon monoxide incident	7
STATION 25 WAS DISPATCHED ALONG WITH R23 FOR A MEDICAL EMERGENCY AT 999 MORRIS LN. ST25 RESPONDED ON L25 FROM ST 25. UPON ARRIVAL L25 CREW FOUND ONE TEENAGE MALE LAYING ON THE FLOOR IN DISTRESS. L25 CREW OBTAINED PT VITALS AND HISTORY. AS WE WERE OBTAINING PT INFO WE HAD 4 MORE PTS COMPLAING OF HEADACHES. UPON FURTHER INVESTIGATION L25 WAS TOLD IT WAS A POSSIBLE CARBON MONOXIDE POISONING FROM INSIDE THE VESSEL. L25 EVACUATED EVERYONE FROM INSIDE THE VESSEL AND ESTABLISHED A SAFE AREA. L25 RELAYED INFORMATION TO R23 AND R123 WHO THEN TOOK OVER PT CARE. L25 TONED OUT S24 FOR ASSISTANCE. L25 CREW BUNKERED OUT AND ENTERED THE VESSEL TO VENTILATE. S24 AND L25 CREW ENTERED WITH ATMOSPHERIC MONITOR TO ENSURE SAFE LEVELS. AFTER 45 MINUTES OF VENTILATION, CREW CONFIRMED A SAFE READING ON THE ATMOSPHERIC MONITOR. ALL HAZARDS WERE MITIGATED. L25 AND S24 BACK IN SERVICE.						
2014-000439-00	07/27/2014	15:17	99010 OVERSEAS		EMS call, excluding vehicle	4
S24 RESPONDED TO POINT OF VIEW RV PARK FOR A MEDICAL EMERGENCY. UPON ARRIVAL S24 CREW MADE PATIENT CONTACT AND BEGAN TAKING VITALS. PATIENT WAS TRANSFERRED TO R123 UPON THEIR ARRIVAL. S24 ASST R123 WITH PATIENT PKG. S24 BACK IN SERVICE						
2014-000440-00	07/28/2014	08:19	98 OVERSEAS		Extrication of victim(s)	7
S24 RESPONDED FROM STATION 24 TO MM98 FOR A MVA WITH INJURIES. UPON ARRIVAL S24 FOUND 2 VEHICLES OFF TO THE SIDE OF ROAD WITH HEAVY DAMAGE AND ONE ENTRAPMENT. S24 ESTABLISHED MM 98 COMMAND. S24 CREW SECURED SCENE, AND EXTRICATED ONE PATIENT. UPON ARRIVAL BC 24 ASSUMED COMMAND FROM S24. L25 CREW ASSISTED S24 CREW WITH PATIENT PACKAGING AND REMOVAL. L25 SECURED THE SECOND VEHICLE INVOLVED. ALL KLFU UNITS BACK IN SERVICE.						
2014-000441-00	07/28/2014	10:22	RANGER STATION		Aircraft standby	7
S24 RESPONDED FROM STATION 24 TO THE RANGER STATION FOR A HELISPOT. UPON ARRIVAL S24 ESTABLISHED HELISPOT COMMAND. S24 REQUESTED L25 CREW TO ASSIST WITH PATIENT. L25 AND S24 CREW ASSISTED WITH PATIENT TRANSPORT. KLFU UNITS BACK IN SERVICE.						
2014-000442-00	07/28/2014	14:43	97 OVERSEAS		Motor vehicle accident	7
S24 RESPONDED FROM STATION 24 TO MM97 FOR A MVA. UPON ARRIVAL S24 FOUND 2 VEHICLES OFF TO THE SIDE OF THE ROAD WITH MODERATE DAMAGE. S24 ESTABLISHED 97MM COMMAND. S24 FOUND NO INJURIES AND NO HAZARDS. L25 CANCELLED ENROUTE BY S24. S24 BACK IN SERVICE.						
2014-000443-00	07/28/2014	11:01	817 CORRINE		Medical assist, assist EMS	3
UPON ARRIVAL PT WAS SITTING ON THE FLOOR. LADDER 25 CREW ASSISTED RESCUE 123 AND THE PT AND GOT HER BACK TO THE STANDING POSITION.						
2014-000444-00	07/29/2014	00:05	KEY LARGO SCHOOL		Aircraft standby	8
S24 RESPONDED FROM STATION 24 TO KLS TO ASST L25 WITH HELISPOT. L25 SECURED HELISPOT. BC 24 ESTABLISHED HELISPOT COMMAND. ALL KLFU UNITS BACK IN SERVICE						
2014-000445-00	07/30/2014	15:20	102445 OVERSEAS		EMS call, excluding vehicle	3
S24 RESPONDED TO DR. LAWYER'S OFFICE FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 ASSESSED THE PATIENT WITH RESCUE 123. FEMALE PATIENT WAS COMPLAING OF CHEST PAIN. S24 PACKAGED THE PATIENT AND USED ONE CREW MEMBER OF S24 TO DRIVE FOR RESCUE 123.						
2014-000446-00	07/30/2014	21:07	102000 OVERSEAS		No incident found on	6
S24 RESPONDED TO MILE MARKER 102 ON OVERSEAS HIGHWAY FOR A MVA VEHICLE VERSUS PEDESTRIAN. UPON ARRIVAL, S24 MADE CONTACT WITH THE TAXI DRIVER THAT STATED HE WAS DRIVING SOUTHBOUND AND HE STRUCK A FEMALE ON THE MEDIAN WITH THE VEHICLE. S24 INVESTIGATED AND DIDNOT FIND THE VICTIM. THE SCENE WAS TURNED OVER TO MONROE COUNTY SHERIFF'S OFFICE.						
2014-000447-00	07/31/2014	09:16	98900 OVERSEAS	CLAYTON	Fire, other	6
S24 RESPONDED TO DOMINO'S PIZZA AT 98900 OVERSEAS FOR A POSSIBLE FIRE. S24 RESPONDED FROM THE 99MM. S24 LT. ASKED FOR E24 TO RESPOND. WHILE EN ROUTE S24 RECEIVED A CALL FROM DISPATCH STATING ON EOF THE MCSO DEPUTIES WAS ON SCENE AND REPORTED NO FLAMES AND LIGHT SMOKE INSIDE. S24 LT. TOLD DISPATCH TO HAVE E24 RESPOND ROUTINE UNTIL S24 ARRIVES ON SCENE. UPON S24 ARRIVAL S24 CREW FOUND NO FLAMES AND LIGHT SMOKE INSIDE THE BUSINESS. S24 CANCELED E24. UPON FURTHER INVESTIGATION S24 CREW FOUND FAULTY WIRING BEHIND THE FOOD LINE FREEZER. THE WIRE HAD BEEN IMPROPERLY SPICED AND CONNECTED TO ANOTHER EXTENSION CORD FOR POWER WHICH OVER HEATED THE SYSTEM AND CAUSED THE WIRE TO MELT THROUGH AND CAUSE SPARKS AND SMOKE. THE BREAKER TRIPPED AND PUT OUT THE SPARKING WIRE. S24 CREW ADVISED THE MANAGER ON SCENE TO CONTACT THE OWNER AND HAVE A CERTIFIED ELECTRICIAN RESPOND TO REPAIR THE WIRING AND JUNCTION BOX COMPLETELY. S24 REMAINED IN SCENE REFERENCE PAPERWORK AVAILABLE.						
2014-000448-00	07/31/2014	16:15	112 OVERSEAS		False alarm or false call,	8
E24, S24, & L25 WERE DISPATCHED TO MANATEE BAY MARINA AT THE 112MM. ALL APPARATUSES RESPONDED FROM THEIR DESIGNATED LOCATIONS. S24 STAGED AT THE 106MM. UPON L24 AND E24 ARRIVAL E24 CREW FOUND A BBQ AT THE POOL AND PERSONS COOKING FOOD. EVERYTHING WAS CODE 5. KEY LARGO FIRE BACK IN SERVICE.						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attendin
-----------	------	------	---------	------	-----------------	--------------------

Total Incidents: 66