

Key Largo Volunteer Fire Department, Inc.

Fire Department: 38032
 Companies: All
 Date Range: From 09/01/2014 to 09/30/2014
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: No
 Exclude Exposures: No

Totals and Average Attendance by Incident Type

Code and Description	Incident		Number		Average		Total		Average		Total	
	Count	Attend	Attend	Attend	Attend	Attend	Length	Length	Man Hrs	Man Hrs	Man Hrs	Man Hrs
130-Mobile property (vehicle) fire, other	1		5		5.00		22.9		114.60		114.60	
134-Water vehicle fire	1		10		10.00		0.0		0.00		0.00	
140-Natural vegetation fire, other	1		3		3.00		1.1		3.30		3.30	
142-Brush or brush-and-grass mixture fire	1		5		5.00		0.4		2.00		2.00	
300-Rescue, EMS incident, other	4		12		3.00		2.0		1.52		6.09	
311-Medical assist, assist EMS crew	7		21		3.00		4.1		1.75		12.23	
321-EMS call, excluding vehicle accident with injury	7		18		2.57		2.7		0.93		6.51	
322-Motor vehicle accident with injuries	3		15		5.00		4.5		8.49		25.48	
323-Motor vehicle/pedestrian accident (MV Ped)	1		4		4.00		0.3		1.32		1.32	
324-Motor vehicle accident with no injuries.	1		3		3.00		0.3		0.75		0.75	
353-Removal of victim(s) from stalled elevator	2		9		4.50		1.2		2.54		5.08	
381-Rescue or EMS standby	1		2		2.00		0.1		0.24		0.24	
400-Hazardous condition, other	1		9		9.00		0.9		8.55		8.55	
444-Power line down	2		4		2.00		0.5		0.47		0.94	
462-Aircraft standby	2		6		3.00		24.5		36.72		73.44	
480-Attempted burning, illegal action, other	1		5		5.00		0.0		0.00		0.00	
551-Assist police or other governmental agency	1		3		3.00		0.0		0.00		0.00	
611-Dispatched & canceled en route	2		6		3.00		0.0		0.02		0.04	
700-False alarm or false call, other	2		5		2.50		0.7		0.86		1.73	
730-System malfunction, other	1		6		6.00		0.4		2.22		2.22	
735-Alarm system sounded due to malfunction	1		6		6.00		0.4		2.28		2.28	
745-Alarm system activation, no fire - unintentional	1		4		4.00		0.4		1.48		1.48	
Blank: No Code Entered	0		0		0.0		0.0		0.00		0.00	
Incorrect Entry	0		0		0.0		0.0		0.00		0.00	
Totals and Averages for All Codes:	44		161		3.66		67.36		6.10		268.28	

Key Largo Fire Dept.

Period: From 09/01/2014 to 09/30/2014

NFPA Survey Report

FIRE IN STRUCTURES BY FIXED PROPERTY USE (OCCUPANCY) (All in Section A Incident Type 110-129)	Number of Fires	Number of Civilian Fire Casualties. If none, write 0.		Estimated Property Damage from Fire. If no loss, write 0.
		Deaths	Injuries	
1. Private Dwellings (1 or 2 family), including mobile homes (FPU 410-419)	0	0	0	\$0
2. Apartments (3 or more families) FPU 429 or FPU 439)	0	0	0	\$0
3. Hotels and Motels (FPU 449)	0	0	0	\$0
4. All other residential (dormitories, boarding houses, tents, etc.) (FPU 459-499)	0	0	0	\$0
5. TOTAL OTHER RESIDENTIAL FIRES (SHOULD BE SUM OF LINES 1 THROUGH 4)	0	0	0	\$0
6. Public Assembly (church, restaurant, clubs, etc.) (FPU 100-199)	0	0	0	\$0
7. Schools and Colleges (FPU 200-299)	0	0	0	\$0
8. Health Care and Penal Institutions (hospitals, nursing homes, prisons, etc.) (FPU 300-399)	0	0	0	\$0
9. Stores and Offices (FPU 500-599)	0	0	0	\$0
10. Industry, Utility, Defense, Laboratories, Manufacturing (FPU 600-799)	0	0	0	\$0
11. Storage in Structures (barns, vehicle storage garages, general storage, etc.) (FPU 800-899)	0	0	0	\$0
12. Other Structures** (outbuildings, bridges, etc.) (FPU 900-999)	0	0	0	\$0
13. TOTALS FOR STRUCTURE FIRES (SHOULD BE SUM OF LINES 5 THROUGH 12)	0	0	0	\$0
B. OTHER FIRE AND INCIDENTS				
14a. Fires in Highway Vehicles (autos, trucks, buses, etc.) (IT 131-132, 136-137)	0	0	0	\$0
14b. Fires in Other Vehicles (planes, trains, ships, construction or farm vehicles, etc.) (IT 130, 133-135, 138)	2	0	0	\$0
15. Fires outside of Structures with Value Involved, but Not Vehicles (outside storage, crops, timber, etc.) (IT 140, 141, 161, 162, 164, 170-173)	1	0	0	\$0
16. Fires in Brush, Grass, Wildland (excluding crops and timber) with no value involved. (IT 142-143)	1	0	0	
17. Fires in Rubbish, Including Dumpsters (outside of structures), with no value involved. (IT 150-155)	0	0	0	
18. All Other Fires. (IT 100, 160, 163)	0	0	0	\$0
19. TOTAL FOR FIRES (SHOULD BE SUM OF LINES 13 THROUGH 18)	4	0	0	\$0
20. Rescue, Emergency Medical Responses (ambulance, EMS, rescue) (IT 300-381)	26			
21. False Alarm Responses (malicious or unintentional false calls, system malfunctions, bomb scares) (IT 700-746)	5			
22. Mutual Aid or Assistance Responses Given	0			
23a. Hazardous Materials Responses (spills, leaks, etc.) (IT 410-431)	0			
23b. Other Hazardous Conditions (arcing wires, bomb removal, power line down, etc.) (IT 440-482, 400)	6			
24. All Other Responses (smoke scares, lock-outs, animal rescues, etc.) (IT 200-251, 500-699, 800-911)	3			
25. TOTAL FOR ALL INCIDENTS (SHOULD BE SUM OF LINES 19 THROUGH 24)	44			

Based on what is reported in lines 5 and 13 for number of fire above, please report separately:

Confined fires (e.g., cooking fires confined to cooking vessel, or chimney fire that did not spread beyond chimney, or confined trash fires) IIT 113 - 118), and Nonconfined fires (IT 110 - 112, 120 - 123).

	Number of Confined Fires	Number of Nonconfined Fires
5. Residential Fires (line 5 above)	0	0
13. Structure Fires (line 13 above)	0	0

BREAKDOWN OF FALSE ALARM RESPONSES

Type of Fire Alarm	Number of Incidents
1. Malicious, Mischievous False Call (IT 710-715)	0
2. System Malfunction (IT 700-739)	2
3. Unintentional (tripping on interior device accidentally etc.) (IT 740-749)	1
4. Other False Alarms (bomb scares, etc.) (IT 721, 700)	2

Key Largo Volunteer Fire Department, Inc.

Incident Totals by Day of Week

Fire Department: 38032
 Companies: All
 Date Range: From 09/01/2014 to 09/30/2014
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: No
 Exclude Exposures: No

Day of Week	Totals	Avg. Attend
Sunday	6	3
Monday	5	3
Tuesday	7	3
Wednesday	5	4
Thursday	5	4
Friday	6	4
Saturday	10	4

Key Largo Volunteer Fire Department, Inc.

Incident Run Log

Fire Department: 38032
 Companies: All
 Date Range: From 09/01/2014 to 09/30/2014
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: No
 Exclude Exposures: No

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2014-000490-00	09/01/2014	16:00	103000 OVERSEAS		EMS call, excluding vehicle	3
S24 RESPONDED TO US1 AND TRANSYLVANIA FOR A MEDICAL EMERGENCY. WHILE EN ROUTE, S24 WAS CANCELED BY RESCUE 123.						
2014-000491-00	09/01/2014	18:04	107900 OVERSEAS		Rescue, EMS incident,	3
E25 WAS DISPATCHED TO A MEDICAL EMERGENCY AT GILBERTS RESORT. E25 RESPONDED FROM ST25. UPON ARRIVAL E25 FOUND ONE FEMALE WITH A MINOR LACERATION APPROXIMATELY 1 CM TO THE RIGHT SIDE OF HER HEAD. E25 CLEANED THE WOUND WITH SALINE WATER AND 4X4. E25 OBTAINED VITALS SIGNS AND PT HISTORY. ALL VITALS WERE WNL. BP 110/80 P98 R18 SAO2 100%. PT REFUSED TRANSPORT TO THE HOSPITAL. E25 ADVISED R23, R23 CONTINUED TO RESPOND ROUTINE FOR A PT REFUSAL. E25 BACK IN SERVICE.						
2014-000492-00	09/02/2014	01:14	24 GRASSY		Rescue, EMS incident,	3
E25 WAS DISPATCHED TO A MEDICAL EMERGENCY WITH R23. E25 RESPONDED FROM ST25. UPON ARRIVAL E25 FOUND ONE MALE LAYING SUPINE ON HIS BED. R23 TOOK VITAL SIGNS AND OBTAINED PT INFORMATION. E25 CREW ASSISTED R23 WITH TRANSFERRING THE PT ON TO THE STRETCHER FROM BED. E25 BACK IN SERVICE.						
2014-000493-00	09/02/2014	05:30	104801 OVERSEAS		Aircraft standby	3
E25 WAS DISPATCHED TO THE KEY LARGO ELEMENTARY SCHOOL TO SET UP A HELI SPOT FOR R23'S TRAUMA ALERT. E25 WAS ADVISED AIR RESCUE SOUTH WAS GOING TO BE USED. E25 RESPONDED FROM ST25. UPON ARRIVAL E25 SECURED THE HELI SPOT AND REMOVED ALL HAZARDS FROM THE HELI SPOT. E25 ESTABLISHED COMMAND. E25 ESTABLISHED A HELI SPOT FOR AIR RESCUE. UPON THEIR ARRIVAL R23 TRANSFERRED CARE. AIR RESCUE OFF THE GROUND, COMMAND TERMINATED, E25 BACK IN SERVICE.						
2014-000494-00	09/02/2014	10:17	95350 OVERSEAS		Medical assist, assist EMS	2
S24 WAS DISPATCHED PER R23 TO CORAL SANDS TRAILER PARK AT THE 95MM FOR MANPOWER. UPON ARRIVAL S24 CREW ASSISTED R23 CREW WITH LIFTING AND MOVING PATIENT ONTO STRETCHER AND INTO THE RESCUE.						
2014-000495-00	09/04/2014	07:50	101800 OVERSEAS		Dispatched & canceled en	2
S24 CANCELED BY R23 BEFORE GOING ENROUTE						
2014-000496-00	09/06/2014	22:32	980000 OVERSEAS		Brush or brush-and-grass	5
S24 RESPONDED TO TREASURE AND US1 FOR A BRUSH FIRE. UPON ARRIVAL, S24 FOUND A 2 X 2 BRUSH FIRE WITH 3 FEET FLAMES. S24 DEPLOYED THE 1000 FEET CROSSLAY AND USED APPROXIMATELY 300 GALLONS OF WATER TO EXTINGUISH THE FIRE. S24 PERFORMED MOP UP TO CHECK FOR ANY HOTSPOTS. ALL HAZARDS WERE MITIGATED.						
2014-000497-00	09/07/2014	18:50	101377 OVERSEAS		Motor vehicle/pedestrian	4
S24 RESPONDED TO MILE 101 IN FRONT OF ARBY'S RESTAURANT FOR A MVA VEHICLE VS BICYCLIST. UPON ARRIVAL, S24 FOUND A MALE PATIENT SITTING ON THE CURB HOLDING HIS LEFT LEG. S24 AND RESCUE 23 ASSESSED THE PATIENT, AND INFORMED THE PATIENT TO GO TO THE HOSPITAL. PATIENT REFUSED TRANSPORT. THE DRIVER OF THE VEHICLE WAS AMBULATORY.						
2014-000498-00	09/10/2014	11:59	103200 OVERSEAS		EMS call, excluding vehicle	4
S24 RESPONDED TO 103200 OVERSEAS HWY FOR A MEDICAL EMERGENCY. S24 FOUND A 70 YEAR OLD PATIENT WITH TROUBLE BREATHING (COPD). S24 PROVIDED PATIENT WITH NON RE BREATHER. PATIENT CARE WAS TRANSFERRED TO R123 UPON THEIR ARRIVAL. S24 ASSISTED R123 WITH PATIENT PACKAGING. S24 GAVE 1 CREW MEMBER TO R123 TO ASSIST WITH TRANSPORT. S24 BECAME ABLE 3. S24 BACK IN SERVICE.						
2014-000499-00	09/10/2014	11:25	104801 OVERSEAS		Removal of victim(s) from	4
ENGINE 25 CREW WAS DISPATCHED TO KEY LARGO ELEMENTARY. UPON ARRIVAL ENGINE 25 CREW FOUND A STALLED ELEVATOR WITH THREE 8TH GRADE KIDS TRAPPED INSIDE. THE CREW ALONG WITH BATTALION 24 AND THE MAINTENANCE MAN FROM THE SCHOOL TROUBLESHOOTED AND WERE ABLE TO OPEN THE ELEVATOR DOOR. ALL OCCUPANTS WERE OK AND NEEDED NO MEDICAL ATTENTION. ENGINE 25 CREW BACK IN SERVICE 12:20						
2014-000500-00	09/11/2014	17:16	95710 OVERSEAS		Dispatched & canceled en	4
S24 RECEIVED CALL FOR FIRE SMOKE ONLY AT HARRIET'S RESTAURANT. S24 WAS CANCELED BY DISPATCH BEFORE GOING ENROUTE, STATING THAT 2 DEPUTIES ON SCENE ADVISED THAT IT WAS A FALSE ALARM. S24 BACK IN SERVICE.						
2014-000501-00	09/12/2014	21:39	325 CALUSA	NARANJO	Water vehicle fire	10
S24 RESPONDED TO CALUSA CAMPGROUND FOR VESSEL FIRE. UPON ARRIVAL, S24 FOUND A 29 FOOT VESSEL ON FIRE DOCKED ON THE PIER. S24 USED 350 GALLONS OF WATER TO EXTINGUISH THE VESSEL. E24 OVERHAULED THE VESSEL AND CHECKED FOR ANY FIRE EXTENSIONS. S24 ASSISTED THE OWNER IN REMOVING THE VESSEL FROM THE WATER ON TO THE TRAILER.						
2014-000502-00	09/13/2014	05:41	24 CORRINE		Medical assist, assist EMS	4
S24 RESPONDED TO 24 CORRINE FOR A MEDICAL ASSIST. UPON ARRIVAL, S24 FOUND AN ELDERLY PATIENT THAT WAS BEING ASSESSED BY RESCUE 23. S24 ASSISTED RESCUE 23 IN MOVING THE PATIENT FROM THE BED TO THE BACKBOARD, TO LOAD HER UP INSIDE THE RESCUE.						
2014-000503-00	09/13/2014	09:39	4 WOODWARD		EMS call, excluding vehicle	3

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attendin
S24 RESPONDED TO 4 WOODWARD AVE FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 A MALE PATIENT LYING PRONE ON THE GROUND. WITNESS STATES THAT WAS FELL FROM THE STAIRS WHILE HOLDING A WINDSHIELD. PATIENT WAS AAO X 2. RESCUE 23 ASSESSED THE PATIENT FURTHER AND DECLARED A TRAUMA ALERT. PATIENT WAS PACKAGED AND TRANSPORTED TO THE LZ AWAITING FOR THE MEDIVAC.						
2014-000504-00	09/13/2014	09:47	98000 OVERSEAS		Aircraft standby	3
S24 WAS REROUTED FROM THE MEDICAL, EMERGENCY TO THE RANGER STATION TO ESTABLISH A LZ. UPON ARRIVAL, S24 MITIGATED ALL HAZARDS AND STOOD BY TO LAND THE MEDIVAC.						
2014-000505-00	09/05/2014	22:34	99020 OVERSEAS HIGHWAY		System malfunction, other	6
Station 24 and 25 were alerted to Ms Macs Kitchen for a fire alarm pull station activation. Upon S 24 arrival crews located a malfunctioning pull station. E 25 was canceled. System was reset, owner notified. No hazard, all units back in service @ 22:56						
2014-000506-00	09/14/2014	12:20	16 RAINBOW		EMS call, excluding vehicle	2
E 25 RESPONDED TO 16 RAINBOW RD FOR A ALLERGIC REACTION, UPON ARRIVAL CREWS LOCATED PATIENT CONSCIOUS AND BREATHING SITTING ON A CHAIR. VITAL SIGNS AND HISTORY WERE OBTAINED. R 23 WAS ADVISED OF PT STATUS AND OXYGEN WAS ADMINISTERED. E 25 BACK IN SERVICE @ 12:50						
2014-000507-00	09/14/2014	12:48	LARGO		Rescue or EMS standby	2
E 25 and R 23 WERE ALERTED TO LARGO RD FOR SUICIDE THREADS. LEO MADE ARRIVAL AND DECLARED NO MEDICAL NEED. E 25 IN SERVICE @ 12:55						
2014-000508-00	09/12/2014	13:12	104801 OVERSEAS HIGHWAY		False alarm or false call,	3
E 25 WAS ALERTED TO A ELEVATOR ALARM AT KEY LARGO SCHOOL. UPON E 25 ARRIVAL CREWS CHECKED THE ALARM PANEL AND FOUND A ELEVATOR SENSOR CAUSING A TROUBLE SIGNAL. SYSTEM WAS RESET, MAINTENANCE DEPARTMENT NOTIFIED TO CONTACT ALARM CONTRACTOR, ALL EQUIPMENT ROOMS WERE CHECKED AND ELEVATOR WAS TESTED. E 25 BACK IN SERVICE @ 13:32						
2014-000509-00	09/13/2014	11:49	172 VALOIS		False alarm or false call,	2
E 25 WAS ALERTED TO 172 VALOIS RD FOR A FIRE ALARM. UPON ARRIVAL TENANT STATED IT WAS A FALSE ALARM DUE TO COOKING STEAM. E 25 IN SERVICE @ 12:11						
2014-000510-00	09/13/2014	13:40	104801 OVERSEAS HIGHWAY		Removal of victim(s) from	5
STATION 25 WAS ALERTED FOR A VICTIM TRAPPED IN THE ELEVATOR @ KEY LARGO SCHOOL. UPON ARRIVAL CREW LOCATED AND KNOX BOX, MADE ENTRY AND FREED TRAPPED VICTIM, ALARM PANEL WAS RESET, ELEVATOR WAS TESTED AND ALL UNITS WERE BACK IN SERVICE @ 13:57. NO MEDICAL NEED FOR PATIENT.						
2014-000511-00	09/13/2014	15:10	22 REEF		EMS call, excluding vehicle	2
STATION 25 WAS ALERTED FOR A WALK UP PATIENT WITH CHEST PAIN. CREW MADE PATIENT CONTACT, REQUESTED R 23, OBTAINED VITALS AND MEDICAL HISTORY. UPON R 23 ARRIVAL CARE WAS TRANSFERRED AND UNITS WERE BACK IN SERVICE @ 15:30.						
2014-000512-00	09/13/2014	19:12	115 OVERSEAS HIGHWAY		Motor vehicle accident	7
STATION 25 AND 23 WERE ALERTED TO A MVA WITH INJURIES AT THE 115 MM. UPON E 25 ARRIVAL CREW LOCATED 1 VEHICLE ROLLED OVER IN TO THE SIDE BARRIER, ONE PATIENT WAS BEING TREATED BY R 23, SEARCHED FOR ADDITIONAL VICTIMS, NO OTHER VICTIMS FOUND, ESTABLISHED COMMAND, SECURED SCENE AND CLEARED ROAD WAY, TRANSFERRED COMMAND TO BC24. E 25 IN SERVICE @19:55 S 24 STOOD BY AT STATION 25						
2014-000513-00	09/16/2014	07:40	963 PLANTATION		Rescue, EMS incident,	3
E25 WAS DISPATCHED ALONG WITH R123 FOR AN LEO ASSIST. E25 RESPONDED FROM STATION 25. UPON ARRIVAL E25 FOUND ONE PATIENT SITTING IN THE BACK OF A SQUAD CAR. E25 CREW OBTAINED PT VITAL SIGNS AND HISTORY. E25 CREW RELAYED INFORMATION TO R123 AND TRANSFERRED CARE TO R123. E25 BACK IN SERVICE.						
2014-000514-00	09/16/2014	23:33	104801 OVERSEAS		Alarm system activation,	4
STATION 25 WAS DISPATCHED TO A FIRE ALARM AT KEY LARGO SCHOOL. E25 RESPONDED FROM ST 25. UPON ARRIVAL E25 CREW FOUND NOTHING SHOWING AND BEGAN INVESTIGATING. E25 LOCATED ALARM PANEL, PANEL STATED PULL STATION IN 4 ROOMS. E25 CREW INVESTIGATED THOSE PULL STATIONS AND EVERYTHING WAS NORMAL. E25 CREW RESET THE ALARM SYSTEM. E25 BACK IN SERVICE.						
2014-000515-00	09/17/2014	13:06	400 OCEAN		Medical assist, assist EMS	5
S24 WAS DISPATCHED TO ASSIST R123 WITH A POSSIBLE UNCONSCIOUS MALE THAT WAS IN THE WATER. S24 RESPONDED FROM STATION 24. E25 WAS ALSO DISPATCHED AND RESPONDED FROM STATION 25. UPON ARRIVAL S24 AND E25 CREW ASSISTED R123 CREW WITH CPR AND ALS PROCEDURES. E25 GAVE ONE OF ITS PERSONNEL TO ASSIST R123 WITH DRIVING OF THE RESCUE TO THE HOSPITAL. S24 AND E25 REMAINED ON SCENE AVAILABLE REFERENCE PAPERWORK.						
2014-000516-00	09/17/2014	20:04	104801 OVERSEAS		Alarm system sounded	6
UPON E 25 AND BC 24 ARRIVAL, CREWS LOCATED STRUCTURE WITH NO SIGNS OF FIRE SHOWING, CREWS MADE ENTRY, INVESTIGATED AND LOCATED ALARM PANEL. ALARM WAS RESET, CENTRAL DISPATCH WAS NOTIFIED OF A FALSE ALARM. ALL UNITS IN SERVICE @ 20:27						
2014-000517-00	09/18/2014	11:50	183 CORRINE		Medical assist, assist EMS	4
S24 AND RESCUE 23 RESPONDED TO 183 CORRINE PLACE FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 FOUND A FEMALE PATIENT LYING ON HER BED. ON DUTY NURSE STATED THAT THE PATIENT WAS ABOUT TO FALL OFF FROM HER BED. S24 CREW ASSISTED IN REPOSITIONING THE PATIENT TO THE LEVEL OF COMFORT. RESCUE 23 ASSESSED THE PATIENT VITAL SIGNS. S24 WENT						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
BACK IN SERVICE.						
2014-000518-00	09/19/2014	14:30	20 SNAPPER		Power line down	2
UPON ARRIVAL ENGINE 25 CREW AND BATALLION 24 FOUND A BLOWN TRANSFORMER, THE ELECTRIC COMPANY WAS CONTACTED. ENGINE 25 CREW WENT BACK IN SERVICE						
2014-000519-00	09/20/2014	02:22	95401 OVERSEAS		Motor vehicle accident	6
STATION 24 WAS DISPATCHED TO AN MVA WITH INJ AT THE 95 MM. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 FOUND ONE WHITE PICK UP TRUCK VERSUS A RESIDENTIAL STRUCTURE WITH HEAVY DAMAGE. S24 ESTABLISHED COMMAND. R23 TOOK CARE OF PATIENT. S24 INVESTIGATED THE COLUMN THAT THE PICK UP TRUCK RAN INTO. S24 AND E25 STOOD BY AT THE SCENE TILL THE TOW TRUCK REMOVED THE VEHICLE TO MAKE SURE THERE WAS NO ADDITIONAL DAMAGE TO THE STRUCTURE. BC24 INVESTIGATED THE DAMAGE AFTERWARDS AND SAID THE COLUMN WAS SAFE ENOUGH TO RE ENTER THE STRUCTURE. ALL KEY LARGO FIRE UNITS BACK IN SERVICE.						
2014-000520-00	09/21/2014	12:11	106003 OVSEERSEAS	2003	EMS call, excluding vehicle	2
UPON E25 ARRIVAL, CREW LOCATED A FEMALE PT SITTING ON THE FRONT PORCH COMPLAINING OF ANXIETY AND LOW GLUCOSE LEVEL. PT CAOx3, VITAL SIGNS WERE OBTAINED AND CARE WAS TRANSFERRED TO R 123 UPON ARRIVAL. ASSISTED EMS CREW WITH PT PACKAGING. E 25 IN SERVICE @ 13:02						
2014-000521-00	09/21/2014	20:44	25 PIRATES		Natural vegetation fire,	3
S24 RESPONDED FROM STATION 24 TO A BRUSH/TREE FIRE AT 25 PIRATES DR. UPON ARRIVAL S24 FOUND A 2X2 FIRE BURNING 3 FT BETWEEN 2 HOUSES. A TREE WAS ALSO ON FIRE. 2 MEDUIM SIZE AND 1 LARGE SIZE PROPANE TANK WERE INCHES AWAY FROM FIRE. S24 USED 1" 3/4 (100FT) HOSE LINE TO EXTINGUISH FIRE. FOAM WAS SPRAYED AND OVERHAUL WAS COMPLETED. E25 WAS CANCELED EN ROUTE AND TANKER 24 WAS STANDING BY AT STATION 24. DURING THIS INCIDENT S24 STRUCK A PARKED VEHICLE AND CAUSED MODERATE DAMAGE TO THE VEHICLE AND SQUAD. PLEASE REFERENCE INCIDENT REPORT THAT WAS WRITTEN AND REFER TO CASE NO: MCSO140FF007327. S24 BACK IN SERVICE.						
2014-000522-00	09/22/2014	18:48	99 MORRIS		Attempted burning, illegal	5
E25 RESPONDED TO MANATEE BAY MARINA AT MM112 FOR A SUSPICIOUS SMELL ABLE 3. UPON ARRIVAL E25 MET WITH RP AND WAS NOTIFIED OF A POSSIBLE ILLEGAL TRASH BURN. E25 CREW LOCATED AN UNATTENDED 2X2 TRASH BURN WHICH WAS NOT ABIDING BY CURRENT REGULATION. E25 CREW EXTINGUISHED FIRE. THERE WAS NO HOMEOWNER TO BE FOUND. E25 BACK IN SERVICE.						
2014-000523-00	09/23/2014	11:58	103 BOYD		Power line down	2
S24 WAS DISPATCHED TO A POWER LINE DOWN AT BOYD DR. AND GEORGE ST AT THE 103MM. S24 RESPONDED FROM STATION 24 UPON ARRIVAL S24 CREW DETERMINED THAT THE VEHICLE SNAGGED A CABLE/PHONE LINE. S24 CREW HAD THE VEHICLE REVERSE TO RELEASE THE LINE AND S24 CREW CUT THE LINE AND REMOVED IT FROM THE DRIVE LANES. NO HOMEOWNER WAS PRESENT SO S24 CREW WAS UNABLE TO MAKE CONTACT TO INFORM OF THE CABLE/PHONE LINE BEING CUT. S24 BACK IN SERVICE.						
2014-000524-00	09/24/2014	23:20	11 GARDEN COVE		Rescue, EMS incident,	3
STATION 25 WAS DISPATCHED TO A MEDICAL EMERGENCY ALONG WITH R23. E25 RESPONDED FROM STATION. UPON ARRIVAL E25 FOUND ONE 58 Y/O FEMALE LAYING SUPINE ON THE BED. E25 CREW OBTAINED VITAL SIGNS AND PT HISTORY. E25 CREW TRANSFERRED PT CARE TO R23. E25 BACK IN SERVICE.						
2014-000525-00	09/25/2014	20:01	905 COUNTY ROAD		Assist police or other	3
ENGINE 25 CREW ASSISTED LE WITH LOCATING PT. PT WAS FOUND AT THE END OF A TRIAL IN DAGNY JOHNSON STATE PARK. CARE WAS THEN TRANSFERRED TO RESCUE 23. ENGINE 25 CREW WAS BACK IN SERVICE.						
2014-000526-00	09/25/2014	22:42	102525 OVERSEAS		Hazardous condition, other	9
STATION 24 WAS ALERTED TO AS SUSPICIOUS SMELL OF PROPANE AT CIRCLE K GAS STATION AT MM 102. UPON S 24 ARRIVAL CREWS LOCATED A PROPANE LIKE SMELL FROM A BUILDING ADJACENT TO GAS STATION. THIS LOCATION WAS INVESTIGATED AND WAS IDENTIFIED AS A SEWER PLANT FOR JP CAMPGROUND. JP PARK WAS ALSO INVESTIGATED WITH NEGATIVE RESULTS. BUILDING WAS CHECKED WITH GAS MONITOR WITH NEGATIVE RESULTS AND THE SMELL WAS IDENTIFIED AS SEWER GAS FROM THE TREATMENT PLANT. E25 AND S 24 IN SERVICE @ 23:39						
2014-000527-00	09/26/2014	15:13	102411 OVERSEAS		EMS call, excluding vehicle	2
E25 WAS ALERTED WHILE EN ROUTE TO THE MVA AT THE 97MM TO THE 102 MM FOR A UNCONSCIOUS PERSON IN A VEHICLE. UPON E25 ARRIVAL, CREWS LOCATED ONE VEHICLE OFF THE ROAD WITH A DRIVER ADVISING US SHE FELL UNCONSCIOUS WHILE DRIVING. HISTORY WAS OBTAINED AND CARE WAS TRANSFERRED TO R123 UPON ARRIVAL. ALL UNITS BACK IN SERVICE @15:33						
2014-000528-00	09/26/2014	15:10	97 OVERSEAS		Motor vehicle accident	2
STATION 24 WAS ALERTED TO A MVA AT THE 97 MM. UPON S 24 ARRIVAL, CREWS LOCATED ONE VEHICLE INTO THE DRAINAGE DITCH, WITH ALL PATIENTS OUT OF THE VEHICLE. ASSISTED R 23 WITH PT CARE, CLEARED ROADWAY, ALL UNITS BACK IN SERVICE @ 15:42						
2014-000529-00	09/27/2014	12:05	99 OVERSEAS		Motor vehicle accident	3
STATION 24 WAS DISPATCHED TO AN MVA WITH INJURIES AT THE 99MM. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 FOUND 3 VEHICLES WITH MINOR DAMAGE, AND ONE SB RIGHT LANE BLOCKED AT THE TIME. S24 ESTABLISHED 99MM COMMAND. R23 CHECKED FOR PATIENT INJURIES, ADVISED NEGATIVE INJURIES. LEO MOVED VEHICLES OFF THE ROAD. S24 CREW PUT KITTY LITTER ON SPILLED LIQUID TO REMOVE ANY POTENTIAL HAZARDS. RIGHT LANE OPEN, ALL HAZARDS WERE MITIGATED, SCENE TURNED OVER TO LEO, S24 BACK IN SERVICE.						
2014-000530-00	09/28/2014	11:48	857 NARRAGENSETT		Medical assist, assist EMS	2
S24 WAS DISPATCHED TO A MEDICAL EMERGENCY AT 857 NARRAGANSETT LN AT THE 103MM. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 CREW FOUND A 74 Y/O WF SITTING IN A CHAIR IN THE BACKYARD C/O LEFT ANKLE INJURY. UPON FURTHER						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
ASSESSMENT S24 CREW DETERMINED THAT SHE HAD A POSSIBLE BROKEN ANKLE FROM A FALL. S24 CONTINUED BLS ASSESSMENT UNTIL R123 WAS ARRIVAL AND THEN TRANSFERRED CARE TO R123 CREW. S24 BACK IN SERVICE.						
2014-000531-00	09/29/2014	12:16	909 JADE		Medical assist, assist EMS	2
S24 WAS DISPATCHED TO ASSIST R23 AND R123 WITH A MEDICAL EMERGENCY AT 90 S. JADE DR. S24 RESPONDED FROM THE 99MM. UPON ARRIVAL S24 CREW ASSISTED R23 AND R123 WITH REMOVING PATIENT FORM THE HOME AND INTO THE RESCUE. S24 BACK IN SERVICE.						
2014-000532-00	09/29/2014	13:12	99623 OVERSEAS		Medical assist, assist EMS	2
S24 WAS DISPATCHED TO THE FAMILY DOLLAR STORE AT THE 99MM TO ASSIST R123 WITH A MEDICAL EMERGENCY. S24 RESPONDED FROM THE 100MM. UPON ARRIVAL S24 ASSISTED R123 WITH PATIENT ASSESSMENT AND PACKAGING. S24 BACK IN SERVICE.						
2014-000533-00	09/30/2014	19:35	99246 OVERSEAS	BURKHARDT	Mobile property (vehicle)	5
S24 RESPONDED ABLE 2 TO 99246 OVERSEAS HWY AT CATEGORY 3 BAR FOR A VEHICLE FIRE. UPON ARRIVAL S24 FOUND A TRUCK WHICH HAD MODERATE SMOKE AND LIGHT FLAMES SHOWING FROM THE TRUCK BED. UPON ADVISEMENT FROM LT JONES (EMS) T24 WAS MOVED INTO POSITION AND ATTEMPTED TO USE THE FRONT NOZZLE (GUN) TO EXTINGUISH THE FIRE. WHEN THIS TACTIC WAS NOT SUCCESSFUL S24 CREW PULLED 100FT OF 1"3/4 LINE AND EXTINGUISHED THE FIRE. S24 BACK IN SERVICE.						

Total Incidents: 44