

Key Largo Volunteer Fire Department, Inc.

Fire Department: 38032
 Companies: All
 Date Range: From 03/01/2015 to 03/31/2015
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: No
 Exclude Exposures: No

Totals and Average Attendance by Incident Type

Code and Description	Incident Count	Number Attend	Average Attend	Total Length	Average Length	Average Man Hrs	Total Man Hrs
131-Passenger vehicle fire	2	11	5.50	1.2	0.58	2.75	5.49
137-Camper or recreational vehicle (RV) fire	1	13	13.00	1.0	1.00	13.00	13.00
300-Rescue, EMS incident, other	1	3	3.00	0.4	0.40	1.20	1.20
311-Medical assist, assist EMS crew	5	21	4.20	2.4	0.48	2.43	12.17
321-EMS call, excluding vehicle accident with injury	9	33	3.67	4.3	0.47	1.67	15.04
322-Motor vehicle accident with injuries	12	71	5.92	4.7	0.39	2.23	26.72
323-Motor vehicle/pedestrian accident (MV Ped)	6	21	3.50	1.8	0.30	1.03	6.16
324-Motor vehicle accident with no injuries.	2	7	3.50	1.2	0.58	2.19	4.38
331-Lock-in (if lock out , use 511)	1	4	4.00	0.2	0.18	0.72	0.72
352-Extrication of victim(s) from vehicle	1	9	9.00	0.7	0.72	6.48	6.48
353-Removal of victim(s) from stalled elevator	1	4	4.00	0.0	0.00	0.00	0.00
411-Gasoline or other flammable liquid spill	1	4	4.00	0.2	0.23	0.92	0.92
444-Power line down	1	3	3.00	1.3	1.27	3.81	3.81
445-Arcing, shorted electrical equipment	2	8	4.00	0.5	0.27	0.93	1.86
480-Attempted burning, illegal action, other	1	5	5.00	0.2	0.18	0.90	0.90
553-Public service	1	3	3.00	0.3	0.33	0.99	0.99
561-Unauthorized burning	1	4	4.00	0.3	0.33	1.32	1.32
600-Good intent call, other	1	2	2.00	0.2	0.17	0.34	0.34
611-Dispatched & canceled en route	12	57	4.75	1.1	0.09	0.45	5.44
652-Steam, vapor, fog or dust thought to be smoke	1	6	6.00	0.3	0.30	1.80	1.80
700-False alarm or false call, other	6	37	6.17	0.8	0.14	0.81	4.84
735-Alarm system sounded due to malfunction	2	17	8.50	0.8	0.42	3.50	7.01
743-Smoke detector activation, no fire - unintentional	2	10	5.00	0.3	0.16	0.80	1.60
745-Alarm system activation, no fire - unintentional	1	3	3.00	0.1	0.12	0.36	0.36
900-Special type of incident, other	1	3	3.00	0.6	0.63	1.89	1.89

Code and Description	Incident		Number		Average		Total		Average		Total	
	Count		Attend		Attend		Length		Length		Man Hrs	Man Hrs
Blank: No Code Entered	0		0		0.0		0.0		0.00		0.00	0.00
Incorrect Entry	0		0		0.0		0.0		0.00		0.00	0.00
Totals and Averages for All Codes:	74		359		4.85		24.91		0.34		1.68	124.44

Your department started using NFIRS 5.0 on 01/01/2000. This means that the report uses the NFIRS 5.0 Code Set.

Key Largo Volunteer Fire Department, Inc.

Incident Run Log

Fire Department: 38032
 Companies: All
 Date Range: From 03/01/2015 to 03/31/2015
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: No
 Exclude Exposures: No

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2015-000123-00	03/01/2015	09:30	107 OVERSEAS		Good intent call, other	2
STATION 25 WAS DISPATCHED TO THE JEWFISH CREEK BRIDGE OVERPASS FOR A VEHICLE POSSIBLY LEAKING FUEL WITH ONE OCCUPANT INSIDE, PULLED OFF THE SIDE OF THE ROAD. E25 RESPONDED AND MADE CONTACT WITH THE OCCUPANT WHO STATED HE WAS RESTING, THE FLUIDS ON THE GROUND WERE CONDESATION FROM HIS AC UNIT. NO HAZARDS E25 IN SERVICE2 09:40						
2015-000124-00	03/02/2015	13:30	98 OVERSEAS		Special type of incident,	3
S24 RESPONDED ABLE 3 FROM STATION 24 TO THE RANGER STATION FOR A TRAUMA ALERT. S24 ESTABLISHED HELISPOT COMMAND. S24 BACK IN SERVICE.						
2015-000125-00	03/03/2015	10:33	101499 OVERSEAS		Dispatched & canceled en	4
S24 RESPONDED ABLE 4 FROM STATION 24 TO KMART FOR A MEDICAL EMERGENCY. WHILE EN ROUTE E25 NOTIFIED S24 THAT THEY WERE IN THE AREA AND WOULD TAKE THE CALL. UPON ARRIVAL S24 MADE CONTACT WITH E25 PERSONELL AND WERE CANCELED. S24 BACK IN SERVICE.						
2015-000126-00	03/03/2015	10:44	106000 OVERSEAS		EMS call, excluding vehicle	4
S24 RESPONDED ABLE 4 FROM MM101 FOR A MEDICAL EMERGENCY AT THE CHAMBER OF COMMERCE. UPON ARRIVAL S24 MADE PATIENT CONTACT AND BEGAN GETTING VITAL SIGNS. S24 TURNED SCENE OVER TO R123 UPON THEIR ARRIVAL. PATIENT REFUSAL. S24 BACK IN SERVICE.						
2015-000127-00	03/03/2015	11:32	105662 OVERSEAS		Dispatched & canceled en	4
S24 WAS CANCELED BY R23 BEFORE GOING EN ROUTE. S24 BACK IN SERVICE.						
2015-000128-00	03/03/2015	20:54	369 MAHOGANY		Unauthorized burning	4
E24 RESPONDED ABLE 4 FROM STATION 24 TO 369 MAHOGANY DRIVE FOR AN ILLEGAL BURN. UPON ARRIVAL E24 FOUND NOTHING SHOWING AND FOUND HOMEOWNER HAD JUST EXTINGUISHED FIRE. E24 INFORMED HOMEOWNER OF THE BURN ORDINANCE. E24 CANCELED E25 UPON THEIR ARRIVAL. ALL KLFD UNITS BACK IN SERVICE.						
2015-000129-00	03/04/2015	05:38	98 OVERSEAS		Motor vehicle accident	4
S24 RESPONDED ABLE 4 FROM STATION 24 TO MM 98 FOR A MVA WITH NO INJURIES. UPON ARRIVAL S24 FOUND 1 VEHICLE BLOCKING NORTH BOUND TRAFFIC WITH AIR BAG DEPLOYMENT AND 1 VEHICLE OFF TO THE SIDE OF THE ROAD WITH AIR BAG DEPLOYMENT. S24 DISCONNECTED THE BATTERY TO THE VEHICLE BLOCKING TRAFFIC AND MITIGATED MINOR FUEL SPILL. BOTH VEHICLES HAD MODERATE TO HEAVY DAMAGE. SCENE TURNED OVER TO FHP ONCE THE TOW TRUCK ARRIVED AND BOTH NORTH BOUND LANES OPENED UP. S24 BACK IN SERVICE AND COMMAND TERMINATED.						
2015-000130-00	03/04/2015	13:30	9700 OVERSEAS		Dispatched & canceled en	4
S24 WAS CANCELED AT THE 101 MM, ABLE 4, FOR A FIRE ALARM AT THE HILTON. FIRE ALARM TESTING WAS BEING DONE AND ACCIDENTLY TRIPPED THE ALARM. S24 BACK IN SERVICE.						
2015-000131-00	03/03/2015	10:33	101499 OVERSEAS		EMS call, excluding vehicle	3
STATION 24 WAS DISPATCHED WITH R23 TO KMART FOR A PT, WITH POSSIBLE CARDIAC PROBLEMS. UPON ARRIVAL PT WAS LOCATED IN THE BREAK ROOM. VITAL SIGNS WERE TAKEN AND CARE TRANSFERRED TO R23 UPON ARRIVAL. CREW ASSISTED WITH PT PACKAGING.						
2015-000132-00	03/03/2015	20:54	MAHOGANY		Attempted burning, illegal	5
STATIONS 24 AND 25 WERE DISPATCHED TO MAHOGANY RD FOR A ILLEGAL BURN, UPON ARRIVAL E25 WAS CNCELED AND BACK IN SERVICE ON SCENE.						
2015-000133-00	03/04/2015	05:38	97 OVERSEAS		Dispatched & canceled en	5
STATION 24 AND 25 WERE DISPATCHED TO A MVA AT MM 97, E 25 WAS CANCELED BY S24.						
2015-000134-00	03/06/2015	15:40	98950 OVERSEAS		Power line down	3
S24 WAS DISPATCHED TO ASSIST MCSO WITH A LINE DOWN ACROSS OVERSEAS HWY AT THE 98.5MM. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 CREW ASSISTED MCSO WITH CLOSING OF ONE SOUTH BOUND LANE ON OVERSEAS HWY. S24 CREW REMAINED ON SCENE UNTIL THE UTILITY COMPANIES ARRIVED AND TOOK CONTROL OF THE LINES. S24 BACK IN SERVICE.						
2015-000135-00	03/06/2015	20:45	102.7 OVERSEAS		False alarm or false call,	6
S24 WAS DISPATCHED TO A POSSIBLE CAR FIRE AT THE 102.7MM SOUTH BOUND. S24 RESPONDED FROM STATION 24. E25 RESPONDED FROM STATION 25. UPON S24 ARRIVAL S24 CREW WERE MET BY MCSO DEPUTIES AND THEY STATED THAT IT WAS A VEHICLE THAT JUST OVERHEATED. S24 CREW CONFIRMED THEIR STATEMENT AND ALL KEY LARGO FIRE UNITS WERE BACK IN SERVICE.						
2015-000136-00	03/04/2015	19:02	15 GARDEN COVE		EMS call, excluding vehicle	4
E25 AND R23 WERE DISPATCHED TO 15 GARDEN COVE DR FOR A MEDICAL ALARM. UPON ARRIVAL E25 MADE CONTACT WITH RESIDENT WHO STATED SHE HIT THE BUTTON BY ACCIDENT. NO MEDICAL NEED ALL UNITS IN SERVICE @19:22						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attendin
2015-000137-00	03/04/2015	23:22	220 REEF		EMS call, excluding vehicle	1
STATION 25 HAD A WALK UP PT COMPLAINING OF HIGH BP AND DIZZINESS, REQUESTED R23 TO RESPOND TO STATION 25, OBTAINED VITAL SIGNS, AND TRANSFERRED CARE TO R23 UPON ARRIVAL. PT REFUSED TRANSPORT. ALL UNITS IN SERVICE @ 23:56						
2015-000138-00	03/07/2015	12:52	102 OVERSEAS		Motor vehicle accident	8
STATION 23 AND 24 WERE DISPATCHED TO MM 102 FOR A MVA WITH INJURIES, UPON ARRIVAL S24 LOCATED A BICYCLIST ON THE GROUND, WITH FULL ROAD BLOCK. COMMAND WAS ESTABLISHED, PT CARE INITIATED AND ASSISTED R23 WITH PACKAGING UPON ARRIVAL. ROAD WAY CLEARED AND COMMAND TERMINATED @ 13:10						
2015-000139-00	03/07/2015	18:33	92.3 OVERSEAS		Dispatched & canceled en	7
STATION 24 AND 25 WERE DISPATCHED TO TAVERNIER FOR A MVA WITH INJURIES, S24 AND E25 RESPONDED AND WERE CANCELED EN ROUTE BY DEPUTY CHIEF 22. ALL UNITS IN SERVICE @ 18:58						
2015-000140-00	03/07/2015	15:04	106 OVERSEAS		Motor vehicle accident	10
STATION 25 AND 24 WERE DISPATCHED TO A MVA WITH POSSIBLE INJURIES AT MM 106 ON OVERSEAS HIGHWAY, UPON E25 ARRIVAL NO INJURIES WERE FOUND WITH NEGATIVE HAZARDS AND ROAD BLOCK. ADDITIONAL UNITS WERE CANCELED. E25 IN SERVICE @						
2015-000141-00	03/08/2015	01:17	99751 OVERSEAS		EMS call, excluding vehicle	4
STATION 24 WAS DISPATCHED TO KEY LARGO MARRIOT COURTYARD MARINA FOR ASSISTANCE TO REMOVE A PATIENT FROM A VESSEL IN CONFINED QUARTERS. S24 RESPONDED, BACK BOARDED AND REMOVED THE PATIENT AND TRANSFERRED CARE TO R23. ASSISTED WITH PT CARE AND PACKAGING. S24 IN SERVICE @ 01:54						
2015-000142-00	03/08/2015	06:32	99165 OVERSEAS		Alarm system sounded	7
STATION 24 WAS DISPATCHED FOR A FIRE ALARM AT OFFICE DEPOT, E24 AND E25 RESPONDED, E24 FOUND NOTHING SHOWING, WITH THE ALARM GOING OFF AND NO ACCESS TO THE BUILDING. NO SMOKE OR FIRE VISIBLE IN THE INTERIOR OF THE BUILDING. ADVISED CENTRAL TO CONTACT THE ALARM COMPANY AND RESET THE ALARM. ALARM COMPANY STATES THEY ARE UNABLE TO DO THAT BUT A TECH WILL BE THERE BY 8 AM TO RESET THE ALARM. E25 WAS CANCELED EN ROUTE. E24 IN SERVICE @ 6:58						
2015-000143-00	03/08/2015	10:03	102630 OVERSEAS		Motor vehicle accident	3
S24 RESPONDED TO THE TOM THUMB FOR AN ACCIDENT WITH INJURIES. UPON ARRIVAL, S24 FOUND TWO VEHICLE WITH MODERATE DAMAGE. NO ROADBLOCK WERE PRESENT. S24 SECURED THE VEHICLES AND ASSESSED THE PATIENTS. ALL PATIENTS WERE AMBULATORY. S24 MITIGATED ALL HAZARDS.						
2015-000144-00	03/08/2015	11:16	99MM OVERSEAS		Rescue, EMS incident,	3
ENGINE 25 WAS FLAGGED DOWN BY A VEHICLE STATING THIER 5 Y/O CHILD WAS HAVING AN ALLERGIC REACTION. ENGINE 25 ADVISED DISPATCH AND REQUESTED 23 TO RESPOND. ENGINE 25 CREW OBTAINED PT VITALS AND HISTORY AND TRANSFERRED CARE TO R23 UPON THEIR ARRIVAL. E25 BACK IN SERVICE.						
2015-000145-00	03/08/2015	13:43	113MM OVERSEAS		Motor vehicle accident	3
E25 WAS DISPATCHED TO AN ACCIDENT WITH INJURIES AT THE 112.5- 113MM. E25 RESPONDED FROM ST25. UPON ARRIVAL MIAMI DADE FIRE RESCUE WAS ON SCENE, THEY ADVISED THAT THEY CAN HANDLE AND WE CAN CANCEL. E25 CANCELED R23 AND S24. E25 BACK IN SERVICE.						
2015-000146-00	03/08/2015	15:44	99675 OVERSEAS		Motor vehicle/pedestrian	3
S24 RESPONDED TO THE VALERO GAS STATION FOR AN ACCIDENT WITH INJURIES INVOLVING A VEHICLE VERSUS A BICYCLIST. UPON ARRIVAL, S24 FOUND A VEHICLE WITH A BICYCLIST LYING SUPINE ON THE GROUND. S24 USED CERVICAL IMMOBILAZTION PRECAUTIONS. S24 ASSESSED THE PATIENT AND APPLIED A CERVICAL COLLAR. UPON RESCUE 23 ARRIVAL, S24 LOADED THE PATIENT ON TO A BACKBOARD AND ON TO THE STRETCHER. THE PATIENT WAS TRANSFERRED OVER TO RESCUE 23.						
2015-000147-00	03/09/2015	00:05	103400 OVERSEAS		Alarm system activation,	3
S24 RESPONDED TO THE PINK PLAZA FOR A FIRE ALARM. UPON ARRIVAL, NO FLAMES OR SMOKE WERE VISIBLE. S24 INVESTIGATED. S24 FOUND THE FIRST FLOOR ELEVATOR PULL HANDLE WAS ACTIVATED. S24 RESET THE PULL STATION AND RESET THE ALARM PANEL.						
2015-000148-00	03/09/2015	09:13	99751 OVERSEAS		Dispatched & canceled en	4
E24 WAS DISPATCHED TO THE MARRIOTT COURTYARD FOR A FIRE ALARM. CENTRAL CANCELED E24 BEFORE GOING EN ROUTE, STATING THAT MAINTENANCE WAS BEING DONE ON THE ELEVATOR AND CAUSED DUST TO SET OFF THE ALARM ACCIDENTALLY. E24 BACK IN SERVICE.						
2015-000149-00	03/09/2015	14:38	99 OVERSEAS		Motor vehicle accident	3
S24 RESPONDED FROM MM 101 ABL 4 TO MM 99 FOR A MVA WITH INJURIES. UPON ARRIVAL S24 WAS CANCELED BY R123. S24 BACK IN SERVICE.						
2015-000150-00	03/09/2015	16:38	94 OVERSEAS		Dispatched & canceled en	4
S24 RESPONDED ABL 4 FROM STATION 24 TO MM 94 FOR A MVA WITH INJURIES. S24 CANCELED BY R22 WHILE EN ROUTE. S24 BACK IN SERVICE.						
2015-000151-00	03/11/2015	09:08	105000 OVERSEAS		EMS call, excluding vehicle	4
E25 RESPONDED ABL 4 FROM MM 103 TO SAINT JUSTIN CHURCH FOR A MEDICAL EMERGENCY. UPON ARRIVAL E25 FOUND A 1 YEAR OLD PATIENT WITH A POSSIBLE BROKEN ARM. PATIENT WAS CONCIIOUS AND BREATHING WITH A PULSE OF 118. SCENE TURNED						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
OVER TO R23 UPON THEIR ARRIVAL. E25 BACK IN SERVICE.						
2015-000152-00	03/11/2015	10:30	17 GALE		EMS call, excluding vehicle	4
E25 RESPONDED ABLE 4 FROM STAITON 24 TO 17 GALE PLACE FOR A MEDICAL EMERGENCY. UPON ARRIVAL E25 CREW ASSISTED R123 CREW WITH PATIENT PACKAGING AND CHECKING FOR INJURIES. E25 BACK IN SERVICE.						
2015-000154-00	03/11/2015	18:10	107 OVERSEAS		Motor vehicle accident	7
E25 RESPONDED ABLE 4 FROM STAQTION 25 TO MM107/JEWFISH CREEK BRIDGE FOR A MVA WITH INJURIES. UPON ARRIVAL E25 FOUND 1 VEHICLE ON THE SHOULDER WITH MINOR DAMAGE AND MINOR INJURIES. NO NORTHBOUND ROAD BLOCK, NO HAZARDS. E25 CREW TOOK BASELINE VITALS AND FOUND ONE PATIENT CONCIIOUS AND BREATHING, AAOX3, BP 180/100, HISTORY OF HIGH BLOOD PRESSURE AND DIABETES. SCENE AND PATEINT TURNED OVER TO R23 AND FHP UPON THEIR ARRIVAL. E25 BACK IN SERVICE.						
2015-000155-00	03/11/2015	09:55	99 MARINA AVE		EMS call, excluding vehicle	4
S24 RESPONDED TO KEY HOMEOWNERS PARK FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 STOOD BY UNTIL THE VESSEL CARRYING THE PATIENT ARRIVED. UPON THEIR ARRIVAL, S24 FOUND A FEMALE LAYING SUPINE ON THE VESSEL WITH OXYGEN BEING ADMINISTERED. S24 CREW MEMBERS PACKAGED THE PATIENT AND TRANSFERRED OVER TO RESCUE 23.						
2015-000156-00	03/11/2015	12:47	101499 OVERSEAS		Motor vehicle/pedestrian	4
S24 RESPONDED TO KMART FOR AN ACCIDENT WITH INJURIES, VEHICLE VERSUS PEDESTRIAN. UPON ARRIVAL, S24 FOUND A 78 YEAR OLD FEMALE LYING ON THE GROUND SUPINE. S24 TOOK C-SPINE PRECAUTIONS. S24 ASSESSED THE PATIENT FOR ANY LIFE THREATENING INJURIES. S24 PACKAGED THE PATIENT THE TRANSFERRED THE PATIENT OVER TO RESCUE 123 UPON THEIR ARRIVAL.						
2015-000157-00	03/11/2015	15:14	99198 OVERSEAS		Removal of victim(s) from	4
S24 RESPONDED TO THE DAMARON BUILDING FOR A PERSON TRAPPED IN THE ELEVATOR. UPON ARRIVAL, S24 ASSESSED THE SCENE AND HEARD A FEMALE WITH HER BABY TRAPPED INSIDE AN ELEVATOR. S24 SHUT THE POWER TO THE ELEVATOR AND USED THE ELEVATOR KEYS TO REMOVE THE VICTIM WITH CHILD. S24 RESTORED THE POWER TO THE ELEVATOR AND DEEMED THE ELEVATOR UNSAFE TO USE. S24 CONTACT THE PROPERTY MANAGER WITHOUT SUCCESS.						
2015-000158-00	03/12/2015	11:06	97 OVERSEAS		Motor vehicle accident	7
S24 AND E25 WERE DISPATCHED TO AN MVA AT THE 97MM. S24 AND E25 RESPONDED FROM THE 99MM. UPON ARRIVAL E25 FOUND ONE MOTORCYCLE VS. VEHICLE. MINOR DAMAGE AND NO ROAD BLOCK. ALL PTS WERE AMBULATORY AND REFUSED MEDICAL ATTENTION. ALL KEY LARGO FIRE UNITS BACK IN SERVICE.						
2015-000159-00	03/13/2015	07:42	92 OVERSEAS		Dispatched & canceled en	4
S24 WAS DISPATCHED TO AN MVA WITH INJURIES REFERENCE STATION 22 ALREADY ON A CALL, E22 RESPONDED AND ADVISED FOR S24 TO CANCEL.						
2015-000160-00	03/13/2015	12:16	C5 COUNTY RD 905		EMS call, excluding vehicle	5
E24 AND S24 WERE ON SITE FOR TRAINING AT THE KLWTS WHEN A CUSTOMER WALKED UP TO S24 CREW AND STATED HE FELL OFF A TRUCK AND HAD LOWER BACK AND LEG PAIN. S24 ADVISED CENTRAL AND REQUESTED R23, OBTAINED VITAL SIGNS AND PROVIDED BLS SUPPORT. PT STATED HE IS FEELING FINE AGAIN AND LEFT WITH ANOTHER MALE BEFORE R23 MADE ARRIVAL. CENTRAL WAS ADVISED AND R23 CANCELED EN ROUTE.						
2015-000161-00	03/14/2015	14:20	805 GALE		Dispatched & canceled en	3
CANCELLED ENROUTE BY RESCUE 23						
2015-000162-00	03/14/2015	15:46	99 OVERSEAS		Dispatched & canceled en	3
CANCELLED BY RECUE 23						
2015-000163-00	03/15/2015	19:01	102601 OVERSEAS		Motor vehicle accident	9
S24 WAS DISPATCHED TO A SINGLE VEHICLE MVA WITH INJURIES AT THE 102.5MM. S24 RESPONDED FROM STATION 24. BC24 TOOK ARRIVAL AND ADVISED A SINGLE VEHICLE INTO THE WOODS AT JOHN PENNYCAMP STATE PARK. BC24 ADVISED ALL PATIENTS WERE OUT OF VEHICLE. BC24 CANCELED E25 AND HAD S24 RESPOND IN ROUTINE. UPON S24 ARRIVAL S24 CREW SECURED ALL HAZARDS AND CHECKED PATIENT FOR INJURIES. PATIENT DINED MEDICAL ATTENTION AND TRANSPORT. S24 BACK IN SERVICE.						
2015-000164-00	03/17/2015	15:01	96000 OVERSEAS	N-7	False alarm or false call,	4
E24 AND T24 RESPONDED ABLE 4 TO BUTTONWOOD BAY CONDO FOR A FIRE SMOKE ONLY. UPON ARRIVAL E24 FOUND A 2 STORY RESIDENTIAL STRUCTURE WITH NOTHING SHOWING. E24 MADE CONTACT WITH HOMEOWNER AND WAS INFORMED THAT THERE WAS NO FIRE AND THE SMOKE WAS DUE SOME COOKING THAT BOILED OVER. NO FIRE NO HAZARDS FOUND. E24 AND T24 BACK IN SERVICE. E25 CANCELED EN ROUTE.						
2015-000165-00	03/18/2015	03:25	74 HARRY DAVIS		Medical assist, assist EMS	4
S24 RESPONDED ABLE 4 FROM STATION 24 TO 74 HARRY DAVIS CIR FRO A MEDICAL ASST. UPON ARRIVAL S24 ASSISTED R123 WITH LIFTING A PATIENT THAT HAD FALLEN OUT OF BED. S24 BACK IN SERVICE.						
2015-000167-00	03/22/2015	12:22	C-3 905 CARDSOUND		Motor vehicle accident	3
S24 RESPONDED ABLE 3 FROM STATION 24 TO C-3/905 CARDSOUND ROAD FOR A SINGLE VEHICLE ACCIDENT. UPON ARRIVAL S24 FOUND 1 VEHICLE OFF THE SIDE OF THE ROAD WITH MINOR DAMAGE AND 1 PATIENT. S24 TURNED SCENE OVER TO E25 UPON THEIR ARRIVAL AND E25 ESTABLISHED COMMAND. S24 BACK IN SERVICE.						
2015-000168-00	03/22/2015	11:41	113 OVERSEAS		Passenger vehicle fire	4
STATION 25 WAS DISPATCHED FOR A VEHICLE FIRE IN MIAMI DADE COUNTY AT MM113. ENGINE 25 RESPONDED ABEL 4 FROM STATION AND UPON ARRIVAL FOUND A PASSENGER SUV OFF THE SIDE OF US1 NORTH BOUND, WITH HEAVY SMOKE AND FIRE FROM THE ENGINE AND PASSENGER COMPARTMENT. ENGINE 25 CREW STRETCHED THE FRONT JUMP LINE AND EXTINGUISHED THE FIRE WITH APP. 500 GAL OF WATER WITH 1% FIREADE CLASS A FOAM. COMMAND WAS ESTABLISHED, US 1 NORTHBOUND WAS SHUT DOWN. VEHICLE WAS OVERHAULED, BATTERIES WERE DISCONNECTED, VEHICLE WAS CHECKED FOR HOT SPOTS AND HEAT USING THERMAL IMAGING CAMERA AND SCENE WAS TURNED OVER TO FLORIDA HIGHWAY PATROL. COMMAND TERMINATED, ROAD						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attendin
OPENED, ENGINE 25 IN SERVICE @ 12:22.						
2015-000169-00	03/22/2015	12:22	C3 CARD SOUND		Motor vehicle accident	4
STATION 25 AND 24 WERE DISPATCHED WITH R23 TO CARDSOUND ROAD C3 FOR A MVA WITH INJURIES, VEHICLE VS A TREE. UPON ARRIVAL E25 ESTABLISHED COMMAND AND ASSISTED R23 IN PT REMOVAL FROM VEHICLE. A TREE WAS REMOVED AND THE ROAD WAS OPENED FOR TRAFFIC. E 25 TURNED SCENE OVER TO MCSO, COMMAND TERMINATED E 25 IN SERVICE @ 13:10						
2015-000170-00	03/23/2015	06:34	221 ANN BONNY		Arcing, shorted electrical	5
E24 RESPONDED ABLE 5 FROM STATION 24 TO 221 ANN BONNY DR. UPON ARRIVAL E24 FOUND NOTHING SHOWING AND NO EVIDENCE OF A SPARKING WIRE. E24 BACK IN SERVICE AND NOTIFIED FPL WHERE THE POSSIBLE ARCHING WIRE IS.						
2015-000171-00	03/23/2015	20:11	6 NORTH		False alarm or false call,	7
E24 WAS DISPATCHED TO A FIRE ALARM AT 6 NORTH DRIVE. E24 RESPONDED FROM STATION 24. UPON ARRIVAL E24 CREW WERE MET BY HOMEOWNER WHO STATED HE SET OFF THE ALARM WITH A PRESSURE CLEANER. E24 CANCELED E25 AND ALL UNIT BACK IN SERVICE.						
2015-000172-00	03/23/2015	08:49	106 OVERSEAS		False alarm or false call,	7
E25 WAS DISPATCHED TO A POSSIBLE BRUSH FIRE AT THE KEYS LAKES VILLAS 106MM. E25 RESPONDED FROM STATION 25, E24 RESPONDED FROM STATION 24. UPON E25 ARRIVAL E25 CREW INVESTIGATED THE AREA AND NO SMOKE OF FIRE WAS VISIBLE. E25 CANCELED E24. E25 BACK IN SERVICE.						
2015-000173-00	03/23/2015	14:21	13 SEAGATE		Medical assist, assist EMS	6
S24 WAS DISPATCHED TO ASSIST R23 AND R123 WITH A CPR IN PROGRESS COMING IN BY VESSEL ETA 30 MINUTES. S24 ASKED FOR E25 TO RESPOND AS WELL FOR MANPOWER. UPON THE VESSELS ARRIVAL CPR WAS STILL IN PROGRESS. R23 CREW IMMEDIATELY BOARDED THE VESSEL AND TOOK OVER CARE FROM THE COAST GUARD WHO WAS ON THE VESSEL AT THAT TIME. S24 AND E25 CREWS ASSISTED R23 AND R123 WITH PATIENT CARE AND PATIENT PACKAGING.						
2015-000174-00	03/23/2015	22:32	99 OVERSEAS		Motor vehicle/pedestrian	4
S24 WAS DISPATCHED TO A VEHICLE VS PED AT THE 99MM. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 FOUND ONE VEHICLE OFF THE SIDE OF THE ROAD AND ONE BIKE OFF THE SIDE OF THE ROAD. ALL PATIENTS REFUSED MEDICAL TREATMENT. S24 BACK IN SERVICE.						
2015-000175-00	03/24/2015	16:16	99610 OVERSEAS	2 SWANN	Passenger vehicle fire	7
E24 WAS DISPATCHED TO A VEHICLE FIRE AT 99610 OVERSEAS HWY BEHIND DENNY'S LIQUORS. E24 RESPONDED FROM STATION 24. E25 RESPONDED AS WELL FROM STATION 25. UPON ARRIVAL E24 CREW FOUND A SINGLE VEHICLE IN THE REAR PARKING LOT BEHIND DENNY'S LIQUORS WITH FLAMES AND SMOKE COMING FROM THE ENGINE COMPARTMENT. E24 DRIVER ESTABLISHED COMMAND AND ASKED FOR TANKER 24 TO RESPOND. E24 CREW PULLED THE FRONT JUMP LINE AND PROCEEDED TO EXTINGUISH THE VEHICLE FIRE. COMMAND CANCELED TANKER 24 AND E25 WAS CANCELED BUT WAS ARRIVAL AT THE SAME TIME. E24 AND E25 CREWS OVERHAULED THE VEHICLE AND PROCEEDED TO PUT E24 BACK IN SERVICE. COMMAND WAS TERMINATED AND ALL UNITS WERE BACK IN SERVICE.						
2015-000176-00	03/24/2015	17:45	99010 OVERSEAS	30	Medical assist, assist EMS	4
E24 WAS DISPATCHED TO ASSIST R123 WITH A MEDICAL EMERGENCY AT POINT OF VIEW 99010 OVERSEAS HWY. UPON ARRIVAL E24 CREW ASSIST R123 WITH PATIENT ASSESSMENT AND BLS PROCEDURES. PATIENT WAS A REFUSAL AND E24 WENT BACK IN SERVICE.						
2015-000177-00	03/25/2015	10:26	108000 OVERSEAS		Motor vehicle/pedestrian	3
STATION 25 WAS DISPATCHED WITH R23 FOR A MEDICAL EMERGENCY. UPON ARRIVAL E25 FOUND ONE FEMALE LAYING ON THE PASSENGER SIDE OF THE CAR IN MINOR DISTRESS. E25 OBTAINED PT HISTORY AND VITALS. E25 TRANSFERRED CARE TO R123. E25 BACK IN SERVICE.						
2015-000178-00	03/25/2015	15:28	101551 OVERSEAS		Motor vehicle/pedestrian	3
STATION 25 WAS DISPATCHED TO A MEDICAL EMERGENCY ALONG WITH R22. E25 RESPONDED FROM STATION. UPON ARRIVAL E25 CREW FOUND ONE ELDERLY FEMALE LAYING ON A BENCH WITH MINOR DISTRESS. E25 OBTAINED PT HISTORY AND VITALS AND TRANSFERRED CARE TO R22 UPON THEIR ARRIVAL. E25 AVAILABLE.						
2015-000179-00	03/19/2015	13:28	100100 OVERSEAS		Motor vehicle accident	3
S24 RESPONDED TO THE POST OFFICE FOR AN ACCIDENT WITH INJURIES. UPON ARRIVAL, S24 FOUND A SINGLE VEHICLE THAT JUMPED THE CURB AND STRUCK THE CONCRETE COLUMN. S24 SECURED THE VEHICLE AND ASSESSED THE PATIENT. THE PATIENT HAD MINOR INJURIES AND WAS TRANSFERRED OVER TO RESCUE 23.						
2015-000180-00	03/19/2015	22:09	99810 OVERSEAS		Lock-in (if lock out , use	4
S24 RESPONDED TO THE CIRCLE K TO REMOVE A PERSON THAT WAS TRAPPED IN THE BATHROOM. UPON ARRIVAL , MONROE COUNTY DEPUTIES HAD REMOVED THE VICTIM FROM THE BATHROOM. NO MEDICAL ATTENTION WAS NEEDED.						
2015-000181-00	03/25/2015	13:33	513 OLDSMAR		Steam, vapor, fog or dust	6
E24 AND E25 RESPONDED TO OLDSMAR LANE FOR SMOKE SHOWING AT A RESIDENCE. UPON ARRIVAL, E24 FOUND NO SMOKE OR FLAME VISIBLE. E24 USED THE THERMAL IMAGING CAMERA AND THE KNOX SCAN TO CONFIRM. THE SCENE WAS CODE 5.						
2015-000182-00	03/25/2015	15:00	1302 ALMAY		Public service	3
E24 RESPONDED TO 1302 ALMAY FOR A PUBLIC ASSIST. UPON ARRIVAL, E24 CREW MEMBERS ASSISTED THE CITIZEN IN REPLACING THE BATTERIES ON THE SMOKE DETECTOR.						
2015-000183-00	03/26/2015	14:09	105662 OVERSEAS		Motor vehicle/pedestrian	4
STATION 25 WAS DISPATCHED TO A MEDICAL EMERGENCY ALONG WITH R123. E25 RESPONDED FROM STATION. UPON ARRIVAL E25 CREW FOUND ONE MALE LAYING ON A CHAIR IN MINOR DISTRESS. E25 CREW OBTAINED PT HISTORY AND VITALS. E25 TRANSFERRED PT CARE TO R123 UPON THEIR ARRIVAL. E25 BACK IN SERVICE.						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attendin
2015-000184-00	03/26/2015	22:08	99306 OVERSEAS		Camper or recreational	13
E24 RESPONDED TO KEY LIME RV PARK FOR A GOLF CART THAT WAS ON FIRE. THE FIRE SPREAD FROM THE GOLF CART TO AN UNOCCUPIED RV. UPON ARRIVAL, E24 FOUND THE GOLF CART AND RV FULLY INVOLVED. TWO 20 POUND PROPANE TANKS WERE IN THE FIRE AND WAS SELF VENTING. E24 DEPLOYED THE 100 AND 150 FEET HOSELINE TO INITIATE THE FIRE ATTACK. ONE TEAM COOLED THE PROPANE TANKS. THE OTHER TEAM WAS ATTACKING THE FIRE. E25 DC THE POWER TO THE RV. E24 USED APPROXIMATELY 1500 GALLONS OF WATER AND 10 GALLONS OF FOAM TO EXTINGUISH THE FIRE AND HOTSPOTS. E24 USED THE THERMAL IMAGINMG CAMERA TO LOOK FOR FIRE EXTENSIONS. E24 CONTACTED THE ELECTRIC COMPANY TO REMOVE THE METER THAT WAS PARTIALLY BURNED.						
2015-000185-00	03/26/2015	08:17	101437 OVERSEAS		Smoke detector activation,	5
E24 RESPONDED TO PUBLIX FOR A SMOKE ALARM. UPON ARRIVAL, E24 SPOKE TO THE STORE MANAGER. STORE MANAGER STATED THAT IT WAS ACCIDENTAL. E24 INVESTIGATED AND CONFIRMED FALSE ALARM.						
2015-000186-00	03/27/2015	00:00	101437 OVERSEAS		Smoke detector activation,	5
E24 RESPONDED FOR A SECOND TIME TO PUBLIX FOR A SMOKE ALARM. UPON ARRIVAL, E24 MADE CONTACT WITH THE ASSISTANT STORE MANAGER. ASSISTANT STORE MANAGER STATED THAT IT WAS ACCIDENTAL. E24 INVESTIGATED AND CONFIRMED A FALSE ALARM.						
2015-000187-00	03/27/2015	16:35	99.5 OCEAN BAY		Motor vehicle accident	6
S24 WAS DISPATCHED TO AN MVA WITH INJURIES AT OCEAN BAY DR. AND OVERSEAS HIGHWAY. S24 RESPONDED FROM STATION 24 AND E25 RESPONDED FROM STATION 25. UPON S24 ARRIVAL S24 CREW FOUND A UTILITY VEHICLE TOWING A TRAILER WITH CONSTRUCTION EQUIPMENT VERSUS A CAR. ONE NORTH BOUND LANE BLOCKED. MINOR DAMAGE. S24 CREW SET UP CONES AND CONTROLLED TRAFFIC UNTIL THE VEHICLES WERE REMOVED FROM THE STREET. ALL PATIENTS WERE AMBULATORY AND IN NEED OF NO MEDICAL ATTENTION. S24 CANCELED E25 AND ALL KEY LARGO FIRE UNITS WERE BACK IN SERVICE.						
2015-000188-00	03/27/2015	17:01	101478 OVERSEAS		False alarm or false call,	6
E24 AND E25 WERE DISPATCHED TO PUBLIX AT THE 101MM FOR A FIRE ALARM. BOTH APPARATUS'S RESPONDED FROM THEIR STATIONS. E24 WAS NOTIFIED BY DISPATCH THAT PROPER CODE WAS CONFIRMED AND IT WAS A FALSE ALARM. E25 WAS CANCELED AND E24 WENT ROUTINE TO CONFIRM. UPON ARRIVAL E24 CONFIRMED A FALSE ALARM AND WENT BACK IN SERVICE.						
2015-000189-00	03/28/2015	02:31	101.4 TARPON BASIN		Dispatched & canceled en	12
S24 WAS DISPATCHED TO A POSSIBLE MVA VS BICYCLE. S24 RESPONDED FROM STATION 24, E25 RESPONDED FROM STATION 25. DISPATCHED ADVISED PER MC SO ON SCENE THERE WAS NO ACCIDENT ONLY A BICYCLE FELL AND NEEDED MEDICAL ATTENTION. S24 ADVISED DISPATCHED STANDING BY IN QUARTERS UNTIL R23 CAN ADVISE. E25 CANCELED .						
2015-000190-00	03/28/2015	02:42	99701 OVERSEAS		Alarm system sounded	10
E24 WAS DISPATCHED TO THE HOLIDAY INN AT THE 99 MM FOR A AUDIBLE FIRE ALARM AT BUILDING 1 ZONE 4. E24 RESPONDED FROM STATION 24. E25 RESPONDED FROM STATION 25, AIR 24 RESPONDED FROM STATION 25. UPON E24 ARRIVAL E24 CREW FOUND A TWO STORY CONCRETE COMMERCIAL STRUCTURE WITH NOTHING SHOWING. E24 WENT INTO INVESTIGATIVE MODE. E24 LT CANCELED E25 AND AIR 24. E24 CREW WALKED BUILDING 1 AND VERIFIED ALL PULL STATIONS WERE RESET. E24 LT WENT TO FRONT OFFICE TO THE ALARM PANEL TO RESET THE SYSTEM. AFTER RESET ALL SYSTEMS WERE NORMAL. THE PULL STATION OUTSIDE REAR OF ROOM 112 WAS BROKEN AT THE BOTTOM WHICH ALLOWS THE DOOR TO BE OPENED WITHOUT BREAKING THE GLASS. HOTEL MANAGEMENT WAS NOTIFIED OF THE ISSUE. ALL KLF D UNITS BACK IN SERVICE.						
2015-000191-00	03/28/2015	10:05	102 OVERSEAS		Motor vehicle accident	8
S24 WAS DISPATCHED PER BC24 ON SCENE TO A MVA ROLLOVER AT THE 102MM SOUTH BUND. S24 RESPONDED FROM STATION 24. E25 RESPONDED FROM STATION 25. UON S24 ARRIVAL S24 CREW FOUND A TWO VEHICLE ACCIDENT WITH ONE VEHICLE ON ITS SIDE. S24 ESTABLISHED 102MM COMMAND. S24 CREW CHECK FOR INJURIES AND SECURED ALL HAZARDS. PATIENTS WERE TRANSFERED TO R23 AN R123 UPON THEIR ARRIVAL.						
2015-000192-00	03/28/2015	18:43	104000 OVERSEAS		Extrication of victim(s)	9
S24 WAS DISPATCHED TO A MVA WITH INJURIES AT THE 104MM SOUTH BOUND. S24 RESPONDED FROM STATION 24. E25 RESPONDED FROM STATION 25. BC 24 TOOK ARRIVAL AND FOUND TWO VEHICLES OFF THE SIDE OF THE ROAD ONE VEHICLE INTO A POLE WITH ENTRAPMENT AND ONE VEHICLE IN THE MEDIAN WITH MODERATE FRONT PASSENGER SIDE DAMAGE. UPON E25 ARRIVAL E25 CREW WERE INSTRUCTED PER BC 24 TO EXTRICATE THE PATIENT FROM THE VEHICLE AGAINST THE POLE. S24 CREW WERE INSTRUCTED PER BC 24 TO SECURE THE VEHICLE IN THE MEDIAN AND CHECK FOR INJURIES. S24 CREW SECURED THE VEHICLE IN THE MEDIAN AND ALL PATIENT FROM THAT VEHICLE DENIED MEDICAL TREATMENT. S24 CREW ERE INSTRUCTED TO GO ASSIST E25 CREW WITH EXTRACTION OF THE PATIENT FROM THE OTHER VEHICLE. S24 AND E25 CREWS WORKED TOGETHER TO REMOVE THE PATIENT FORM THE VEHICLE AND INTO R123. S24 WAS RELEASED FROM THE SCENE AND E25 STAYED ON SCENE TO ASSIST WITH TRAFFIC CONTROL.						
2015-000193-00	03/28/2015	00:55	104 OVERSEAS		Arcing, shorted electrical	3
E25 WAS DISPATCHED TO AN ARCING POWER LINE AT THE 104MM. E25 RESPONDED FROM STATION 24. UPON ARRIVAL E25 CREW FOUND A PALM TREE THAT WAS BEING BLOWN INTO THE POWER LINE BY THE WIND AND CAUSING THE LIMB TO SPARK AND BURN. NO FLAMES WERE VISIBLE AT THAT TIME. E25 CREW CONTACTED CENTRAL TO SEND CO-OP AND ALSO ADVISED THE PROPERTY MANAGER THAT CO-OP WOULD BE OUT TO FIX THE ISSUE. E25 BACK IN SERVICE.						
2015-000194-00	03/28/2015	15:20	24 SWALLOW		Medical assist, assist EMS	3
E25 WAS DISPATCHED TO ASSIST R123 WITH A LIFT ASSIST AT 24 SWALLOW RD. E25 RESPONDED FROM A STATION 25. UPON ARRIVAL E25 CREW FOUND ONE PATIENT LAYING ON THE GROUND. E25 CREW ASSISTED PATIENT BACK INTO HIS BED. E25 CREW CANCELED R123. E25 BACK IN SERVICE.						
2015-000195-00	03/28/2015	23:45	101437 OVERSEAS		False alarm or false call,	7
E24 WAS DISPATCHED TO A FIRE ALARM AT PUBLIX KEY LARGO. E24 RESPONDED FROM STATION 24. E25 RESPONDED FROM STATION 25. WHILE ENROUTE DISPATCH CONTACT BOTH E24 AND E25 AND ADVISED ALARM COMPANY PROVIDED PROPER CODE. ALL UNITS BACK INSERVICE.						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attendin
THIS IS THE 5TH CALL THERE IN 2 WEEKS.						
2015-000196-00	03/29/2015	17:38	325 CALUSA		Dispatched & canceled en	3
S24 RESPONDED FROM STATION 24 ABLE 3 TO CALUSA CAMPGROUND FOR A MEDICAL ASSIST PER R23'S REQUEST. S24 CANCELED BY R23 UPON ARRIVAL. S24 BACK IN SERVICE .						
2015-000197-00	03/29/2015	20:14	99 OVERSEAS		Gasoline or other	4
S24 RESPONDED FROM STATION 24 ABLE 4 TO THE CIRCLE K GAS STATION FOR A HAZMAT SPILL. UPON ARRIVAL S24 FOUND APPROX. 5 X 11' GAS SPILL ON THE GROUND. S24 CREW MITIGATED HAZARD WITH ABSORBENT. S24 INFORMED MANAGEMENT THAT THEY WOULD NEED TO PROPERLY DISPOSE OF THE ABSORBENT IN THE PROPER CONTAINER, THAT AT THIS TIME IS NOT LOCATED ON THEIR PROPERTY. S24 BACK IN SERVICE.						
2015-000198-00	03/31/2015	05:40	130 GUMBO LIMBO		Medical assist, assist EMS	4
S24 RESPONDED ABLE 4 FROM STATION 24 TO 130 GUMBO LIMBO DR FOR A MEDICAL ASST. UPON ARRIVAL S24 CREW ASSISTED R23 CREW WITH BRINGING A PATIENT DOWN THE STAIRS. S24 BACK IN SERVICE.						

Total Incidents: 74

Key Largo Fire Dept.

Period: From 03/01/2015 to 03/31/2015

NFPA Survey Report

FIRE IN STRUCTURES BY FIXED PROPERTY USE (OCCUPANCY) (All in Section A Incident Type 110-129)	Number of Fires	Number of Civilian Fire Casualties. If none, write 0.		Estimated Property Damage from Fire. If no loss, write 0.
		Deaths	Injuries	
1. Private Dwellings (1 or 2 family), Including mobile homes (FPU 410-419)	0	0	0	\$0
2. Apartments (3 or more families) FPU 429 or FPU 439)	0	0	0	\$0
3. Hotels and Motels (FPU 449)	0	0	0	\$0
4. All other residential (dormitories, boarding houses, tents, etc.) (FPU 459-499)	0	0	0	\$0
5. TOTAL OTHER RESIDENTIAL FIRES (SHOULD BE SUM OF LINES 1 THROUGH 4)	0	0	0	\$0
6. Public Assembly (church, restaurant, clubs, etc.) (FPU 100-199)	0	0	0	\$0
7. Schools and Colleges (FPU 200-299)	0	0	0	\$0
8. Health Care and Penal Institutions (hospitals, nursing homes, prisons, etc.) (FPU 300-399)	0	0	0	\$0
9. Stores and Offices (FPU 500-599)	0	0	0	\$0
10. Industry, Utility, Defense, Laboratories, Manufacturing (FPU 600-799)	0	0	0	\$0
11. Storage in Structures (barns, vehicle storage garages, general storage, etc.) (FPU 800-899)	0	0	0	\$0
12. Other Structures** (outbuildings, bridges, etc.) (FPU 900-999)	0	0	0	\$0
13. TOTALS FOR STRUCTURE FIRES (SHOULD BE SUM OF LINES 5 THROUGH 12)	0	0	0	\$0
B. OTHER FIRE AND INCIDENTS				
14a. Fires in Highway Vehicles (autos, trucks, buses, etc.) (IT 131-132, 136-137)	2	0	0	\$0
14b. Fires in Other Vehicles (planes, trains, ships, construction or farm vehicles, etc.) (IT 130, 133-135, 138)	0	0	0	\$0
15. Fires outside of Structures with Value Involved, but Not Vehicles (outside storage, crops, timber, etc. (IT 140, 141, 161, 162, 164, 170-173)	0	0	0	\$0
16. Fires in Brush, Grass, Wildland (excluding crops and timber) with no value involved. (IT 142-143)	0	0	0	
17. Fires in Rubbish, Including Dumpsters (outside of structures), with no value involved. (IT 150-155)	0	0	0	
18. All Other Fires. (IT 100, 160, 163)	0	0	0	\$0
19. TOTAL FOR FIRES (SHOULD BE SUM OF LINES 13 THROUGH 18)	2	0	0	\$0
20. Rescue, Emergency Medical Responses (ambulance, EMS, rescue) (IT 300-381)	38			
21. False Alarm Responses (malicious or unintentional false calls, system malfunctions, bomb scares) (IT 700-746)	11			
22. Mutual Aid or Assistance Responses Given	1			
23a. Hazardous Materials Responses (spills, leaks, etc.) (IT 410-431)	1			
23b. Other Hazardous Conditions (arcing wires, bomb removal, power line down, etc.) (IT 440-482, 400)	4			
24. All Other Responses (smoke scares, lock-outs, animal rescues, etc.) (IT 200-251, 500-699, 800-911)	17			
25. TOTAL FOR ALL INCIDENTS (SHOULD BE SUM OF LINES 19 THROUGH 24)	74			

Based on what is reported in lines 5 and 13 for number of fire above, please report separately:

Confined fires (e.g., cooking fires confined to cooking vessel, or chimney fire that did not spread beyond chimney, or confined trash fires) IIT 113 - 118), and Nonconfined fires (IT 110 - 112, 120 - 123).

	Number of Confined Fires	Number of Nonconfined Fires
5. Residential Fires (line 5 above)	0	0
13. Structure Fires (line 13 above)	0	0

BREAKDOWN OF FALSE ALARM RESPONSES

Type of Fire Alarm	Number of Incidents
1. Malicious, Mischievous False Call (IT 710-715)	0
2. System Malfunction (IT 700-739)	2
3. Unintentional (tripping on interior device accidentally etc.) (IT 740-749)	3
4. Other False Alarms (bomb scares, etc.) (IT 721, 700)	6

Key Largo Volunteer Fire Department, Inc.

Fire Department: 38032
 Companies: All
 Date Range: From 10/01/2014 to 03/31/2015
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: Yes
 Exclude Exposures: No

Incident Totals by Month of Year

Month	Totals	Cumul.	Average Attend.
January	53	53	4
Febuary	62	115	4
March	73	188	5
April	0	188	0
May	0	188	0
June	0	188	0
July	0	188	0
August	0	188	0
September	0	188	0
October	45	233	4
November	43	276	4
December	44	320	4