

Key Largo Volunteer Fire Department, Inc.

Fire Department: 38032
 Companies: All
 Date Range: From 06/01/2015 to 06/30/2015
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: No
 Exclude Exposures: No

Totals and Average Attendance by Incident Type

Code and Description	Incident Count	Number Attend	Average Attend	Total Length	Average Length	Average Man Hrs	Total Man Hrs
131-Passenger vehicle fire	1	5	5.00	0.3	0.25	1.25	1.25
141-Forest, woods or wildland fire	1	8	8.00	1.0	1.00	8.00	8.00
160-Special outside fire, other	1	2	2.00	0.7	0.73	1.46	1.46
300-Rescue, EMS incident, other	1	5	5.00	0.8	0.75	3.75	3.75
311-Medical assist, assist EMS crew	10	39	3.90	4.5	0.45	2.00	20.03
321-EMS call, excluding vehicle accident with injury	10	27	2.70	4.6	0.46	1.35	13.49
322-Motor vehicle accident with injuries	6	31	5.17	1.7	0.29	1.69	10.12
324-Motor vehicle accident with no injuries.	4	18	4.50	2.0	0.51	2.44	9.76
352-Extrication of victim(s) from vehicle	2	12	6.00	2.8	1.38	8.07	16.15
411-Gasoline or other flammable liquid spill	2	11	5.50	3.0	1.51	7.55	15.10
444-Power line down	3	12	4.00	2.3	0.78	3.34	10.01
445-Arcing, shorted electrical equipment	2	10	5.00	1.2	0.61	3.24	6.49
480-Attempted burning, illegal action, other	2	11	5.50	0.2	0.09	0.26	0.51
551-Assist police or other governmental agency	1	3	3.00	0.3	0.25	0.75	0.75
611-Dispatched & canceled en route	3	11	3.67	0.2	0.06	0.25	0.76
700-False alarm or false call, other	6	27	4.50	24.9	4.15	20.64	123.83
743-Smoke detector activation, no fire - unintentional	3	16	5.33	1.4	0.47	2.80	8.40
Blank: No Code Entered	0	0	0.0	0.0	0.00	0.00	0.00
Incorrect Entry	0	0	0.0	0.0	0.00	0.00	0.00
Totals and Averages for All Codes:	58	248	4.28	51.86	0.89	4.31	249.86

Your department started using NFIRS 5.0 on 01/01/2000. This means that the report uses the NFIRS 5.0 Code Set.

Key Largo Volunteer Fire Department, Inc.

Incident Run Log

Fire Department: 38032

Companies: All

Date Range: From 06/01/2015 to 06/30/2015

Box/Zone/ Code: All

District: All

Situation Found: All

Exclude Mutual Aids: No

Exclude Exposures: No

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2015-000330-00	06/01/2015	01:37	99080 OVERSEAS		Medical assist, assist EMS	8
<p>S24 WAS DISPATCHED TO A MEDICAL EMERGENCY AT THE APARTMENTS NEXT TO BAYSIDE GRILL, 99080 OVERSEAS HWY. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 CREW MET WITH R23 CREW AND FOUND ONE PATIENT LYING ON HIS BACK NEXT TO THE STAIRS. WITNESSES STATED HE TRIED TO CLIMB UP TO THE SECOND FLOOR AND FELL ONTO THE GROUND APPROX. 8 - 10 FEET. PATIENT LOST CONSCIOUSNESS AND HAD BLOOD COMING FROM HIS EARS. R23 MEDIC CALLED A TRAUMA ALERT AND REQUESTED TRAUMA STAR BE EN ROUTE TO THE KEY LARGO RANGER STATION. S24 CREW ASSISTED R23 CREW WITH BLS AND PATIENT PACKAGING. T24 WENT EN ROUTE TO THE KEY LARGO RANGER STATION TO HELP WITH THE HELISPOT. ONCE PATIENT WAS IN THE RESCUE S24 CREW BROKE AWAY TO GO SECURE THE HELISPOT. UPON ARRIVAL AT THE KEY LARGO RANGER STATION S24 LT ESTABLISHED HELISPOT COMMAND AND S24 CREW SECURED THE AREA AND SET UP THE LZ LIGHTS. HELISPOT COMMAND RELAYED INFORMATION TO TRAUMA START THAT THE HELISPOT WAS SECURE AND A MARSHALLER WAS IN PLACE. ONCE PATIENT WAS TRANSFERRED TO TRAUMA STAR AND IN THE HELICOPTER EN ROUTE TO RYDER TRAUMA CENTER HELISPOT COMMAND WAS TERMINATED AND ALL KLFDF UNITS WERE BACK IN SERVICE.</p>						
2015-000331-00	06/01/2015	18:36	99000 OVERSEAS		EMS call, excluding vehicle	2
<p>S24 RESPONDED TO 99 MILE MARKER FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 FOUND A 25 YEAR OLD FEMALE WITH VAGINAL BLEEDING. FEMALE WAS GRAVIDA 5 PARA 2. PATIENT STATES SHE IS 3 MONTHS PREGNANT. S24 ASSESSED HER VITALS AND TRANSFERRED CARE OVER TO RESCUE 123 UPON THEIR ARRIVAL.</p>						
2015-000332-00	06/01/2015	22:39	100360 OVERSEAS		Motor vehicle accident	2
<p>S24 RESPONDED TO MILE MARKER 100 FOR AN ACCIDENT WITH INJURIES. UPON ARRIVAL, S24 FOUND TWO VEHICLES WITH MINOR DAMAGE. NO ROAD BLOCKS WERE PRESENT. ALL PATIENTS WERE AMBULATORY. S24 REMOVED ALL HAZARDS AND WENT BACK IN SERVICE.</p>						
2015-000333-00	06/03/2015	17:42	100 HAMMOCK	1211	False alarm or false call,	6
<p>E24 WAS DISPATCHED TO 100 HAMMOCK TRAIL APTS FOR A FIRE ALARM. E24 RESPONDED FROM STATION 24. E25 RESPONDED FROM STATION 25. UPON ARRIVAL E24 FOUND A 3 STORY CBS CONSTRUCTION APARTMENT BUILDING WITH NOTHING SHOWING. E24 LT MADE CONTACT WITH MCSO DEPUTY WHO STATED THE HOMEOWNER WAS COOKING AND SET OFF THE FIRE ALARM. E24 LT CANCELED E25. E24 BACK IN SERVICE.</p>						
2015-000334-00	06/04/2015	02:13	98540 OVERSEAS		Arcing, shorted electrical	7
<p>E24 WAS DISPATCHED TO 98540 OVERSEAS HWY (OLD BOATS DIRECT YARD) AT THE 98MM SOUTH BOUND GULF SIDE. E24 RESPONDED FROM STATION 24. E25 RESPONDED FROM STATION 25. UPON ARRIVAL E24 FOUND AN APPROX. 30 FOOT DONZI VESSEL WITH HEAVY SMOKE COMING FROM THE CONSOLE AREA. E24 LT ESTABLISHED BOATS DIRECT COMMAND AND ADVISED CENTRAL OF THE FINDINGS. COMMAND ADVISED E25 TO CONTINUE. E24 LT HAD E24 CREW PULL THE 150' CROSS LAY AND RETRIEVE A PAIR OF BOLT CUTTERS FROM THE TRUCK TO MAKE ENTRY TO THE LOCKED FENCE TO THE PROPERTY. THE BOLT CUTTERS WOULD NOT CUT THE CHAIN SO THE K12 WAS USED TO MAKE ENTRY. ONCE ENTRY WAS MADE E24 CREW MET BY MCSO DEPUTIES WHO WERE ALREADY ON SCENE AND IN THE BOAT PUTTING WATER INTO THE BATTERY TERMINAL AREA WHERE THE SHORTING ELECTRICAL COMPONENTS WERE. BOATS DIRECT COMMAND HAD E25 CREW ASSIST IN OVERHAUL OPERATIONS AND ALSO TRY TO LOCATE A CONTACT NUMBER FOR THE PROPERTY OWNER. E24 CREW REMOVED ALL 3 BATTERIES FROM THE REAR COMPARTMENT AND REMOVED ONE BATTERY FROM THE FRONT CENTER CONSOLE COMPARTMENT IN AN EFFORT TO STOP THE WIRING FROM SMOKING AND KEEP A CHANCE OF CATCHING FIRE FROM HAPPENING. E24 CREW FOUND THAT A GARMIN GPS TYPE BOX MOUNTED ON THE RIGHT SIDE OF THE COMPARTMENT WAS MELTED THROUGH AND WAS STILL HOT FROM THE OVERHEATING OF THE ELECTRICAL SYSTEM. ONCE ALL BATTERY'S WERE REMOVED THE SMOKING SUBSIDED AND E24 REMAINED ON SCENE REFERENCE PAPERWORK AND TO MAKE SURE ALL HAZARDS WERE REMOVED BEFORE GOING BACK IN SERVICE. E25 WAS RELIEVED AND RETURNED TO STATION 25. BEFORE LEAVING THE PROPERTY E24 LT AND MCSO DEPUTIES PUT A ZIP TIE THROUGH THE CUT CHAIN LINK IN AN EFFORT TO SECURE THE PROPERTY.</p>						
2015-000335-00	06/05/2015	07:23	916 TROPICAL		Arcing, shorted electrical	3
<p>STATION 25 WAS DISPATCHED FOR A POWER LINE FIRE AT 918 TROPICAL LN, E25 RESPONDED FROM STATION AND UPON ARRIVAL LOCATED A SMOKING ELECTRICAL DISCONNECT BOX FOR 916 TROPICAL LN. CONTACTED RESIDENT AND ADVISED CENTRAL OF DIFFERENT ADDRESS. SECURED UTILITIES, CONTACTED FKEC AND TURNED SCENE OVER TO RESIDENT. E25 IN SERVICE @07:55</p>						
2015-000336-00	06/05/2015	11:14	104801 OVERSEAS		False alarm or false call,	2
<p>STATION 25 WAS DISPATCHED TO KEY LARGO ELEMENTARY SCHOOL FOR AN ELEVATOR ALARM CALL. E25 RESPONDED FROM STATION AND UPON ARRIVAL WAS MET BY STUDENTS STATING THEY PRESSED THE ALARM BUTTON. E25 CREW TESTED THE ELEVATOR AND RESET THE ALARM. E25 IN SERVICE @11:35</p>						
2015-000337-00	06/05/2015	10:56	99 99751 OVERSEAS HWY		EMS call, excluding vehicle	2
<p>Upon arrival S24 assisted with patient care due to R23 and R123 being out on calls. Pt had vital signs taken and assisted with bls assessment. R22 was called to transport Priority 3 patient to Mariners er for further evaluation.</p>						
2015-000338-00	06/05/2015	21:10	9 ABACO		EMS call, excluding vehicle	2
<p>STATION 25 AND R23 WERE DISPATCHED TO 9 ABACO RD FOR A PATIENT SEMI CONSCIOUS. E25 RESPONDED FROM STATION AND</p>						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
UPON ARRIVAL LOCATED PT IN BEDROOM. CREW OBTAINED VITAL SIGNS, PAST HISTORY, GLUCOSE LEVEL AND PLACED PT ON O2 VIA NRB 10LPM DUE TO LOW O2 SAT. MONITORED VITAL SIGNS AND ASSISTED R23 WITH ASSESSMENT UPON ARRIVAL. SCENE TURNED OVER TO EMS AND E25 AVAILABLE @ 21:36						
2015-000339-00	06/09/2015	08:30	102 100 3RD LANE		False alarm or false call,	5
Upon arrival S-24 located a 3 story residential structure with nothing showing. Rp stated he started hearing the alarm while out in the street. S24 investigated and nothing was revealed. Home owner was notified and stated the alarm has been having trouble lately. She also stated she would be at the home shortly to check on it.						
2015-000340-00	06/11/2015	10:00	99 MARINA		Medical assist, assist EMS	2
S24 RESPONDED TO KEY LARGO HOMEOWNER'S PARK FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 INITIATED BLS TO THE PATIENT. PATIENT WAS ON OXYGEN UPON ARRIVAL OF THE VESSEL. THE CAPTAIN OF THE VESSEL STATED THAT HE WAS DIVING AND THE PATIENT WENT UNCONSCIOUS. S24 TRANSFERRED THE PATIENT OVER TO RESCUE 23 UPON THEIR ARRIVAL.						
2015-000341-00	06/11/2015	11:32	320 TAYLOR		Smoke detector activation,	3
STATION 25 WAS DISPATCHED TO A FIRE ALARM. E25 RESPONDED FROM STATION. UPON ARRIVAL E25 FOUND NOTHING SHOWING AND INVESTIGATED. E25 MADE CONTACT WITH HOME OWNER AND FOUND A POT ON THE STOVE THAT SET OFF THE FIRE ALARM. E25 FOUND NO HAZARDS, EVERYTHING WAS CODE 5. E25 BACK IN SERVICE.						
2015-000342-00	06/11/2015	15:34	97630 OVERSEAS		Extrication of victim(s)	5
S24 AND E25 WAS DISPATCHED TO MILE MARKER 97 IN FRONT OF DENNY'S RESTAURANT FOR AN ACCIDENT WITH INJURIES. UPON ARRIVAL, S24 FOUND 2 VEHICLES WITH HEAVY DAMAGE. VEHICLE 1 (FORD MUSTANG) HAD HEAVY DAMAGE TO THE DRIVER SIDE DOOR. THE PATIENT SUFFERED INJURIES. S24 IMMOBILIZED THE PATIENT AND EXTRICATED THE PATIENT FROM OUT OF THE VEHICLE. VEHICLE 2 (GMC YUKON) HAD HEAVY FRONT DAMAGE. ALL PATIENT S WERE AMBULATORY FROM VEHICLE 2. S24 AND E25 MITIGATED ALL HAZARDS.						
2015-000343-00	06/12/2015	14:20	106MM OVERSEAS		Motor vehicle accident	2
STATION 25 CAME ACROSS AN MVA. E25 ALERTED CENTRAL DISPATCH. E25 HAD 7 PATIENTS WHO ALL REFUSED MEDICAL TREATMENT. E25 HAD ONE NB LANE ROAD BLOCK, AND USED KITTY LITTER FOR SPILLS. E25 MITIGATED ALL HAZARDS AND TURNED THE SCENE OVER TO FHP. E25 BACK IN SERVICE.						
2015-000344-00	06/12/2015	18:44	819 JADE		Power line down	3
S24 RESPONDED TO SILVER SHORES FOR A POWER LINE THAT WAS ARCING. UPON ARRIVAL, S24 SECURED THE SCENE AND NOTIFIED THE POWER COMPANY TO RESPOND TO TRIM THE TREE.						
2015-000345-00	06/14/2015	07:15	100 HAMMOCKS	1207	Medical assist, assist EMS	5
S24 RESPONDED ABLE 5 TO 100 HAMMOCKS TRAIL FROM STATION 24 FOR A POSSIBLE SUICIDE ATTEMPT. UPON ARRIVAL S24 STAGED UNTIL FURTHER NOTICE. S24 WAS CANCELED BY R23. S24 BACK IN SERVICE.						
2015-000346-00	06/14/2015	07:45	C5 CARDSOUND		Assist police or other	3
ENGINE 25 CREW WAS DISPATCHED TO CARDSOUND ROAD TO ASSIST S/O WITH A TREE IN THE MIDDLE OF THE ROAD. ON ARRIVAL CREW MOVED TREE AND DEBRIS OF THE HIGHWAY. ENGINE 25 WAS BACK IN SERVICE AT 0800						
2015-000347-00	06/14/2015	18:19	102500 OVERSEAS		Dispatched & canceled en	4
S24 WAS CANCELED BY CENTRAL DISPATCH BEFORE GOING EN ROUTE REF WRONG LOCATION GIVEN, CALL WAS FOR STATION 8. S24 BACK IN SERVICE.						
2015-000348-00	06/14/2015	20:03	201 OCEAN		False alarm or false call,	8
E24 RESPONDED ABLE 4 FROM STATION 24 TO THE KEY WEST INN FOR A FIRE ALARM. E24 CANCELED EN ROUTE BY CENTRAL DISPATCH. E24 WENT EN ROUTE ROUTINE TO INVESTIGATE. E24 FOUND NOTHING SHOWING UPON ARRIVAL AND SPOKE WITH MANAGER OF HOTEL. E24 CREW INVESTIGATED LAUNDRY ROOM WHERE ALARM ORIGINATED AND FOUND THE CALL TO BE A FALSE ALARM. E24 BACK IN SERVICE. E25 CANCELED EN ROUTE BY CENTRAL DISPATCH.						
2015-000349-00	06/15/2015	08:40	98200 OVERSEAS		Motor vehicle accident	5
S24 RESPONDED TO MILE MARKER 98 FOR AN ACCIDENT. LEO REQUESTED FIRE RESCUE PERSONNEL TO ASSESS A TODDLER THAT WAS INVOLVED IN THE ACCIDENT. S24 ASSESSED THE TODDLER. NO INJURIES REPORTED. S24 TRANSFERRED THE TODDLER OVER TO EMS FOR FURTHER ASSESSMENT. S24 CONTINUED TO REMOVE DEBRIS OFF THE HIGHWAY.						
2015-000350-00	06/15/2015	09:30	104801 OVERSEAS		Rescue, EMS incident,	5
S24 RESPONDED FROM MILE MARKER 98 TO KEY LARGO ELEMENTARY SCHOOL TO ESTABLISH A HELISPOT IN REFERENCE OF A MEDICAL CALL THAT CONSISTED OF A PATIENT FALLING 30 FEET OF FROM A ROOF. S24 SECURED THE LZ AND MARSHALED THE HELICOPTER DOWN.						
2015-000351-00	06/15/2015	17:50	1500 OCEAN BAY		Special outside fire, other	2
S24 RESPONDED FROM THE CARIBBEAN CLUB IN ANOTHER INCIDENT TO KAWAMA YACHT CLUB. UPON ARRIVAL, S24 FOUND A TRANSFORMER CANISTER ON FIRE. S24 EXTINGUISHED THE FIRE AND ADDED FOAM TO SUPPRESS THE FIRE ON THE GROUND CAUSED BY HOT OIL. S24 NOTIFIED THE POWER COMPANY. UPON THEIR ARRIVAL, S24 TURNED THE SCENE OVER.						
2015-000352-00	06/15/2015	09:25	60 OCEANFRONT		EMS call, excluding vehicle	3
E25 AND R23 WERE DISPATCHED FOR A MEDICAL EMERGENCY AT 60 OCEANFRONT DR. UPON ARRIVAL, DISPATCH ADVISED OF A GATE CODE. CREW MADE ENTRY AND LOCATED PT ON THE FLOOR IN THE BED ROOM AND CARE TAKER STATED SHE HAS BEEN DOWN FOR AN UNKNOWN AMOUNT OF TIME. CREW COMPLETED HEAD TO TOE AND MOVED PT TO WHEEL CHAIR. COMPLETED ASSESSMENT, TREATED SUPERFICIAL TRAUMA AND TRANSFERRED PT TO EMS UPON ARRIVAL. E25 CLEARED SCENE AND WENT EN ROUTE TO MM 104 TO THE TRAUMA ALERT.						
2015-000353-00	06/15/2015	16:22	424 4TH		EMS call, excluding vehicle	3
E25 AND R23 WERE DISPATCHED FOR A MEDICAL EMERGENCY FOR A UNCONSCIOUS PT. UPON ARRIVAL E25 CREW LOCATED ONE PT						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
					ON THE COUCH, CONSCIOUS. E25 CREW ASSESSED PT AND OBTAINED VITAL SIGNS. CARE WAS TRANSFERRED TO EMS UPON ARRIVAL. ASSISTED R23 WITH PT PACKAGING AND LOADING. E25 AVAILABLE @ 16:46	
2015-000354-00	06/16/2015	04:54	97000 OVERSEAS		EMS call, excluding vehicle	3
					S24 RESPONDED WITH RESCUE 123 TO THE HILTON RESORT FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 FOUND AN 18 YEAR OLD FEMALE PATIENT LYING HER BED. PATIENT PARENT'S STATED THAT SHE FAINTED. S24 ASSESSED HER VITAL SIGNS AND WERE WITHIN NORMAL LIMITS. PATIENT REFUSED TRANSPORT TO THE HOSPITAL.	
2015-000355-00	06/15/2015	09:30	4 SOUTH		EMS call, excluding vehicle	3
					E25, R123 AND R22 WERE DISPATCHED TO A MEDICAL EMERGENCY FOR A PT WHO FELL OFF A ROOF, 20-30 FT. E25 CREW ASSISTED IN PACKAGING AND WENT EN ROUTE TO THE HELISPOT TO FURTHER ASSISST R123 WITH PT CARE AND MARSHALING OF TRAUMA STAR.	
2015-000356-00	06/15/2015	17:28	104 OVERSEAS		Extrication of victim(s)	7
					STATION 25, 24 AND 23 WERE DISPATCHED FOR A ROLLOVER MVA WITH POSSIBLE ENTRAPMENT AT THE CARRIBEAN CLUB MM104. UPON E25 ARRIVAL, CREW LOCATED 3 VEHICLES INVOLVED, ONE ROLLED OVER INTO A TREE AND PARKED VEHICLE, HEAVY DAMAGE, WITH ONE CONFIRMED ENTRAPPED PT. ONE PT WAS ON THE GROUND NEXT TO THE VEHICLE AND ONE PT STANDING NEXT TO HIS PICK UP TRUCK. ONE SOUTH BOUND LANE WAS BLOCKED. E25 ESTABLISHED 104 COMMAND, ADVISED INCOMING UNITS AND PUT AIR RESCUE ON STAND BY. E25 CREW DEPLOYED FRONT JUMPLINE FOR FIRE PROTECTION, STABILIZED THE OVERTUREND VEHICLE WITH, QUICK CRIBBS, BOX CRIBBING, RESCUE JACKS AND MADE PT CONTACT. S24 WAS PUT IN SERVICE AS EXTRICATION GROUP AND ALL UNITS WERE ADVISED TO SWITCH TO FIRE TECH 3. ENTRAPPED PT WAS EXTRICATED AFTER PASSANGER SIDE DOOR AND WINDSHIELD WERE REMOVED AND PT WAS TRANSFERRED TO EMS @ 17:46. E25 REMAINED ON SCENE FOR CLEANUP AND REMOVAL OF THE VEHICLE. ALL HAZARDS WERE REMOVED AND COMMAND TERMINATED @ 18:40.	
2015-000357-00	06/16/2015	12:08	101 OVERSEAS HIGHWAY		Motor vehicle accident	6
					STATION 24 AND R23 WERE DISPATCHED FOR A MVA AT MM101, E25, S24 R23 AND R123 RESPONDED. UPON ARRIVAL CREW LOCATED A HEAD ON COLLISION SOUTH BOUND, HEAVY DAMAGE TO BOTH VEHICLES, 2 PTS OUT OF THE VEHICLES. COMPLETE SOUTHBOUND ROAD BLOCK AND ONE LANE NORTHBOUND ROAD BLOCK.E25 CREW ASSEST PTS AND TRANSFERRED CARE TO RESCUE UPON ARRIVAL, COMMAND WAS ESTABLISHED, HAZARDS REMOVED AND ALL LANES OPENED WITH COMMAND TERMINATED @ 12:30	
2015-000358-00	06/17/2015	09:51	102 102400 OVERSEAS HWY		Medical assist, assist EMS	5
					Upon arrival E-25 assisted with patient care and patient back boarding. E-25 crew also helped with Bls assessment.	
2015-000359-00	06/17/2015	12:21	320 LAGUNA		EMS call, excluding vehicle	2
					S24 RESPONDED TO JACOB'S AQUATIC CENTER FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 A 5 YEAR OLD PEDIATRIC SITTING WITH THE LIFE GAURD. LIFE GUARD STATED THAT HE WAS CLIMBING ON THE LADDER TO JUMP OFF THE DIVING BOARD AND HE SLIPPED AND FELL. S24 ASSESSED THE PATIENT, S24 TRANSFERRED THE PATIENT OVER TO RESCUE 23 UPON THEIR ARRIVAL.	
2015-000360-00	06/18/2015	10:17	99 MARINA		EMS call, excluding vehicle	4
					S24 RESPONDED TO KEY LARGO HOMEOWNER'S PARK FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 AND RESCUE 23 STOOD BY APPROXIMATLEY 30 MINUTIES FOR THE VESSEL TO ARRIVE THAT CARRIEND THE PATIENT. UPON ARRIVAL OF THE VESSEL, S24 FOUND AN ELDERLY MALE UNCONCIUOS. CPR WAS BEING PERFORMED. S24 AND RESCUE 23 REMOVED THE PATIENT OF THE VESSEL AND LOADED THE PATIENT ON TO THE BACK OF THE RESCUE TRUCK. S24 ASSISTED RESCUE 23 WITH BLS PROCEDURES.	
2015-000361-00	06/18/2015	14:30	101 48 HARRY DAVIS LN		Medical assist, assist EMS	4
					Upon arrival E-25 assisted R23 pt patient care and a driver.	
2015-000362-00	06/18/2015	20:40	99.6 OVERSEAS		Power line down	4
					S24 RESPONDED TO THE INTERSECTION OF ATLANTIC AND OVERSEAS HWY FOR LAW ENFORCEMENT ASSIST. UPON ARRIVAL, S24 SPOKE WITH THE DEPUTY. THE DEPUTY STATED THAT THERE WAS A HIT AND RUN ACCIDENT AND THE VEHICLE KNOCKED OVER AN ELECTRONIC PEDESTRIAN CROSSWALK SIGN. S24 INVESTIGATED AND FOUND LIVE WIRES FORM THE SIGN. S24 NOTIFIED THE POWER COMPANY TO RESPOND TO SECURE THE LIVE WIRES. S24 REMAINED ON SCENE UNTIL THE POWER COMPANY ARRIVED.	
2015-000363-00	06/19/2015	10:29	99675 OVERSEAS		Gasoline or other	5
					STATION 24 WAS DISPATCHED TO VALERO GAS STATION FOR A FUEL SPILL. S24 RESPONDED AND UPON ARRIVAL LOCATED A VESSEL ACTIVLY SPILLING FUEL THROUGH THE BILGE PUMP AND APP. 30-40 GAL OF GASOLINE ON THE GROUND. S 24 CREW SHUT DOWN OPERATIONS AT THE GAS STAION, DAMMED OF STORM DRAIN AND LAGUNA AVE AND APPLIED A FOAM BLANKET 3% A3F FIRE ADE WITH 500 GAL WATER. DEP AND PUBLIC WORKS WERE CONTACTED THROUGH DISPATCH AND RESPONDED. AN UNKNOWN AMOUNT OF FUEL SPILLED INTO THE STORM DRAIN PRIOR TO KLFD ARRIVAL. AFFECTED AREAS WERE CLOSED OFF, SCENE HANDED OVER TO DEP. COMMAND TERMINATED, ALL UNITS IN SERVICE @ 13:30	
2015-000364-00	06/19/2015	13:42	207 OCEANSHORES		False alarm or false call,	3
					STATION 24 WAS DISPATCHED TO 207 S. OCEAN SHORES DR. UPON ARRIVAL E24 FOUND NOTHING SHOWING AND WENT INTO INVESTIGATIVE MODE. E 24 MADE CONTACT WITH THE TENANT AND CONFIRMED FALSE ALARM. E24 BACK IN SERVICE AT 14:01	
2015-000365-00	06/19/2015	15:10	101437 OVERSEAS		Passenger vehicle fire	5
					S24 WAS APPROACHED BY A PASSER BY AT THE PUBLIX PARKING LOT AND ADVISED OF A VEHICLE FIRE. S24 ADVISED CENTRAL AND DISPATCHED E25. UPON ARRIVAL S24 LOCATED A VEHICLE WITH A SMOKING ENGINE COMPARTMENT, EXTINGUISHED CARBURATOR FIRE. S24 ESTABLISHED COMMAND, CHECKED FOR EXTENSION. E25 WAS CANCELLED AND COMMAND TERMIANTED @ 15:25	
2015-000366-00	06/19/2015	19:44	315 SOUND		Power line down	5

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
STATION 24 WAS DISPATCHED TO SOUND DR MM103 FOR A LINE DOWN, S24 RESPONDED FROM STATION AND UPON ARRIVAL CREW LOCATED A DOWNED CATV LINE SUSPENDED 3 FEET ABOVE THE GROUND. ROAD WAS CLOSED, CENTRAL ADVISED AND COMCAST REQUESTED TO SCENE. UPON COMCAST ARRIVAL THE CATV LINE WAS REATTACHED TO BUILDING AND THE ROAD WAS OPENED UP AGAIN. S24 IN SERVICE @ 20:42						
2015-000367-00	06/20/2015	04:15	107900 OVERSEAS		Dispatched & canceled en	4
STATION 24 AND 25 WERE DISPATCHED FOR A BRUSH FIRE UNDER JEWFISH CREEK BRIDGE. S24 RESPONDED AND STAGED AT STATION 25, CANCELED BY E25 AND RETURNING TO QUARTERS.						
2015-000368-00	06/20/2015	15:46	100 MM OVERSEAS HWY		Motor vehicle accident	10
STATION 24 WAS DISPATCHED TO REPORTS OF AN MVA AT THE 100MM SOUTHBOUND. UPON ARRIVAL S24 FOUND 2 VEHICLES OFF OF TO THE SIDE OF THE ROAD, ONE WITH HEAVY FRONT END DAMAGE AND ONE WITH LIGHT REAR END DAMAGE. S24 ESTABLISHED COMMAND AND MITIGATED ALL HAZARDS. COMMAND TERMINATED AND SEEN TURNED OVER TO FHP AT 16:15.						
2015-000369-00	06/21/2015	19:29	325 CALUSA		Medical assist, assist EMS	4
S24 RESPONDED ABLE 4 FROM STATION 24 TO 325 CALUSA ST FOR A MEDICAL EMERGENCY. UPON ARRIVAL S24 FOUND 3 PATIENTS AND ASSISTED R123 CREW WITH PATIENT PACKAGING AND FIRST AID. S24 BACK IN SERVICE.						
2015-000370-00	06/21/2015	23:02	97950 OVERSEAS		Motor vehicle accident	4
S24 RESPONDED ABLE 4 FROM STATION 24 TO TOM THUMB MM98 FOR A MVA WITH POSSIBLE INJURIES. UPON ARRIVAL S24 FOUND 2 VEHICLES IN THE PARKING LOT WITH MINOR DAMAGE, NO HAZARDS AND NO INJURIES. S24 BACK IN SERVICE.						
2015-000371-00	06/22/2015	16:15	99000 OVERSEAS		Motor vehicle accident	2
S24 RESPONDED ABLE 2 FROM STATION 24 TO KEYS BITE FOR A MVA WITH INJURIES. UPON ARRIVAL S24 FOUND 2 VEHICLES IN THE PARKING LOT WITH MODERATE TO MINOR DAMAGE, MINOR FUEL SPILL, AND 1 INJURY. S24 CREW MITIGATED FUEL SPILL AND ASSISTED R23 W/PATIENT PACKAGING AND REMOVAL FROM VEHICLE. S24 BACK IN SERVICE.						
2015-000372-00	06/21/2015	19:01	107691 OVERSEAS		Medical assist, assist EMS	2
ENGINE 25 CREW WAS DISPATCHED TO ASSIST R 23. UPON ARRIVAL E25 CREW ASSISTED WITH PT REMOVAL FROM BOAT. E 25 BACK IN SERVICE @ 1921						
2015-000373-00	06/23/2015	09:19	5 TRANSYLVANIA		False alarm or false call,	3
S24 RESPONDED ABLE 3 FROM MM98 TO 5 TRANSYLVANIA AVE FOR A SMOKE ALARM. S24 WAS CANCELED EN ROUTE BY DISPATCH. S24 WENT EN ROUTE ROUTINE TO INVESTIGATE. UPON ARRIVAL S24 MET WITH THE SCHOOL'S TEACHERS AND WERE INFORMED THAT THE MICROWAVE OVER COOKED A MEAL AND CAUSED SMOKE WHICH ACTIVATED THE ALARM. S24 FOUND NO HAZARDS AND CONFIRMED THAT EVERYTHING WAS CODE 5. S24 BACK IN SERVICE.						
2015-000374-00	06/23/2015	13:15	228 ATLANTIC		Smoke detector activation,	6
S24 RESPONDED ABLE 3 FROM STATION 24 TO 228 ATLANTIC BLVD FOR A SMOKE DETECTOR ALARM. UPON ARRIVAL S24 FOUND A 3 STORY STRUCTURE WITH NOTHING SHOWING, S24 WENT INTO INVESTIGATIVE MODE. S24 ATTEMPTED TO LOCATE A KEY HOLDER AND DISPATCH WAS UNSUCCESSFUL. S24 MADE ENTRY TO THE ALARM PANEL WITHOUT THE ASSISTANCE OF A KEY HOLDER AND RESET THE SMOKE ALARM. D.CONORD WAS ABLE TO CONTACT THE PREVIOUS OWNER OF THE BUILDING WHO WAS ABLE TO CONTACT THE NEW OWNER. S24 SPOKE WITH NEW OWNER OVER THE PHONE REF. THE NO KEY HOLDER SITUATION. S24 INFORMED DISPATCH OF THE NEW KEY HOLDER INFORMATION AND UPDATED THE ADDRESS OF THE BUILDING TO READ "CORNER OF ATLANTIC BLVD AND HOMESTEAD AVE." E25 RESPONDED ABLE 2 FROM STATION 25. UPON ARRIVAL E25 CREW ASSISTED S24 CREW WITH GAINING ACCESS TO FIRE ALARM PANEL ROOM. ALL KLFD UNITS BACK IN SERVICE.						
2015-000375-00	06/24/2015	06:11	228 ATLANTIC		Smoke detector activation,	7
S24 RESPONDED ABLE 4 FROM STATION 24 TO 228 ATLANTIC BLVD/ATKINS ENGINEERING FOR A SMOKE DETECTOR ALARM. UPON ARRIVAL S24 FOUND NOTHING SHOWING AND WENT INTO INVESTIGATIVE MODE. S24 MADE ACCESS INTO FIRE ALARM PANEL ROOM AND RESET THE FALSE ALARM. S24 MET WITH KEY HOLDER AND ISSUES KEY HOLDER THEIR SECOND WARNING FOR FALSE ALARM AT THIS LOCATION. KEY HOLDER WAS EXPLAINED THE ORDINANCE IN EFFECT. E25 WAS CANCELED EN ROUTE. ALL KLFD UNITS BACK IN SERVICE.						
2015-000376-00	06/24/2015	20:13	66 SHORELAND		EMS call, excluding vehicle	3
STATION 25 AND R123 WERE DISPATCHED FOR A MEDICAL EMERGENCY, UPON ARRIVAL E25 CREW ASSISTED R123 WITH PT ASSESSMENT AND REMOVAL FOR 2ND FLOOR. CARE TRANSFERRED TO R123 AND E25 IN SERVICE @ 20:33						
2015-000377-00	06/25/2015	11:24	31 CARYSFORT		Attempted burning, illegal	8
STATION RECEIVED A LAND LINE CALL FROM THE MONROE COUNTY FIRE INSPECTOR WHO STATED THERE WAS A LARGE TRASH BURN OFF CARD SOUND ROAD IN THE CARYSFORT CIRCLE SUBDIVISION. E25, S24, AND T24 RESOUNDED FROM STATION 24. E25 TOOK ARRIVAL FIRST AND FOUND A SMALL 3' X 3' PIT FIRE AND IN NO APPARENT HAZARD. E25 CREW REQUESTED THE FIRE BE PUT OUT BY THE HOMEOWNER AND WAS EXTINGUISHED. E25 LT CANCELED T24 AND S24. ALL KLFD UNITS BACK IN SERVICE.						
2015-000378-00	06/25/2015	11:26	306 GROUPEUR		Medical assist, assist EMS	3
STATION 24 HAD A WALK UP TO THE FRONT DOOR STATING SOMEONE AT 306 GROUPEUR TRAIL WAS IN NEED OF MEDICAL ATTENTION. STATION 24 LT CALLED DISPATCH AND REQUESTED R123 TO RESPOND. S24 RESPONDED AS WELL. UPON ARRIVAL S24 AND R123 FOUND ONE PATIENT INSIDE THE HOUSE SITTING ON THE COUCH. PT STS HE WANTED HIS TEMP CHECKED. ALL VITALS WERE NORMAL. ALL UNITS BACK IN SERVICE.						
2015-000379-00	06/26/2015	13:47	106501 OVERSEAS	DARWIN	Gasoline or other	6
E25 WAS DISPATCHED TO THE CIRCLE K AT THE 106.5 MM. E25 RESPONDED FROM STATION 25. UPON ARRIVAL E25 FOUND A 22 FOOT VESSEL ATTACHED TO A PICK UP TRUCK. THE BOAT OWNER STATES HE FILLED APPROX. 40 GALLONS OF GAS INTO THE BOAT HOLDER BY MISTAKE. E25 LT ESTABLISHED COMMAND AND REQUESTED S24 TO RESPOND TO THE SCENE FOR HAZMAT. S24 RESPONDED FROM STATION 24. UPON S24 ARRIVAL S24 LT MET WITH E25 LT AND DISCUSSED PLAN OF ATTACK. S24 CREW DEPLOYED THE 200 FOOT CROSSLAY AND PUT IT INTO THE HULL OF THE BOAT TO FLUSH OUT THE FUEL WITH FOAM AND WATER.						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
<p>S24 CREW DEPLOYED HAZMAT BOOM AROUND THE DRAINAGE GRATE TO ABSORB SOME OF THE FUEL BEFORE IT SPILLED INTO THE DRAIN. WHILE ON SCENE S24 WAS DISPATCHED TO AN MVA AT THE 111 MM SOUTH BOUND. E25 LT RELEASED S24 TO RESPOND TO THE ACCIDENT. S24 CREW DISCONNECTED ALL HOSELINES AND WENT ENROUTE TO THE ACCIDENT. E25 REMAINED ON SCENE FOR HAZMAT CLEAN UP. WHILE ON SCENE E25 WAS REQUESTED TO RESPOND TO A MEDICAL EMERGENCY AT THE 105 MM PER R23 FOR A POSSIBLE STROKE ALERT.</p> <p>APPROX. 5 GALLONS OF FOAM WERE USED. 6 HAZMAT BOOMS WERE USED. 3 BAGS OF ABSORBENT WERE USED.</p>						
2015-000380-00	06/26/2015	14:42	15 MARLIN RD		Medical assist, assist EMS	3
Upon arrival E25 assisted R23 with patient care and bls skills. E25 also assisted R23 with a driver.						
2015-000381-00	06/26/2015	14:38	111 OVERSEAS		Dispatched & canceled en	3
S24 WAS DISPATCHED TO AN ACCIDENT AT THE 111MM SOUTH BOUND. S24 RESPONDED FROM THE HAZMAT SCENE (CIRCLE K 106.5MM). WHILE EN ROUTE S24 WAS CANCELED PER FHP ON SCENE. NO INJURIES AND NO ROAD BLOCK. S24 BACK IN SERVICE.						
2015-000382-00	06/26/2015	14:33	99 OVERSEAS		Motor vehicle accident	3
S24 WAS REQUESTED BY R123 TO RESPOND TO THE HESS GAS STATION AT THE 99MM FOR MANPOWER AT AN HIT AND RUN ACCIDENT. S24 RESPONDED FROM THE 107MM. UPON ARRIVAL S24 CREW ASSISTED R123 WITH REMOVAL OF PATIENT WITH A BACKBOARD AND INTO THE RESCUE. S24 BACK IN SERVICE.						
2015-000383-00	06/26/2015	17:45	106 VACA RD		Attempted burning, illegal	3
Upon arrival E25 located a small trash burn. Home owner stated a ambulance came by and called in the illegal burn. Neighbors are aware of trash burn and had no complaints therefore no warning was sited. Vacant lot didn't have any hazards.						
2015-000384-00	06/27/2015	10:25	677 LAKEVIEW		Forest, woods or wildland	8
S24 RESPONDED ABLE 3, TANKER 24 RESPONDED ABLE 1, AND E25 RESPONDED ABLE 4 FROM MM98 AND STATION 24, TO 677 N LAKEVIEW DR. UPON ARRIVAL E25 FOUND A 20X20 WILD LAND FIRE IN A VACANT LOT. E25 WENT INTO QUICK ATTACK MODE AND EXTINGUISHED THE FIRE. UPON ARRIVAL T24 ESTABLISHED COMMAND. UPON ARRIVAL S24 CREW ASSISTED E25 CREW WITH OVERHAUL. E25 CREW USED LOCK OUT TAG OUT KIT TO PUT A NEW PAD LOCK ON THE GATE. E25 CREW HAD TO CUT THE LOCK ON THE GATE TO GAIN ACCESS TO THE FIRE. A SPARE KEY TO THE NEW LOCK WAS GIVEN TO THE ACROSS THE STREET NEIGHBOR WHO CALLED IN THE FIRE. THE NEIGHBOR NOR DISPATCH HAD NO INFORMATION ON PROPERTY OWNER. ALL KLFD UNITS BACK IN SERVICE.						
2015-000385-00	06/27/2015	11:42	99336 OVERSEAS		Motor vehicle accident	8
S24 RESPONDED ABLE 4 FROM STATION 24 TO OVERSEAS HWY IN FRONT OF MRS. MAC'S KITCHEN FOR A MVA. E25 RESPONDED ABLE 4 FROM STATION 24 TO THE SAME LOCATION. UPON ARRIVAL S24 FOUND 1 MOTORCYCLE DOWN WITH PARTIAL SOUTHBOUND ROAD BLOCK. S24 FOUND 1 PATIENT WITH INJURIES AND NO HAZARDS. S24 ESTABLISHED MRS. MAC'S COMMAND. E25 WAS CANCELED UPON ARRIVAL. S24 ASSISTED R23 WITH PATIENT PACKAGING. S24 AND E25 CREW'S ASSISTED WITH TRAFFIC CONTROL. SCENE TURNED OVER TO R23, S24 TERMINATED COMMAND, ALL KLFD UNITS BACK IN SERVICE.						
2015-000386-00	06/28/2015	11:22	102 OVERSEAS		Motor vehicle accident	7
S24 RESPONDED ABLE 3 TO MM102 FROM STATION 24 FOR A MVA. UPON ARRIVAL S24 FOUND A SINGLE VEHICLE IN THE MEDIAN WITH MINOR DAMAGE AND 1 PRIORITY 3 PATIENT. E25 RESPONDED ABLE 4 FROM STATION 25 AND WAS CANCELED EN ROUTE BY S24. S24 CREW DISCONNECTED THE BATTERY ON THE VEHICLE INVOLVED. ALL HAZARDS MITIGATED. SCENE TURNED OVER TO FHP. ALL KLFD UNITS BACK IN SERVICE.						
2015-000387-00	06/29/2015	16:20	105050 OVERSEAS		Medical assist, assist EMS	3
ENGINE 25 RESPONDED TO 105050 OVERSEAS HWY TO ASSIST RESCUE 23. ENGINE 25 CREW ARRIVED AFTER RESCUE 23. UPON ARRIVAL CREW ASSISTED RESCUE WITH VITALS AND PT PACKAGING. BACK IN SERVICE 06:40						
Total Incidents: 58						

Key Largo Volunteer Fire Department, Inc.

Fire Department: 38032
 Companies: All
 Date Range: From 06/01/2015 to 06/30/2015
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: Yes
 Exclude Exposures: No

Incident Totals by Month of Year

Month	Totals	Cumul.	Average Attend.
January	0	0	0
February	0	0	0
March	0	0	0
April	0	0	0
May	0	0	0
June	57	57	4
July	0	57	0
August	0	57	0
September	0	57	0
October	0	57	0
November	0	57	0
December	0	57	0

Key Largo Fire Dept.

Period: From 06/01/2015 to 06/30/2015

NFPA Survey Report

FIRE IN STRUCTURES BY FIXED PROPERTY USE (OCCUPANCY) (All in Section A Incident Type 110-129)	Number of Fires	Number of Civilian Fire Casualties. If none, write 0.		Estimated Property Damage from Fire. If no loss, write 0.
		Deaths	Injuries	
1. Private Dwellings (1 or 2 family), including mobile homes (FPU 410-419)	0	0	0	\$0
2. Apartments (3 or more families) FPU 429 or FPU 439)	0	0	0	\$0
3. Hotels and Motels (FPU 449)	0	0	0	\$0
4. All other residential (dormitories, boarding houses, tents, etc.) (FPU 459-499)	0	0	0	\$0
5. TOTAL OTHER RESIDENTIAL FIRES (SHOULD BE SUM OF LINES 1 THROUGH 4)	0	0	0	\$0
6. Public Assembly (church, restaurant, clubs, etc.) (FPU 100-199)	0	0	0	\$0
7. Schools and Colleges (FPU 200-299)	0	0	0	\$0
8. Health Care and Penal Institutions (hospitals, nursing homes, prisons, etc.) (FPU 300-399)	0	0	0	\$0
9. Stores and Offices (FPU 500-599)	0	0	0	\$0
10. Industry, Utility, Defense, Laboratories, Manufacturing (FPU 600-799)	0	0	0	\$0
11. Storage in Structures (barns, vehicle storage garages, general storage, etc.) (FPU 800-899)	0	0	0	\$0
12. Other Structures** (outbuildings, bridges, etc.) (FPU 900-999)	0	0	0	\$0
13. TOTALS FOR STRUCTURE FIRES (SHOULD BE SUM OF LINES 5 THROUGH 12)	0	0	0	\$0
B. OTHER FIRE AND INCIDENTS				
14a. Fires in Highway Vehicles (autos, trucks, buses, etc.) (IT 131-132, 136-137)	1	0	0	\$0
14b. Fires in Other Vehicles (planes, trains, ships, construction or farm vehicles, etc.) (IT 130, 133-135, 138)	0	0	0	\$0
15. Fires outside of Structures with Value Involved, but Not Vehicles (outside storage, crops, timber, etc. (IT 140, 141, 161, 162, 164, 170-173)	1	0	0	\$0
16. Fires in Brush, Grass, Wildland (excluding crops and timber) with no value involved. (IT 142-143)	0	0	0	
17. Fires in Rubbish, Including Dumpsters (outside of structures), with no value involved. (IT 150-155)	0	0	0	
18. All Other Fires. (IT 100, 160, 163)	1	0	0	\$0
19. TOTAL FOR FIRES (SHOULD BE SUM OF LINES 13 THROUGH 18)	3	0	0	\$0
20. Rescue, Emergency Medical Responses (ambulance, EMS, rescue) (IT 300-381)	33			
21. False Alarm Responses (malicious or unintentional false calls, system malfunctions, bomb scares) (IT 700-746)	9			
22. Mutual Aid or Assistance Responses Given	0			
23a. Hazardous Materials Responses (spills, leaks, etc.) (IT 410-431)	2			
23b. Other Hazardous Conditions (arcing wires, bomb removal, power line down, etc.) (IT 440-482, 400)	7			
24. All Other Responses (smoke scares, lock-outs, animal rescues, etc.) (IT 200-251, 500-699, 800-911)	4			
25. TOTAL FOR ALL INCIDENTS (SHOULD BE SUM OF LINES 19 THROUGH 24)	58			

Based on what is reported in lines 5 and 13 for number of fire above, please report separately:

Confined fires (e.g., cooking fires confined to cooking vessel, or chimney fire that did not spread beyond chimney, or confined trash fires) IIT 113 - 118), and Nonconfined fires (IT 110 - 112, 120 - 123).

	Number of Confined Fires	Number of Nonconfined Fires
5. Residential Fires (line 5 above)	0	0
13. Structure Fires (line 13 above)	0	0

BREAKDOWN OF FALSE ALARM RESPONSES

Type of Fire Alarm	Number of Incidents
1. Malicious, Mischievous False Call (IT 710-715)	0
2. System Malfunction (IT 700-739)	0
3. Unintentional (tripping on interior device accidentally etc.) (IT 740-749)	3
4. Other False Alarms (bomb scares, etc.) (IT 721, 700)	6