

## Key Largo Volunteer Fire Department, Inc.

Fire Department: 38032

Companies: All

Date Range: From 07/01/2015 to 07/31/2015

Box/Zone/ Code: All

District: All

Situation Found: All

Exclude Mutual Aids: No

Exclude Exposures: No

### Totals and Average Attendance by Incident Type

Code and Description	Incident Count	Number Attend	Average Attend	Total Length	Average Length	Average Man Hrs	Total Man Hrs
100-Fire, other	2	12	6.00	0.6	0.31	2.14	4.28
111-Building fire	1	6	6.00	0.8	0.78	4.68	4.68
142-Brush or brush-and-grass mixture fire	3	19	6.33	2.1	0.69	4.83	14.48
151-Outside rubbish, trash or waste fire	1	8	8.00	0.3	0.33	2.64	2.64
300-Rescue, EMS incident, other	4	14	3.50	13.5	3.37	10.19	40.77
311-Medical assist, assist EMS crew	15	41	2.73	6.5	0.43	1.29	19.41
321-EMS call, excluding vehicle accident with injury	14	45	3.21	4.6	0.33	1.04	14.57
322-Motor vehicle accident with injuries	6	27	4.50	2.1	0.35	1.93	11.58
323-Motor vehicle/pedestrian accident (MV Ped)	1	8	8.00	0.0	0.00	0.00	0.00
324-Motor vehicle accident with no injuries.	3	13	4.33	2.5	0.83	3.16	9.47
352-Extrication of victim(s) from vehicle	1	6	6.00	2.8	2.75	16.50	16.50
400-Hazardous condition, other	1	4	4.00	0.5	0.47	1.88	1.88
411-Gasoline or other flammable liquid spill	2	13	6.50	1.4	0.71	5.52	11.04
444-Power line down	1	3	3.00	0.3	0.25	0.75	0.75
445-Arcing, shorted electrical equipment	1	3	3.00	0.4	0.42	1.26	1.26
480-Attempted burning, illegal action, other	1	6	6.00	0.0	0.00	0.00	0.00
551-Assist police or other governmental agency	1	3	3.00	0.9	0.92	2.76	2.76
553-Public service	1	4	4.00	0.3	0.30	1.20	1.20
611-Dispatched & canceled en route	2	9	4.50	0.1	0.07	0.32	0.63
622-No incident found on arrival at dispatch address	1	4	4.00	0.3	0.33	1.32	1.32
700-False alarm or false call, other	5	19	3.80	1.3	0.26	1.23	6.13
731-Sprinkler activation due to malfunction	1	8	8.00	1.4	1.37	10.96	10.96
733-Smoke detector activation due to malfunction	1	8	8.00	0.7	0.73	5.84	5.84
740-Unintentional transmission of alarm, other	2	9	4.50	0.2	0.09	0.43	0.85
745-Alarm system activation, no fire - unintentional	2	7	3.50	0.4	0.21	0.72	1.43
900-Special type of incident, other	2	7	3.50	1.0	0.52	2.04	4.09

Code and Description	Incident		Number		Average		Total		Average		Total	
	Count		Attend		Attend		Length		Length		Man Hrs	Man Hrs
Blank: No Code Entered	0		0		0.0		0.0		0.00		0.00	0.00
Incorrect Entry	0		0		0.0		0.0		0.00		0.00	0.00
<b>Totals and Averages for All Codes:</b>	<b>75</b>		<b>306</b>		<b>4.08</b>		<b>45.02</b>		<b>0.60</b>		<b>2.51</b>	<b>188.52</b>

Your department started using NFIRS 5.0 on 01/01/2000. This means that the report uses the NFIRS 5.0 Code Set.

# Key Largo Volunteer Fire Department, Inc.

## Incident Run Log

Fire Department: 38032

Companies: All

Date Range: From 07/01/2015 to 07/31/2015

Box/Zone/ Code: All

District: All

Situation Found: All

Exclude Mutual Aids: No

Exclude Exposures: No

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2015-000388-00	07/01/2015	12:14	912 LA PALOMA		Building fire	6
<p>S24 WAS DISPATCHED TO A POSSIBLE FIRE AT 912 LA PALOMA RD. S24 RESPONDED FROM THE 99MM. E25 RESPONDED FROM THE STATION 25. UPON ARRIVAL S24 FOUND A SINGLE STORY WOOD FRAME STRUCTURE WITH SMOKE SHOWING. S24 CREW MADE ENTRY AND FOUND A SMALL KITCHEN FIRE WHICH HAD BEEN PUT OUT BY ONE OF THE KIDS INSIDE WITH A FIRE EXTINGUISHER THEY HAD ON SCENE. S24 LT DETERMINED THE DETERMINED THE FIRE WAS STARTED ON THE STOVE TOP WHEN THE STOVE WAS TURNED ON. THE HEAT FROM THE STOVE CAUGHT A PIZZA BOX ON FIRE WHICH WAS ON TOP OF THE STOVE AT THAT TIME. S24 RELAYED FIRE OUT TO DISPATCH AND ADVISED E25 TO TAKE COMMAND UPON ARRIVAL. S24 CREW PROCEEDED TO CHECK FOR EXTENSION BY PULLING THE STOVE OUT FROM THE WALL AND REMOVING ALL FOOD PRODUCTS FROM THE CABINETS DIRECTLY ABOVE THE STOVE AND MICROWAVE. S24 LT REQUESTED E25 CREW MAKE ENTRY TO THE 2ND STORY TO CHECK FOR EXTENSION AND ALSO HAVE A VENT FAN SET UP OUTSIDE THE FRONT DOOR FOR VENTILATION OF THE STRUCTURE. COMMAND REQUESTED THE POWER BE PULLED FROM THE RESIDENCE BY COOP. COOP ARRIVED AND PULLED THE POWER. S24 INTERIOR CREW CONTINUED TO CHECK FOR EXTENSION IN THE KITCHEN BY PULLING THE WALL BEHIND THE STOVE. E25 INTERIOR CREW FOUND NO EXTENSION ON THE 2ND FLOOR AND S24 INTERIOR CREW FOUND TO EXTENSION IN THE KITCHEN WALLS. S24 INTERIOR CREW MADE EGRESS TO REHAB. E25 INTERIOR CREW WENT AROUND THE HOUSE AND RESET ALL SMOKE DETECTORS. ONCE ALL HAZARDS WERE REMOVED FRONT HOME RESIDENCE COMMAND WAS TERMINATED AND THE HOUSE WAS TURNED BACK OVER TO THE TENETS. S24 AND E25 REMAINED ON SCENE REFERENCE PAPERWORK.</p>						
2015-000389-00	07/01/2015	14:13	17 OCEAN SHORES		Medical assist, assist EMS	3
<p>S24 RESPONDED TO 17 OCEAN SHORES DRIVE TO ASSIST R23 WITH A MEDICAL ASSIST. UPON ARRIVAL S24 CREW ASSISTED R23 CREW WITH BRINGING A DISABLED PERSON UP THE STAIRS AND INTO THE HOME. S24 BACK IN SERVICE.</p>						
2015-000390-00	07/01/2015	08:14	103 OCEAN SHORES		Medical assist, assist EMS	3
<p>R23 AND E25 WERE DISPATCHED FOR A MEDICAL ASSIST TO 103 OCEAN SHORES DR. UPON ARRIVAL CREW ASSISTED R12 WITH TRANSFERRING THE PATIENT DOWN THE STAIRS AND INTO HIS CAR. E25 IN SERVICE @ 0832</p>						
2015-000391-00	07/01/2015	09:15	102601 OVERSEAS		Medical assist, assist EMS	3
<p>R23 AND E25 WERE DISPATCHED TO JOHN PENNEKAMP STATE PARK FOR A MEDICAL EMERGENCY COMING IN BY BOAT. UPON ARRIVAL CREWS STOOD BY UNTIL VESSEL ARRIVED AND ASSISTED R23 WITH PT REMOVAL AND PACKAGING FROM VESSEL. E25 IN SERVICE @ 10:22</p>						
2015-000392-00	07/01/2015	14:15	912 LA PALOMA		Assist police or other	3
<p>E25 WAS RAISED BY CENTRAL AND ADVISED TO RETURN TO 912 LA PALOMA RD FOR INFORMATION EXCHANGE WITH THE HOME OWNER WHO ALSO REQUESTED A REPORT OF THE INCIDENT. E25 REQUESTED MCSO RESPONSE AS WELL AS FM2 RESPONSE AS WELL SINCE HOME OWNER INSISTED IT WAS AN ARSON FIRE. SCENE TUREND OVER TO FM2. E25 IN SERVICE @ 15:10</p>						
2015-000393-00	07/02/2015	10:10	94.5 OVERSEAS		Motor vehicle accident	3
<p>S24 WAS DISPATCHED TO ASSIST STATION 22 WITH A MOTORCYCLE ACCIDENT AT THE 94.5MM SOUTH BOUND. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 CONTROLLED TRAFFIC AND ASSIST WITH PATIENT PACKAGING. S24 BACK IN SERVICE.</p>						
2015-000394-00	07/02/2015	11:01	112 SHORE		Attempted burning, illegal	6
<p>S24, T24, AND E25 WERE DISPATCHED TO A ILLEGAL BURN ACROSS FROM THE KEY LARGO SAILING CLUB. ALL UNIT RESPONDED FROM STATION 24. T24 AND S24 TOOK ARRIVAL AT THE KEY LARGO SAILING CLUB AND LOCATED THE FIRE WHICH WAS ACROSS THE WATER APPROX 500 YARDS AT A PRIVATE PROPERTY IN THE REAR OF A HOME. E25 WENT TOWARDS THE AREA BUT COULD NOT LOCATE. S24 AND T24 FOUND A NARROW ROAD WHICH LEAD TO E. SHORE DR. ONCE ON E. SHORE DRIVE S24 AND T24 MADE THEIR WAYS TO THE END OF THE STREET WHERE WE WERE MET BY A HOMEOWNER WHO POINTED US IN THE DIRECTION OF WHERE SHE THOUGHT THE FIRE WAS PER PAST EXPERIENCE WITH THE INCIDENT. T24 AND S24 CREW WALKED BACK TO THE HOUSE IN QUESTION AND MADE ENTRY TO THE PROPERTY. CREWS MADE THERE WAY TO THE REAR OF THE PROPERTY WHERE WE FOUND AN APPROX. 20' X 20' FIRE PIT WITH LARGE TIMBER AND 3' FLAMES. NO ONE WAS AROUND THE FIRE AT THAT TIME AND NO ONE WAS HOME AS WELL. THE NEXT DOOR NEIGHBOR STATED THE HOMEOWNER HAD A PERMIT THROUGH THE DEPT OF FORESTRY. LT24 ATTEMPTED TO MAKE CONTACT BUT NO ONE ANSWERED AND LT24 LEFT A MESSAGE. THE FIRE PIT WAS 100' FROM ANY STRUCTURE AND 50' FROM ANY TREES AND SURROUNDED BY WATER ON 3 SIDES. THE FIRE PIT HAD 2' TO 3' CORAL ROCK SURROUNDING 3 SIDES OF THE PIT. LT24 DETERMINED THE FIRE WAS A CONTROLLED BURN AND THE NEIGHBOR WAS WILLING TO ATTEND TO IT UNTIL THE HOMEOWNER CAME BACK. LT24 WROTE A VIOLATION WARNING DUE TO LACK OF ATTENDEE'S WHILE THE FIRE WAS BURNING AND NO HOSE LINE PRESENT. LT24 LEFT THE WARNING ALONG WITH A COPY OF THE KEY LARGO FIRE DISTRICT BURN ORDINANCE. ALL KLFU UNITS BACK IN SERVICE.</p>						
2015-000395-00	07/02/2015	11:54	95 OVERSEAS		Motor vehicle accident	6
<p>S24 WAS DISPATCHED TO A MVA AT THE 95MM. S24 RESPONDED FROM STATION 24. E25 ALSO RESPONDED FROM STATION 24. UPON S24 ARRIVAL S24 FOUND A TWO VEHICLE MINOR ACCIDENT WITH NO INJURIES. S24 CANCELED E25 AND REMAINED ON SCENE FOR PAPERWORK.</p>						
2015-000396-00	07/02/2015	20:51	104701 OVERSEAS		Hazardous condition, other	4

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
STATION 25 WAS DISPATCHED TO A FUEL SPILL AT TOM THUMB. E25 RESPONDED FROM STATION. UPON ARRIVAL E25 FOUND APPROXIMATELY 4 GALLONS OF FUEL SPILLED ON THE FLOOR. GAS STATION EMPLOYEE PUT WATER ON THE FUEL AND MIXED THE FUEL APPROXIMATELY 100FT X 50FT. E25 CREW FOAMED THE SPILL AND MITIGATED ALL HAZARDS. E25 BACK IN SERVICE.						
2015-000397-00	07/03/2015	12:30	361 CRANE		Public service	4
S24 RSPONDED TO 361 CRANE STREET FOR A PUBLIC ASSIST. UPON ARRIVAL, S24 ASSISTED THE ELDERLY IN CHECKING THEIR SMOKE DETECTOR.						
2015-000398-00	07/03/2015	14:55	195 ATLANTIC		EMS call, excluding vehicle	4
S24 RESPONDED WITH RESCUE 23 TO A MEDICAL EMERGENCY. UPON ARRIVAL, S24 FOUND A FEMALE PATIENT SITTING ON A CHAIR COMPLAINING OF NAUSEA AND DIZZINESS. S24 ASSTSTED RESCUE 23 WITH BLS PROCEDURES. PATIENT REFUSED TRANSPORT.						
2015-000399-00	07/03/2015	19:00	204 WILDWOOD		Power line down	3
S24 RESPONDED TO 204 WILDWOOD CIRCLE FOR A POWER LINE DOWN. UPON ARRIVAL, S24 FOUND A POLE THE FEED THE HOUSE KNOCKED OVER LEANING AGAINST A TREE. S24 NOTIFIED THE ELECTRIC COMPANY TO COME AND INVESTIGATE. S24 ADVISED THE HOME OWNER ABOUT THE POTENTIAL HAZARDS.						
2015-000400-00	07/03/2015	23:48	107800 OVERSEAS HWY	403	Rescue, EMS incident,	3
STATION 25 WAS DISPATCHED WITH R23 FOR A MEDICAL EMERGENCY. UPON ARRIVAL FOUND ONE ELDERLY MALE SITTING ON BED IN MINOR DISTRESS. E25 CREW INTERVIEWED PT AND TOOK VITAL SIGNS. E25 TRANSFERRRED PT CARE TO R23 UPON THEIR ARRIVAL. E25 BACK IN SERVICE.						
2015-000401-00	07/04/2015	15:26	10987 COUNTY 905		Smoke detector activation	8
STATION 25 WAS DISPATCHED FOR A FIRE ALARM, E25 S24 AND T24 RESPONDED WITH L25 STANDING BY AT STATION 25. UPON ARRIVAL MULTIPLE RESIDENCES WERE LOCATED ON THIS PROPERTY, ALL CHECKED AND CLEARED WITH NOTHING FOUND. ON SITE RESIDENTS ADVISED OF FALSE ALARM. ALL UNITS IN SERVICE @16:10						
2015-000402-00	07/04/2015	16:10	101437 OVERSEAS		Gasoline or other	9
STATION 24 WAS ALERTED TO A HAZARDOUS MATERIAL SPILL IN THE PUBLIX PARKING LOT. T24 AND L25 MADE THE INITIAL RESPONSE WITH S24 RESPONDING FROM THE COUNTY RD 905 FROM THE PREVIOUS CALL. UPON ARRIVAL T24 ADVISED OF A PICKUP TRUCK IN THE PARKING LOT WITH A PUNCTURED FUEL TANK AND DIESEL FUEL OPENLY SPILLING INTO THE PARKING LOT AND STORM DRAIN. T24 AND L25 SECURED THE AREA AND PROVIDED FIRE PROTECTION. UPON S24 ARRIVAL COMMAND WAS ESTABLISHED, DEP ADVISED, STORM DRAIN BLOCKED, ABSORBENT DEPLOYED AND FOAM BLANKET UNDER AND AROUND THE PICKUP TRUCK PROVIDED. A TOTAL OF APP 25 GAL WAS DISCHARGED TO THE GROUND AND PICKED UP WITH ABSORBENT. STORM DRAIN WAS CHECKED, WRECKER REMOVED TRUCK, FUEL TANK WAS PLUGGED. ALL HAZARDS REMOVED. UNITS IN SERVICE @ 17:15						
2015-000403-00	07/04/2015	16:38	51 SHORELAND		False alarm or false call,	5
T24, L24 AND E25 RECEIVED A CALL FOR A SMOKE DETECTOR ALARM AS THEY CLEARED THE SCENE AT PUBLIX AND WENT EN ROUTE. UPON ARRIVAL E25 WENT INTO INVESTIGATIVE MODE, NOTHING SHOWING AND DISCOVERED CONDENSATION ON THE SMOKE DETECTOR. NO HAZARDS PRESENT ALL UNITS IN SERVICE @ 17:10.						
2015-000404-00	07/04/2015	17:59	104000 OVERSEAS		Medical assist, assist EMS	3
E25 AND R23 WERE DISPATCHED TO THE BIG CHILL FOR A MEDICAL EMERGENCY. E25 RESPONDED FROM STATION 24 AND ASSISTED R23 WITH ASSESSMENT AND PACKAGING. E25 IN SERVICE @ 18:37						
2015-000405-00	07/04/2015	18:30	140 DOVE		EMS call, excluding vehicle	3
S24 AND R123 WERE DISPATCHED FOR A FIGHT AND ASKED TO STAGE ON DOVE RD. UPON ARRIVAL IN THE AREA AND CLEARANCE BY LEO, S24 PROCEEDED AND LOCATED 2 PTS. R23 WAS ADVISED, S24 CREW ASSISTED WITH ASSESSMENT. S24 IN SERVICE @ 18:58						
2015-000406-00	07/04/2015	21:01	91 AVE C		Dispatched & canceled en	6
STATION 23, 24 AND 25 WERE DISPATCHED TO 91 AVE C FOR A ACCIDENT WITH INJURIES, S24 AND E25 WENT ENROUTE AND WERE CANNCELED BY R23 UPON ARRIVAL.						
2015-000407-00	07/04/2015	21:32	104450 OVERSEAS		EMS call, excluding vehicle	3
WALK UP PT TO T24 REFERENCE A SLIP AND FALL. MINOR SCRAPES, PT PROVIDED WITH BANDAGES AND 4X4. PT WALKED OFF WITH OUT SIGNING A REFUSAL.						
2015-000408-00	07/04/2015	21:50	104450 OVERSEAS		EMS call, excluding vehicle	3
WALK UP PT WITH A MINOR ALLERGIC REACTION ON THE LEG AFTER AN ANT BITE. CLEANED AREA OFF, PROVIDED COOL PACK. PT WALKED OFF WITHOUT SIGNING OF OF A REFUSAL.						
2015-000409-00	07/05/2015	03:56	TARPON BASIN		Motor vehicle accident	5
S24 AND E25 WERE DISPATCHED TO TARPON BASIN DR FOR A MVA WITH INJURIES. UPON S24 ARRIVAL COMMAND WAS ESTABLISHED, R23 ASSISSTED WITH PT ASSESSMENT AND PACKAGING. REMOVED FLUIDS AND SECURED VEHICLE. COMMAND TERMINATED AND SCENE TURNED OVER TO MCSO @ 04:21						
2015-000410-00	07/05/2015	04:21	AVE A		Brush or brush-and-grass	7
STATION 24 AND 25 WERE DISPATCHED TO A UNKNOWN FIRE WITH SMOKE AND FLAMES VISIBLE ON AVE A. S24 AND E25 RESPONDED. UPON S24 ARRIVAL CREW LOCATED A SMALL 4X4 BRUSHFIRE AND EXTINGUISHED IT WITH A FIRE EXTINGUISHER. OVERHAULED THE GROUND AND CHECKED FOR EXTENSIONS. ALL HAZARDS CLEARED. UNITS IN SERVICE @ 05:02.						
2015-000411-00	07/05/2015	05:00	106 OVERSEAS		EMS call, excluding vehicle	2
R23 AND E25 WERE DISPATCHED FOR A MEDICAL EMERGENCY BY CIRCLE K MM 106. UPON E25 ARRIVAL UNITS ASSESS THE PT AND ASSISTED R23 WITH TREATMENT AND PACKAGING. E25 IN SERVICE @ 05:30						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2015-000412-00	07/05/2015	13:02	33 DOLPHIN		EMS call, excluding vehicle	3
E25 AND R23 WERE DESPATCHED TO A MEDICAL EMERGENCY. UPON ARRIVAL E25 ASSESSED THE PT AND ASSISTED WITH TREATMENT UPON R23 ARRIVAL. E25 IN SERVICE @ 13:23						
2015-000413-00	07/05/2015	17:04	104000 OVERSEAS		EMS call, excluding vehicle	3
R23 AND E25 WERE DISPATCHED FOR A MEDICAL EMERGENCY AT THE BIG CHILL. E25 ASSISTED R23 WITH PT ASSESSMENT AND PACKAGING. E25 IN SERVICE @ 17:29						
2015-000414-00	07/05/2015	21:08	236 OCEAN SHORES		Brush or brush-and-grass	8
STATION 24 AND 25 WERE DISPATCHED TO A BRUSH FIRE IN THE AREA OF SOUTH OCEAN SHORES DR. UPON S24 ARRIVAL, WE LOCATED THE FIRE IN A VACANT LO, FIRE HAD SPREAD TO 30X50FEET. S24 WENT INTO FAST ATTACK MODE AND DEPLOYED THE CROSSLAY USING WATER WITH 0.5% FOAM AND MADE A QUICK KNOCK DOWN. T24 AND E25 WERE ADVISED TO CONTINUE AND UPON KNOCK DOWN OCEAN SHORES COMMAND WAS ESTABLISHED BY S24. UNITS STARTED OVERHAUL AND OPERATED NON SCENE TILL 22:10. COMMAND TERMINATED AND ALL UNITS IN SERVICE.						
2015-000415-00	07/05/2015	22:30	HARRY DAVIS		Outside rubbish, trash or	8
S24 AND E25 WERE DISPATCHED FOR A TRASH FIRE ON HARRY DAVIS CIRCLE. UPON S24 ARRIVAL UNITS LOCATED A TRASH PILE BETWEEN 2 BUILDINGS. S24 EXTINGUISHED AND OVERHAULED THE TRASH PILE. E25 AND T24 WERE ADVISED TO STAND BY. ALL UNITS IN SERVICE @ 22:50						
2015-000416-00	07/06/2015	06:45	TARPON BASIN		Extrication of victim(s)	6
STATION 23, 24 AND 25 WERE DISPATCHED TO A MVA WITH INJURIES BY TARPON BASIN DR MM101. S24 AND E25 RESPONDED AND WHILE EN ROUTE WERE ADVISED OF A T-BONE STYLE ACCIDENT WITH POSSIBLE ENTRAPMENT. S24 ADVISED CENTRAL TO PUT TRAUMA STAR ON STAND BY. UPON S24 ARRIVAL UNITS LOCATED A KIA SUV WITH HEAVY DAMAGE AND HEAVY PASSENGER SIDE INTRUSION, ONE CONFIRMED ENTRAPPED, UNCONSCIOUS. S24 ESTABLISHED TARPON BASIN COMMAND, ADVISED ALL UNITS AND SETUP FOR THE EXTRICATION. VEHICLE WAS SECURED, BATTERIES DISCONNECTED, DRIVER SIDE COMPLETELY REMOVED USING HYDRAULIC TOLLS AND PT RESCUED VIA BACK BOARD AND TRANSFERRED TO EMS. E25 AND T24 WENT TO THE RANGER STATION FOR THE HELO SPOT. S24 REMAINED ON SCENE FOR CLEANUP, AND TRAFFIC CONTROL FOR THE FHP INVESTIGATION. ALL UNITS CLEARED AND COMMAND TERMINATED @ 0930						
2015-000417-00	07/06/2015	07:00	99 OVERSEAS		Special type of incident,	4
E25 AND T24 WENT EN ROUTE TO THE RANGER STATION TO SETUP THE HELO SPOT. E25 ESTABLISHED HELO SPOT COMMAND, THE FIELD WAS CLEARED AND CREWS ASSISTED WITH PT TRANSFER UPON TRAUMA STAR ARRIVAL. COMMAND TERMINATED AND ALL UNITS IN SERVICE AFTER TRAUMA STAR TAKE OFF.						
2015-000418-00	07/07/2015	18:53	135 BAHAMA	ANDERSON	Brush or brush-and-grass	4
2015-000419-00	07/08/2015	23:23	101 BURLINGTON		Motor vehicle accident	4
S24 RESPONDED TO MILE MARKER 101 IN FRONT OF BURLINGTON ROAD FOR AN ACCIDENT WITH INJURIES. UPON ARRIVAL, S24 FOUND A SINGLE VEHICLE WITH HEAVY DAMAGE. THE VEHICLE STRUCK THE ELECTRIC POLE AND THE FIRE HYDRANT. THE DRIVER WAS AMBULATORY. S24 WAITED FOR THE FLORIDA HIGHWAY PATROL UNIT TO ARRIVE FORM MILE MARKER 15. UPON FHP ARRIVAL, S24 MITIGATED ALL HAZARDS AND TURNED THE SCENE OVER TO FHP.						
2015-000420-00	07/06/2015	11:50	19 HARRY DAVIS		Arcing, shorted electrical	3
S24 WAS DISPATCHED TO A PUBLIC ASSIST. UPON ARRIVAL, HOMEOWNER STATES THAT SHE WAS MIXING A DRINK WHEN SHE RECEIVED AN ELECTRIC SHOCK FORM THE CORD. UPON INSPECTION OF THE BLENDER, IT WAS NOTED THAT THERE WAS EXPOSED WIRES ON THE CORD. S24 CREW FOUND THE RESIDENCE BREAKER PANEL BOX AND TURNED OFF THE POWER TO THE KITCHEN AND THE BLENDER WAS DISCONNECTED FORM THE WALL WITHOUT INCIDENT. THE BLENDER WAS DISCARDED. PATIENT DENIES ANY MEDICAL NEED.						
2015-000421-00	07/09/2015	09:10	528 CARRIBEAN		Alarm system activation,	3
ENGINE 25 CREW WAS DISPATCHED TO SKIPPERS RESTUARANT FOR A FIRE ALARM. UPON ARRIVAL CREW SPOKE TO RESTUARANT MANAGER AND HE ADVISED US IT WAS A FALSE ALARM AND HE HAD ALREADY CONTACTED THE ALARM COMPANY. ENGINE 25 BACK IN SERVICE AT 09:25						
2015-000422-00	07/09/2015	09:30	1 EAST DRIVE		Rescue, EMS incident,	3
STATION 24 RECEIVED A WALK UP TO THE FRONT DOOR COMPLAINING OF WEAKNESS AND DIZZINESS. STATION 24 CREW ESTABLISHED A BASELINE SET OF VITALS AS STATION 24 LT CALLED FOR RESCUE 23 TO RESPOND TO THE STATION. UPON RESCUE 23 ARRIVAL STATION 24 CREW TRANSFERRED PT CARE TO R23. STATION 24 BACK IN SERVICE.						
2015-000423-00	07/10/2015	08:10	1 EAST DRIVE		Rescue, EMS incident,	4
STATION 24 RECEIVED A WALK UP TO THE STATION COMPLAINING OF TROUBLE BREATHING. STATION 24 CREW BROUGHT THE PT INSIDE THE STATION AND BEGAN A SET OF VITALS WHILE STATION 24 LT CALLED FOR R23 TO RESPOND. UPON R23 ARRIVAL PT CARE WAS TRANSFERRED AND STATION 24 CREW ASSISTED R24 CREW WITH PT CARE.						
2015-000424-00	07/11/2015	01:20	22 MANGROVE		Medical assist, assist EMS	3
ENGINE 25 WAS DISPATCHED TO 25 MANGROVE LANE FOR A 13 Y/O F HAVING TROUBLE BREATHING. UPON ARRIVAL CREW FOUND PT SITTING POSITION ON BEDROOM BED STATING SHE HAD TAKEN SOME OPIATES. CREW STARTED TAKING VITALS AND ADMINISTERED O2. RESCUE 123 ARRIVED AND PT CARE WAS TRANSFERRED. ENGINE 25 BACK IN SERVICE AT 01:40						
2015-000425-00	07/11/2015	16:09	201 OCEAN		EMS call, excluding vehicle	3
STATION 24 WAS DISPATCHED TO ASSIST R23 AT THE KEY WEST INN, S24 RESPONDED AND UPON ARRIVAL LOCATED A PT ON THE FLOOR, IN THE ROOM WITH A HIP FRACTURE, FURNITURE WAS REMOVED AND PT RESCUED WITH THE SCOOP STRETCHER AND TRANSFERRED TO EMS. S24 IN SERVICE @ 16:35						
<b>Date: 08/04/2015</b>						
<b>Page: 3</b>						
<b>Time: 4:19 PM</b>						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2015-000426-00	07/12/2015	16:57	104960 OVERSEAS		False alarm or false call,	6
STATION 25 WAS DISPATCHED TO A FIRE ALARM. UPON ARRIVAL E25 FOUND A SINGLE STORY CBS STRUCTURE WITH NOTHING SHOWING. E25 INVESTIGATIVE. FOUND NO AUDIBLE OR VISUAL ALARM, EVERYTHING APPEARED CODE 5. E25 BACK IN SERVICE.						
2015-000427-00	07/12/2015	08:25	99201 OVERSEAS	HERNADEZ	Fire, other	4
STATION 24 RECEIVED A WALK UP FROM HOLISTIC HEALING CENTER STATING THAT OFFICE EQUIPMENT MALFUNCTIONED AND WAS ON FIRE. ON DUTY CREW TOOK A FIRE EXTINGUISHER AND PROCEEDED ACROSS THE STREET TO EXTINGUISH A PRINTER ON FIRE THAT WAS CARRIED OUT OF THE BUILDING BY THE EMPLOYEE. NO INJURIES OR PROPERTY DAMAGE WAS SUSTAINED OTHER THEN THE BURNED PRINTER. CREW CHECKED THE BUILDING FOR EXTENSION OR OTHER DAMAGES. CENTRAL WAS ADVISED OF THE INCIDENT. ALL UNITS IN SERVICE @ 08:35						
2015-000428-00	07/12/2015	13:25	SUNSET		EMS call, excluding vehicle	3
S24 WAS DISPATCHED TO SUNSET BLVD TO ASSIST R123 WITH A UNCONSCIOUS PATIENT. UPON S24 ARRIVAL, CREW LOCATED A UNCONSCIOUS FEMALE PT ON THE GROUND IN THE MANGROVES TRAPPED BEHIND AN FENCE. S24 CREW ADVISED CENTRAL AND INCOMING UNITS AND REMOVED THE CHAIN LINK FENCE WITH BOLT CUTTERS TO GAIN PT ACCESS. CREW ASSISTED R123 WITH PT REMOVAL, OBTAINING VITAL SIGNS AND TREATMENT. S24 IN SERVICE @ 13:50						
2015-000429-00	07/16/2015	04:26	104500 OVERSEAS		Motor vehicle accident	8
STATION 25 WAS DISPATCHED TO AN ACCIDENT WITH INJURIES. E25 RESPONDED FROM STATION. UPON ARRIVAL FOUND ONE VEHICLE VS POLE WITH HEAVY DAMAGE. E25 CREW ASSISTED R23 CREW WITH PT CARE AND PACKAGE. UPON CUTTING THE PTS RIGHT SOCK TO CHECK FOR EXTENT OF INJURIES, A SMALL BAG FELL OUT THAT APPEARED LIKE DRUGS, LEO WAS NOTIFIED AND CONFISCATED THE BAG. S24 MADE ARRIVAL ON SCENE AND RE ROUTED TO HELISPOT FOR TRAUMA ALERT AT 0445. ALL HAZARDS WERE MITIGATED AND SCENE WAS TURNED OVER TO FHP.						
2015-000430-00	07/15/2015	16:56	104801 OVERSEAS		False alarm or false call,	4
STATION 25 WAS DISPATCHED TO A FIRE ALARM. E25 RESPONDED FROM STATION. UPON ARRIVAL FOUND NOTHING SHOWING AND INVESTIGATED. E25 CREW FOUND NOTHING, EVERYTHING WAS CODE 5. CONFIRMED FALSE ALARM. E25 BACK IN SERVICE.						
2015-000431-00	07/16/2015	04:43	104801 OVERSEAS		Rescue, EMS incident,	4
S24 WAS DISPATCHED TO SET UP A HELISPOT FOR THE ACCIDENT AT THE 104MM PER 104 COMMAND. UPON S24 ARRIVAL S24 CREW REMOVED ALL HAZARDS AND SET UP THE HELISPOT. S24 LT ESTABLISHED HELISPOT COMMAND. ONCE AIR RESCUE WAS ON THE GROUND PT CARE WAS TRANSFERRED AND ALL KLRD UNIT WERE BACK IN SERVICE.						
2015-000432-00	07/16/2015	17:15	106000 OVERSEAS		Motor vehicle accident	4
STATION 25 WAS DISPATCHED TO AN MVA WITH INJURIES. E25 RESPONDED FROM STATION. E25 CREW HAD 2 VEHICLES MINOR DAMAGE. E25 CREW INTERVIEWED PTS AND TOOK VITALS, TRANSFERRED PTS TO R23. E25 MITIGATED ALL HAZARDS. E25 BACK IN SERVICE.						
2015-000433-00	07/16/2015	16:30	97000 OVERSEAS		Medical assist, assist EMS	3
S24 WAS DISPATCHED TO ASSIST R123 WITH A MEDICAL EMERGENCY AT THE HILTON 97000 OVERSEAS HWY. S24 RESPONDED FROM STATION 24. UPON ARRIVAL S24 CREW BROUGHT THE STRETCHER TO THE BEACH IN THE BACK OF THE HOTEL AND ASSISTED R123 CREW WITH PT VITALS AND LOADING INTO THE RESCUE. S24 BACK IN SERVICE.						
2015-000434-00	07/17/2015	17:30	103 OCEANSHORES		Medical assist, assist EMS	2
S24 WAS DISPATCHED TO ASSIST R23 MOVING A PT DOWNSTAIRS. S24 RESPONDED, ASSISTED AND BACK IN SERVICE @ 17:45						
2015-000435-00	07/17/2015	20:44	407 BOWIE		EMS call, excluding vehicle	3
STATION 24 AND R23 WERE DISPATCHED FOR A MEDICAL EMERGENCY. S24 RESPONDED FROM STATION AND UPON ARRIVAL ASSISTED R23 WITH PT PACKAGING. S24 IN SERVICE @21:05						
2015-000436-00	07/18/2015	13:10	21 GARDEN COVE		Medical assist, assist EMS	3
ENGINE 25 RESPONDED TO BUZZERS ROOST FOR WOMAN THAT FELL ON DOCK. UPON ARRIVAL CREW TOOK PT VITALS THEN TRANSFERRED CARE TO RESCUE 23. BACK IN SERVICE AT 13:25						
2015-000437-00	07/19/2015	07:49	527 CARIBBEAN		Alarm system activation,	4
S24 RESPONDED TO SKIPPERS DOCKSIDE FOR A FIRE ALARM. UPON ARRIVAL, S24 FOUND A SINGLE STORY CBS STRUCTURE WITH NO FLAMES OR SMOKE VISIBLE. S24 INVESTIGATED AND THE SCENE WAS CODE 5.						
2015-000438-00	07/20/2015	18:47	97501 OVERSEAS		Medical assist, assist EMS	2
S24 AND RESCUE 23 WERE DISPATCHED TO A MEDICAL EMERGENCY IN MARINERS CLUB ROOM 708. UPON ARRIVAL, S24 FOUND A FEMALE LYING PRONE ON THE FLOOR. SHE STATED THAT SHE FELL AND INJURED HER LEG. S24 AND RESCUE 23 BACKBOARDED THE PATIENT AND TRANSPORTED HER TO THE HOSPITAL.						
2015-000439-00	07/20/2015	16:10	19 HARRY DAVIS		EMS call, excluding vehicle	5
S24 RESPONDED TO 19 HARRY DAVIS CIRCLE FOR A MEDICAL EMERGENCY. UPON ARRIVAL, S24 SPOKE TO THE HOMEOWNER'S SISTER. SHE STATED THAT HER SISTER FELL OUT OF THE WHEELCHAIR AND NEEDED ASSISTANCE PUT HER BACK ON THE WHEELCHAIR. S24 CREW MEMBERS ASSISTED HER BACK ONTO THE WHEEL CHAIR. NO MEDICAL TREATMENT WAS NEEDED.						
2015-000440-00	07/21/2015	13:30	228 ATLANTIC		False alarm or false call,	0
CUESTA TO COMPLETE.						
2015-000441-00	07/21/2015	11:15	102601 OVERSEAS		Medical assist, assist EMS	0
CUESTA TO COMPLETE, CPR IN PROGRESS AT BOAT RAMP IN PENNYKAMP PARK. E25 RESPONDED.						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2015-000442-00	07/22/2015	19:10	17 PELICAN		EMS call, excluding vehicle	4
E25 RESPONDED ABL 4 FROM STATION 25 TO 17 PELICAN RD FOR A MEDICAL EMERGENCY. UPON ARRIVAL E25 FOUND 1 PATIENT CONCIOS AND BREATHING WITH INJURIES TO THE ARM. E25 CREW SECURED ARM IN PLACE AND CHECKED FOR INJURIES. UPON ARRIVAL SCENE WAS TURNED OVER TO R23. E25 CREW ASSISTED R23 CREW WITH PATIENT PACKAGING. E25 BACK IN SERVICE.						
2015-000443-00	07/22/2015	21:20	101771 OVERSEAS		Motor vehicle/pedestrian	8
S24 WAS DISPATCHED TO A MOTOR VEHICLE VS PEDESTRIAN ACCIDENT AT THE 101.7 MM. S24 RESPONDED FROM STATION 24, E25 RESPONDED FROM STATION 25. UPON S24 ARRIVAL S24 FOUND ONE PT ON THE GROUND WITH NO PULSE. S24 CREW ASSISTED R23 CREW WITH PT ASSESSMENT. PT WAS DOA. S24 ESTABLISHED YELLOW BAIT HOUSE COMMAND. S24 BLOCK ALL NORTH BOUND LANES FOR SCENE SAFETY AND INVESTIGATION. COMMAND ADVISED E25 TO PULL UP ALONG THE SOUTH BOUND SIDE AND LIGHT UP THE SCENE. ONCE SCENE WAS SECURE YELLOW BAIT HOUSE COMMAND WAS TERMINATED AND E25 RETURNED TO QUARTERS. S24 REMAINED ON SCENE TO ASSIST WITH TRAFFIC CONTROL AND LIGHTING.						
2015-000444-00	07/23/2015	12:53	99600 OVERSEAS	ALZAMORA	Gasoline or other	4
S24 RESPONDED TO STARBUCKS COFFEE SHOP FOR A HAZMAT SPILL. UPON ARRIVAL, S4 FOUND A SEMI TRACTOR TRAILER LEAKING DIESEL. APPROXIMATELY 90 GALLONS OF DIESEL HAD SPILLED ONTO THE GROUND AS A RESULT OF THE FUEL RUNNING INTO THE SOIL. CAPTAIN 24 NOTIFIED DIVISION OF ENVIROMENTAL PROTECTION AND ADVISED OF THE SITUATION. S24 CONTAINED, CONFINED, AND MITIGATED ALL HAZARDS. S24 SPOKE WITH SWS AND THEY ADVISED THEY ARE ENROUTE WITH AN ETA OF 2 HOURS. UPON DEP'S ARRIVAL, S24 TURNED THE SCENE OVER TO DEP.						
2015-000445-00	07/24/2015	13:03	527 CARIBBEAN		Dispatched & canceled en	3
S24 RESPONDED FROM MILE MARKER 101 FOR A PERSON TRAPPED IN THE ELEVATOR. WHILE EN ROUTE, S24 WAS CANCELED BY MONROE COUNTY SHERIFF'S OFFICE.						
2015-000446-00	07/24/2015	17:26	99470 OVERSEAS		No incident found on	4
S24 RESPONDED TO SNOOK'S BAYSIDE FOR A MEDICAL ALARM. UPON ARRIVAL, S24 INVESTIGATED AND FOUND THAT IT WAS NOT A MEDICAL ALARM BUT A FIRE ALARM WAS TRIGGERED AND THEN RESET. S24 WAS BACK IN SERVICE.						
2015-000447-00	07/25/2015	14:10	102050 OVERSEAS		Unintentional transmission	4
S24 RESPONDED ABL 4 FROM MM100 TO THE MURRAY NELSON GOVT CENTER FOR A FIRE ALARM. S24 CANCELED EN ROUT BY CENTRAL DISPATCH REF FALSE ALARM DUE TO ALARM WORK IN THE BUILDING. S24 BACK IN SERVICE.						
2015-000448-00	07/25/2015	20:15	1200 MOCKINGBIRD		Fire, other	8
E24 RESPONDED ABL 4 FROM STATION 24 TO 1200 MOCKINGBIRD RD FOR A POWER LINE FIRE. UPON ARRIVAL E24 FOUND NOTHING SHOWING, FIRE HAD BEEN EXTINGUISHED BY HOMEOWNER. ALL HAZARDS MITIGATED. FIRE ORIGINATED IN ELECTRICAL BOX ON ALPHA SIDE OF HOME. COOP NOTIFIED THEN CANCELED. E24 BACK IN SERVICE.						
2015-000449-00	07/26/2015	03:20	107800 OVERSEAS		False alarm or false call,	4
ENGINE 25 CREW WAS DISPATCHED TO ANCHORAGE RESORT FOR A FIRE ALARM. UPON ARRIVAL PROPERTY SECURITY GUARD ADVISED US IT WAS A FALSE ALARM. ENGINE 25 BACK IN SERVICE AT 03:30						
2015-000450-00	07/26/2015	12:53	710 BARCELONA		EMS call, excluding vehicle	3
S24 RESPONDED ABL 3 FROM STATION 24 TO 710 BARCELONA RD FOR A VEHICLE VS PEDESTRIAN. UPON ARRIVAL S24 FOUND 1 PATIENT UNRESPONSIVE ON THE GROUND HAVING AN APPARENT SEIZURE. S24 APPLIED C COLLAR AND PUT PATIENT ON A BACKBOARD. PATIENT TURNED OVER TO R23 UPON ARRIVAL. S24 BACK IN SERVICE.						
2015-000451-00	07/25/2015	16:20	114 US1		Motor vehicle accident	4
STATION 25 WAS ADVISED BY CENTRAL THAT MDFR WAS ASKING FOR OUR ASSITENCE IN LOCATING A POSSBLE MVA ON THE STRETCH AROUND THE 114 MM, ENGINE 25 LOCATED THE SCENE AND MADE CONTACT WITH PATIENTS ON THE SIDE OF THE ROAD. IT WAS A MOTOR VEHICLE VERSUS MOTORCYCLE. ONLY THE PT ON THE MOTORCYCLE HAD MINOR INJURIES. THE SCENE AND PT WAS THEN TURNED OVER TO MDFR. ENGINE 25 WAS BACK IN SERVICE AT 16:55						
2015-000452-00	07/26/2015	13:20	97 OVERSEAS		Medical assist, assist EMS	3
ENGINE 25 CREW WAS DISPATCHED TO THE RANGER STATION TO SET UP LZ. UPON ARRIVAL RESCUE 23 TERMINATED THE TRAUMA ALERT. LZ COMMAND WAS TERMINATED ENGINE 25 WAS BACK IN SERVICE AT 13:40						
2015-000453-00	07/26/2015	16:50	99 MORRIS		Medical assist, assist EMS	3
engine 25 was dispatched to a 56 y/o f complaining of chest pain. UPON ARRIVAL CREW FOUND PT SITTING IN SIDE THE CABIN OF HER BOAT WITH SEVERE ABD PAIN. CREW TOOK VITALS AND THEN TRANSFERRED CARE TO RESCUE 23. ENGINE 25 CREW BACK IN SERVICE AT 17:20						
2015-000454-00	07/26/2015	18:30	84 HENRY MORGAN		EMS call, excluding vehicle	3
S24 RESPONDED ABL 3 FROM STATION 24 TO 84 HENRY MORGAN DR FOR A MEDICAL EMERGENCY. UPON ARRIVAL S24 CREW ASSISTED R123 WITH PATIENT PACKAGING AND TRANSLATING FOR PATIENT. S24 GAVE 1 CREW MEMBER TO R123 TO ASSIST IN TRANSPORTING THE PATIENT. S24 BACK IN SERVICE.						
2015-000455-00	07/26/2015	20:04	104000 OVERSEAS		Medical assist, assist EMS	3
DISPATCHED TO THE BIG CHILL FOR A MALE PT THAT FELL AND HIT HIS HEAD. WE ARRIVED TOGETHER WITH RESCUE 123. WE ASSISTED THEM WITH PT CARE AND VITALS. BACK IN SERVICE 2030						
2015-000456-00	07/27/2015	14:00	228 ATLANTIC		Unintentional transmission	5
E24 RESPONDED ABL 3 FROM STATION 24 TO 228 ATLANTIC BLVD FOR A FIRE ALARM. UPON ARRIVAL E24 FOUND A 3 STORY COMMERCIAL BLDG WITH NOTHING SHOWING. E24 WENT INTO INVESTIGATIVE MODE AND CANCELED E25. E24 FOUND THAT ALARM WAS CAUSED DUE TO CONSTRUCTION BEING DONE ON BLDG. E24 BACK IN SERVICE.						
2015-000457-00	07/27/2015	15:44	1 EAST		Special type of incident,	3
STATION 24 HAD A WALK UP PATIENT NEEDING SAO2 CHECKED. STATION 24 CREW ASSISTED PATIENT WITH WELLNESS CHECK.						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
STATION 24 BACK IN SERVICE.						
2015-000458-00	07/28/2015	10:16	97000 OVERSEAS		Sprinkler activation due to	8
<p>STATION 24 WAS DISPATCHED TO A FIRE ALARM AT THE SHERATON/HILTON KEY LARGO 97000 OVERSEAS HWY. THE FIRE ALARM WAS IDENTIFIED AS A WATER FLOW ALARM. E24 AND T24 RESPONDED FROM STATION 24 AND E25 RESPONDED FROM STATION 25. UPON E24 AND T24 ARRIVAL CREWS WERE MET BY SECURITY WHO STATED IT WAS A WATER MAIN THAT HAD BROKE AND WAS DRAINING WATER EVERYWHERE. LT24 TOOK ENGINEER 24 AND ONE CREW MEMBER FROM E24 AND WENT WITH THE SECURITY GUARD TO THE LOCATION OF THE ISSUE. WE ARRIVED TO ROOM 233 WHERE A SPRINKLER HEAD HAD GONE OFF AND WAS SPRAYING WATER ALL OVER THE ROOM. LT24 SENT ENGINEER 24 TO SHUT DOWN THE SYSTEM AND CALLED FOR A SPRINKLER KIT TO PLUG THE SPRINKLER HEAD. ENGINEER 24 WAS ABLE TO GET THE SYSTEM SHUT DOWN AND WE DID NOT HAVE TO PLUG THE SPRINKLER HEAD. LT 24 ASKED E25 OFFICER TO SEND UP PERSONNEL WITH BROOMS TO ASSIST WITH WATER REMOVAL. ALL CREWS WORKED TO REMOVE WATER AND FURNITURE FROM THE ROOM IN AN EFFORT TO STOP ANY FURTHER LEAKS INTO ADJACENT ROOMS. THE FAULTY SPRINKLER HEAD WAS REMOVED AND A NEW ONE WAS INSTALLED. ONCE THE SPRINKLER HEAD WAS INSTALLED THE ENGINEERING SUPERVISOR FROM THE HOTEL WENT TO THE FRONT OF THE PROPERTY TO OPEN THE SYSTEM SLOWLY IN AN EFFORT TO NOT SEND 150 PSI CHARGING THROUGH AT ONCE. ONCE THE SYSTEM WAS CHARGED AT THE PUMP LT24 INSTRUCTED ENGINEER 24 TO TURN ON THE SPRINKLER PIPE VALVES BY ELEVATOR ROOM NUMBER 1. AFTER APPROX.. 10 MINUTES OF WAITING IN THE ROOM WE CHECK FOR ANY LEAKS FROM THE SPRINKLER HEAD WHICH THERE WERE NONE. CREWS REMOVED AS MUCH WATER AND DERBIES AS POSSIBLE AND MADE THEIR WAYS BACK TO THE APPARATUS'S. LT24 AND ENGINEER 24 WENT TO RESET THE FIRE ALARM PANEL WHICH WAS STILL GOING OFF FROM A FAULTY SMOKE DETECTOR IN THE ROOM WHERE THE SPRINKLER HEAD WENT OFF. THE DETECTOR HAD BEEN WATER LOGGED AND THE MAINTENANCE CREWS WERE GOING TO REPLACE IT ASAP. ALL SYSTEMS WERE RESTORED TO NORMAL OPERATING CONDITIONS AND ALL KLFD UNITS WERE BACK IN SERVICE.</p>						
2015-000459-00	07/29/2015	19:36	101.4 OVERSEAS		Motor vehicle accident	3
<p>S24 WAS DISPATCHED TO A MVA WITH INJURIES AT THE 101.4 MILE MARKER. S24 RESPONDED FROM STATION 24. S24 WAS CANCELED ENROUTE BY R23.</p>						
2015-000460-00	07/29/2015	19:45	13 SEAGATE		Medical assist, assist EMS	3
<p>S24 WAS DISPATCHED TO A MEDICAL EMERGENCY AT THE PILOT HOUSE RESTAURANT. S24 RESPONDED FROM THE 101 MM. UPON ARRIVAL S24 WAS LEAD BY MCSO TO THE PT. PT. WAS SITTING IN A CHAIR AND WAS CONFUSED. S24 CREW PROVIDED BLS CARE TO THE PT. S24 CREW TRANSFERRED CARE TO R123 CREW UPON THEIR ARRIVAL. S24 CREW CONTINUED TO ASSIST R123 CREW WITH PT CARE.</p>						
2015-000461-00	07/29/2015	20:31	1 EAST		Medical assist, assist EMS	4
<p>STATION RECEIVED A WALK UP TO THE FRONT DOOR OF A PT C/O CHEST TIGHTNESS AND ELEVATED HR X 45 MIN. STATION 24 CREW ASSISTED PT INSIDE THE STATION AND GOT A SET OF VITALS. STATION 24 LT ASKED DISPATCH TO HAVE R123 RESPOND TO STATION 24 FOR A WALK UP, R23 WAS ON A CALL. UPON R123 ARRIVAL STATION 24 CREW ASSISTED THE PT INTO THE RESCUE AND ASSISTED R123 MEDIC WITH BLS &amp; ALS CARE. STATION 24 BACK IN SERVICE.</p>						
2015-000462-00	07/31/2015	16:13	105.6 OVERSEAS		Motor vehicle accident	3
<p>engine 25 was dispatched to 105 mm for mva upon arrival found 2 vehicles of the road on the southbound side of us1. airbags were deployed but all pts were stable with no injuries. Engine 25 established 105 mm command and secured the scene. Scene was then turned over to FHP and comman was terminated. Engine 25 back in servive at 16:40</p>						
<b>Total Incidents: 75</b>						



# Key Largo Volunteer Fire Department, Inc.

## Incident Totals by Month of Year

Fire Department: 38032  
 Companies: All  
 Date Range: From 07/01/2015 to 07/31/2015  
 Box/Zone/ Code: All  
 District: All  
 Situation Found: All  
 Exclude Mutual Aids: Yes  
 Exclude Exposures: No

Month	Totals	Cumul.	Average Attend.
January	0	0	0
February	0	0	0
March	0	0	0
April	0	0	0
May	0	0	0
June	0	0	0
July	74	74	4
August	0	74	0
September	0	74	0
October	0	74	0
November	0	74	0
December	0	74	0

# Key Largo Fire Dept.

Period: From 07/01/2015 to 07/31/2015

## NFPA Survey Report

FIRE IN STRUCTURES BY FIXED PROPERTY USE (OCCUPANCY) (All in Section A Incident Type 110-129)	Number of Fires	Number of Civilian Fire Casualties. If none, write 0.		Estimated Property Damage from Fire. If no loss, write 0.
		Deaths	Injuries	
1. Private Dwellings (1 or 2 family), Including mobile homes (FPU 410-419)	1	0	0	\$0
2. Apartments (3 or more families) FPU 429 or FPU 439	0	0	0	\$0
3. Hotels and Motels (FPU 449)	0	0	0	\$0
4. All other residential (dormitories, boarding houses, tents, etc.) (FPU 459-499)	0	0	0	\$0
<b>5. TOTAL OTHER RESIDENTIAL FIRES (SHOULD BE SUM OF LINES 1 THROUGH 4)</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>\$0</b>
6. Public Assembly (church, restaurant, clubs, etc.) (FPU 100-199)	0	0	0	\$0
7. Schools and Colleges (FPU 200-299)	0	0	0	\$0
8. Health Care and Penal Institutions (hospitals, nursing homes, prisons, etc.) (FPU 300-399)	0	0	0	\$0
9. Stores and Offices (FPU 500-599)	0	0	0	\$0
10. Industry, Utility, Defense, Laboratories, Manufacturing (FPU 600-799)	0	0	0	\$0
11. Storage in Structures (barns, vehicle storage garages, general storage, etc.) (FPU 800-899)	0	0	0	\$0
12. Other Structures** (outbuildings, bridges, etc.) (FPU 900-999)	0	0	0	\$0
<b>13. TOTALS FOR STRUCTURE FIRES (SHOULD BE SUM OF LINES 5 THROUGH 12)</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>\$0</b>

### B. OTHER FIRE AND INCIDENTS

14a. Fires in Highway Vehicles (autos, trucks, buses, etc.) (IT 131-132, 136-137)	0	0	0	\$0
14b. Fires in Other Vehicles (planes, trains, ships, construction or farm vehicles, etc.) (IT 130, 133-135, 138)	0	0	0	\$0
15. Fires outside of Structures with Value Involved, but Not Vehicles (outside storage, crops, timber, etc.) (IT 140, 141, 161, 162, 164, 170-173)	0	0	0	\$0
16. Fires in Brush, Grass, Wildland (excluding crops and timber) with no value involved. (IT 142-143)	3	0	0	
17. Fires in Rubbish, Including Dumpsters (outside of structures), with no value involved. (IT 150-155)	1	0	0	
18. All Other Fires. (IT 100, 160, 163)	2	0	0	\$0
<b>19. TOTAL FOR FIRES (SHOULD BE SUM OF LINES 13 THROUGH 18)</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>\$0</b>
20. Rescue, Emergency Medical Responses (ambulance, EMS, rescue) (IT 300-381)	43			
21. False Alarm Responses (malicious or unintentional false calls, system malfunctions, bomb scares) (IT 700-746)	11			
22. Mutual Aid or Assistance Responses Given	1			
23a. Hazardous Materials Responses (spills, leaks, etc.) (IT 410-431)	2			
23b. Other Hazardous Conditions (arcing wires, bomb removal, power line down, etc.) (IT 440-482, 400)	4			
24. All Other Responses (smoke scares, lock-outs, animal rescues, etc.) (IT 200-251, 500-699, 800-911)	7			
<b>25. TOTAL FOR ALL INCIDENTS (SHOULD BE SUM OF LINES 19 THROUGH 24)</b>	<b>75</b>			

Based on what is reported in lines 5 and 13 for number of fire above, please report separately:

Confined fires (e.g., cooking fires confined to cooking vessel, or chimney fire that did not spread beyond chimney, or confined trash fires) IT 113 - 118), and Nonconfined fires (IT 110 - 112, 120 - 123).

	Number of Confined Fires	Number of Nonconfined Fires
5. Residential Fires (line 5 above)	0	1
13. Structure Fires (line 13 above)	0	1

### BREAKDOWN OF FALSE ALARM RESPONSES

Type of Fire Alarm	Number of Incidents
1. Malicious, Mischievous False Call (IT 710-715)	0
2. System Malfunction (IT 700-739)	2
3. Unintentional (tripping on interior device accidentally etc.) (IT 740-749)	4
4. Other False Alarms (bomb scares, etc.) (IT 721, 700)	5